

The Iron Age

A Review of the Hardware and Metal Trades.

Published every Thursday Morning by DAVID WILLIAMS, No. 10 Warren Street, New York.

Vol. XIII: No. 17.

New York, Thursday, April 23, 1874

Four Dollars a Year.
Single Copies, Ten Cents.

FOUNTAINS.

Ancient and Modern Styles of Fountains—
How Fountains should be Set.

Fountains have ever been considered as among the most important and graceful embellishments of cities, parks and private pleasure grounds. The architects and sculptors of ancient Greece and Rome exhausted their skill upon works of this nature, the vestiges of which, where such exist, convey some idea of the beauty and grandeur of their conception. The display of water, moreover, was heightened by every device that the hydrodynamists of antiquity could invent and the most lavish outlay procure. The fountains of Corinth, Megara and Achala are especially mentioned by ancient Greek authors for their magnificence and ingenuity of design; nor were public ornaments of this kind confined to large cities, since, if we are to believe the records of Grecian antiquity, no Grecian town was devoid of them. This fondness for fountains, transmitted to Italy from the sister peninsula, was fostered under the Roman Empire by works which rivalled in beauty the noblest productions of the Grecian genius, and far surpassed them in magnitude, and afterward, reviving in Europe with the resuscitation of art which followed the gloom of mediæval barbarism, found expression in the wondrous productions of a Michael Angelo. The popular liking for this kind of ornamentation has since his day increased rather than diminished on the Continent of Europe. In Italy, more especially, every villa boasts its fountain, and in that country exist the finest models of this species of architectural and sculptural design. Among the most famous are those of St. Peter's, of the Villa Aldobrandini, at Frascati; of the Termini, at Mount Janiculum; of the Gardens of the Belvedere; of the Villa Borghese; that in the audience chamber of the Vatican, which is of silver, five Roman palms in height, and ornamented with superb vases and flowers; the fountains of St. Paul, of the Acqua Acetosa, and those of Viterbo. But, perhaps, the two most splendid and varied fountains in the world are the exquisitely beautiful *jets d'eau* in the orangery of the Palace of Versailles, and those of the Crystal Palace at Sydenham.

In this country we are only just beginning to appreciate the desirability of beautifying our public and private pleasure grounds with objects so graceful, refreshing and healthful, since nothing more effectually purifies the atmosphere than the spray of a fountain. Most of our large cities are admirably supplied with water, and yet the majority of them are nearly destitute of public fountains. New York, better off in this respect than some of her sister cities, is yet woefully deficient, considering her immense facilities for fountain supply. A move in the right direction has, however, been begun by the erection of the graceful structure, cast in bronze, from the design of Miss Stebbins, the American sculptor, at the Central Park, and it is to be hoped that before many years our parks and squares will be able to boast many such works. In private grounds and parks the artificial fountain, so prominent and beautiful a feature in European landscape gardening, is still more rare. And this is not from any want of appreciation of its beauty, but because persons are deterred from availing themselves of such an embellishment by an exaggerated idea of the cost. Formerly, when marble and stone, terra-cotta and stucco, were the only materials used, and skilled artists were employed to cut or mold them into graceful shapes—a laborious and painful process—the expense was certainly great, and few except the very wealthy could afford such a luxury; but now that fountains are cast in iron, bronze and zinc, the expense is rendered comparatively trifling. The most beautiful works may be reproduced an infinite number of times for the simple cost of the metal used in casting them, and that, too, with a delicacy of outline and a smoothness which the chisel of the most expert sculptor and stone cutter in existence could never impart. Moreover, the most beautiful and delicate ornamental work in iron, if properly painted, will stand any amount of exposure without injury, while stone or terra-cotta and stucco are extremely apt to decay and crack from moisture and variations of temperature.

The accompanying illustration shows the perfection to which the art—for such it is—of casting iron fountains has been brought in this country. The great variety of designs and sizes adopted by our founders enables them to suit any taste, and to accommodate purchasers in the matter of price. The catalogues of our ornamental iron founders are always interesting

and often beautiful, and the cheapness with which they can be sold will surprise those who are not familiar with the prices of such goods.

THE WATER SUPPLY OF FOUNTAINS.

Of course, space and the quantity of water available are the primal considerations which should govern the choice of size of the fountain. Where there is an unlimited supply of water, a great variety of effects may be produced, and the water itself should be principally relied on for display. A large quantity of water is not essential, however, the same kind of jets being made of different sizes. When the supply of water is not

tain. By this means the force is retained at the jet and the loss through friction lessened. Where fountains are not supplied from public reservoirs, and water is obtained from a tank, one holding enough for two hours' consumption is large enough if the supply be uninterrupted. In case it is liable to interruption, the tank should be large enough to hold a reserve of water to keep the fountain in operation until the supply can be resumed. It is hardly necessary to say that the dimensions of the tank vary with the size of the fountain. Tanks are supplied by pumps worked by horse, pony or bul-

of fountains, the manner of laying and connecting the pipes, and the subsequent utilization of the water supply.

Puddle Steel Rails.

The first rail made from puddle steel in this country was, it is said, manufactured in Schuylkill county, Penn., under the Ralston process. The *Pottsville Miner's Journal* gives the following items of interest respecting the history of one of these rails:

The Reading Railroad Company laid down a

three years' wear, compare very favorably with the Bessemer rails, though ultimately, I think, the latter will show the greatest durability.

Yours, truly,

W. E. C. COXE, Supt. Mill.

The rail is laid at a point where the wear and tear is very great and the usual manufacture of iron rails lasted but a short time. The great advantages which the Ralston steel rail have over the Bessemer is, that they are malleable, and can be reworked. The Bessemer rails last the longest, but cannot be rerolled, which is an important feature in the use of rails. The first cost of the Ralston steel rail is also less than that of the Bessemer steel rail.

We again wrote to Mr. Coxé and received the following answer:

PHILA. & READING R. R. CO.

READING, PA., March 21, 1874.

Dear Sir:—Your favor of 19th to hand. The one Ralston steel headed rail placed in our main line down track in October, 1869, commenced to fail late last year, by splitting on the head at one end, and may now be considered as about used up, although three-fourths of the rail is comparatively good. It has carried some 23,000,000 tons, exclusive of weight of cars and engines, at speeds varying from 10 to 40 miles per hour. This tonnage is large, although we have had iron rails of our own manufacture to carry 25,000,000 tons without failing, but removed from the tracks because worn down to the extent of one-fourth of an inch on the head or tread.

The material in the head of the Ralston rail was excellent, and had it been made solid, instead of by piling, would not have given out when it did, but would likely have borne the burden of at least another year.

Yours, truly,

W. E. C. COXE, Supt. R. R.

These rails are now largely used for colliery purposes in this and adjoining counties, as they resist the effects of mine water better than iron rails. The following letter in reply to an inquiry was received from the superintendent of the Pennsylvania Coal Company's collieries in Luzerne county.

OFFICE OF GEN. SUPT. PENNA. COAL CO.

DUNMORE, PA., March 10, 1874.

Tamagna Rolling Mill Co.—Gentlemen: I am in receipt of yours of the 6th, with inquiries regarding steel rails received from you in 1870. In reply will say that the ten tons of 30 lb. rails were put into mine, and it is doing good service from reports. I think it will go from twice to three times the service of the ordinary rail.

Also the 36 lb. rail laid upon main road is giving good satisfaction, but as the test is not so severe, we cannot say at this time how much more it will do than the ordinary rail.

Very truly, etc., JOHN B. SMITH.

Bismuth.

This metal occurs in its native state, and also in combination with sulphur, oxygen, silica and tellurium. The bismuth of commerce is almost exclusively obtained from the native metal, which is chiefly procured from the mines in Schneeberg, Saxony.

Commercial bismuth is never absolutely pure, but as the other metals with which it is associated are commonly more oxidizable than itself, it may, in a great degree, be separated from them by fusing the powdered alloy in an earthen crucible, with one-tenth part of its weight of nitrate of potash. When this mixture is heated until the nitrate is completely decomposed, a portion of the bismuth, together with the greater part of the impurities, will have been oxidized and remain in combination with the potash, while a button of purified bismuth collects in the bottom of the crucible.

Bismuth enters into the composition of the best type metal, and has the property of imparting to it a clean, sharp face. In the solder employed in the manufacture of pewter wares it also forms an ingredient, the composition being one part of bismuth, five of lead, and three of tin. Bismuth forms one of the ingredients of a fusible metal, from which, as toys, spoons are made which melt on being put into a cup of hot tea or water. An alloy composed of two parts tin, three lead, and five bismuth, melts at a temperature of 199° Fahrenheit. Another alloy has been used in some parts of the Continent of Europe in making safety plugs for steam boilers, which, by melting at a certain temperature, are intended to prevent their explosion. A sublimate of bismuth is used as a cosmetic. Pearl powder is a similar preparation, obtained by dissolving bismuth in aqua regia, and precipitating by water. Bismuth is employed in the manufacture of porcelain, as an agent for fixing the gliding and for increasing the fusibility of fluxes, and neutralizing the colors which are often communicated by them. It is also used to some extent in medicine.

The Blair Iron and Coal Company, of Hollidaysburg, will be known as the Cambria Iron Company after May 1.



ORNAMENTAL IRON FOUNTAIN, BY THE MOFF IRON WORKS.

great, the lighter and more delicate style of fountain should be selected. The force of the jet depends upon the amount of fall of water between the source of supply and the fountain, the minimum for a proper jet being from 10 to 12 feet. By estimating the difference of level between the top of the brass jet and the surface of the water in the tank or reservoir the amount of fall is ascertained. If the head of water does not reach the above minimum, beautiful effects may yet be secured by fountains with tiers of basins, the water dripping from one to the other, and, by attaching large supply pipes, the appearance of a cascade may be produced. The nearer the fountain to its reservoir the better, as, if conveyed any considerable distance through pipes, its impetus is lessened by friction. When much length of piping has to be laid it should be either of large diameter for the whole distance, or, beginning with a large diameter, gradually diminish toward the fountain.

lock-power, with water wheels, turbines, hydraulic rams, wind and steam engines. Where there is a running stream a small and inexpensive wheel will yield a good deal of power, and may be so arranged as to constitute a very pleasing adornment to a gentleman's grounds. A jet of considerable volume and height may be secured by means of the hydraulic ram, when connected by pipes with a pond or reservoir, even when the fall of water is very moderate. Wind engines, which run night and day without requiring the slightest care, and the operation of which costs nothing, are admirably adapted for working pumps, and the power they supply may be used for driving chaff cutters and other agricultural machines. The little "steam pumps" which, with their boilers, occupy only a small space, are also very useful and economical contrivances for the raising of water. In a future article we shall give some practical information on the setting

of rails capped with steel, made by this process, on their track in front of the rolling mill at Reading, in September, 1869. On inquiry as to the wear of this rail, the superintendent of rolling mill, Mr. Coxé, wrote, December, 1870, as follows:

The rail with a steel head made with steel furnished by you, was laid on our down track Sept. 18, 1869, and is wearing evenly and smoothly.

W. E. C. COXE, Supt. R. R.

On the 11th of November, 1871, he writes again:

Yours of the 19th to hand, inquiring about rail laid 9th month, 1869, and in answer can only repeat what I said before, that it is wearing evenly and smoothly.

In reply to a letter of inquiry, Mr. Coxé, under date of January 3, 1873, writes as follows:

Yours of 30th at hand. We have only one rail on our tracks made by the Ralston process, which as yet shows no defect.

We have some iron rails of our own manufacture which are doing equally as well, and both, after

Metals.**ANSONIA
BRASS & COPPER CO.**

19 and 21 Cliff Street,

(Adjoining Office of Phelps, Dodge & Co.)

Sheet Brass, Planished Brass, Polished Brass Door Rails, Brass Wire, Hayden's Patent Brass Kettles, Brass Tubing, Lamp Burners, Sun Burners.

Sheet Copper, Planished Copper, Copper Rivets & Burs, Braziers' & Belt Copper, Braziers' Rivets, Copper Tubing, Copper Bottoms, Copper Wire, Iron Wire, Fence Wire.

A large variety of Wood and Bronze Case Clocks.

MANUFACTURERS AT ANSONIA, CONN.

Phelps, Dodge & Co.,

IMPORTERS OF

TIN PLATE,

Sheet Iron, Copper, Pig Tin, Wire, Zinc, etc.

MANUFACTURERS OF

COPPER and BRASS.Cliff St., bet. John and Fulton,
NEW YORK.**T. B. CODDINGTON & CO.,**

25 & 27 Cliff St., New York.

Importers of

TIN PLATES,

And METALS of all descriptions.

A. A. THOMSON & CO.,

Importers and Dealers in

Tin Plate, Sheet Iron,**ZINC, COPPER, WIRE,****Block Tin, Spelter, Solder, &c.**

Nos. 213 and 215 Water and 119 Beekman Sts.,

NEW YORK.

F. O. Box, 61.

N. L. CORT & CO.,

Importers and Dealers in

Tin Plate, Pig Tin,**SHEET IRON, SOLDER,
ZINC, &c., &c.**220 & 222 Water and 115 & 117
Beekman Streets,

NEW YORK.

SCOVILL MFG. CO.

No. 4, Beekman St., New York.

MANUFACTURERS OF

SHEET AND ROLL BRASS,
BRASS AND COPPER WIRE,
GERMAN SILVER, BRASS BUTT HINGES,
KEROSENE BURNERS,
METAL BLANKS CUT TO ORDER,
CLOTH AND METAL BUTTONS, in every variety.

PHOTOGRAPHIC GOODS.

AGENCIES:

4 Beekman Street, New York,
17 Beach Street, Boston,
137 State Street, Chicago.

Manufacturers, **WATERBURY, CONN.****Lead Pipe and Sheet Lead,**

Improved

Tin Lined Lead Pipe,

Block Tin Pipe, Bar Tin, Pig Tin,

Pig Lead, Bar Lead, Solder, &c.

Colwell Lead Company,

No. 213 Centre Street, New York.

EVANS & ASKIN

BIRMINGHAM, ENGLAND,

Refiners of Nickel and Cobalt.

SOLE AGENTS,

VAN WART & McCOY,

43 Chambers St., New York.

Nickel and Cobalt always in stock.

Fuller, Dana & Fitz,

Importers and Commission Merchants,

BOSTON, 110 North Street,

**Tin Plates, Sheet Iron, Metals,
IRON, STEEL, Etc.**

Wrought Iron Beams, Etc., for Buildings.
Exclusive Boston Agents for the sale of The "Burden
Best" Iron, Tensile Strength 78,000 lbs. Union Iron
Mills Own Patent Beams, Channels, Etc. Patent Cold
Rolled Shafting. The Celebrated Bessemer Steel.
Brown's Original Concord Axes. The Salem Lead
Co.'s Lead Pipe.

Morris, Tasker & Co.'s Lap Welded Boiler Tubes.
Swedish, Norway, English, American, and Scotch
Iron. Russia Sheet Iron.

Fuller, Dana & Fitz's Price List on application.

Metals.**Waterbury Brass Co.**

JOHN SHERMAN, Agent,

No. 52 Beekman Street, NEW YORK.

Mills at WATERBURY, CONN.

Sheet, Rolled and Platers' Brass,

GERMAN SILVER,

Copper, Brass and German Silver Wire,

BRASS AND COPPER TUBING,**COPPER RIVETS AND BURS,****BRASS KETTLES,****WASH BASINS,**

Door Rail, Brass Tags & Step Plates.

BENEDICT & BURNHAM MFG. CO.

MANUFACTURERS OF

Rolled and Sheet Brass and German

Silver, Brass, Copper and German

Silver Wire, and Beading.

Plain and Fancy Tubing, Brass and Copper

Rivets and Burs, Brass and German Silver

Castings, Piano-Forte and Wrought Brass

Butt Hinges, Coal Oil Burners, Lamps and

Lamp Trimmings of every description, Patent

Lamp Sissors, &c., &c.

Depots—78 Beekman St., N. Y., 44 Sudbury St.,

Boston, and 17 N. Seventh St., Philadelphia.

Capital \$400,000.

CHAS. BENEDICT, President and Treasurer.

CHAS. DICKINSON, Secretary.

TIN PLATE

and

PIC TIN,

in Store and For Sale by

A. A. THOMSON & CO.

213 and 215 Water St., NEW YORK.

W. & J. TIEBOUT,

Manufacturers of

BRASS GOODS,

Galvanized & Ship Chandlery

HARDWARE.

200 Pearl Street, New York.

A. HARNICKELL

Offers for sale all kinds of

COPPER.

Old Copper bought and taken

in exchange.

22 Cliff Street, New York.

Mosselman Zinc.Assorted widths and numbers, by cast or sheet, in
store, at lowest rate.

A. A. THOMSON & CO.,

Box No. 61. 213 and 215 Water Street, N. Y.

SOLDER.

For Sale at lowest market rates, by

A. A. THOMSON & CO.,

Box 61. 213 and 215 Water Street, N. Y.

JOHN W. QUINCY,

98 William Street, New York,

Dealer in

AMERICAN AND FOREIGN SPELTER,**COPPER, TIN, NICKEL,**

And Metals generally.

Geo. A. Boynton
BROKER IN IRON
70 WALL ST., N.Y.

Tubal Cain Metal Works,

1320 Callowhill St., Phila.

Du Plaine & Co.,**ANTI-FRICTION METALS**

Best and Cheapest.

Holmes & Lissberger,

Importers and Dealers in

COPPER,

Manufacturers of

Braziers' and Sheet Copper, Kettle**Bottoms,****Bolts, Rivets, Strips, Circles & Tubes,****PIG AND RAILROAD IRON,****Pig & Ingot Copper, Spelter,****Solder, Tin & Lead.**

255 & 257 Pearl Street, N. Y.

Agents for the New Haven Copper Co.

Metals.**The Plume & Atwood
Mfg. Company,**

MANUFACTURERS OF

SHEET and ROLL BRASS and WIRE,

German Silver and Gilding Metal,

Copper Rivets and Burs,**Kerosene Burners,****Shoe Eyelets, Lamp Trimmings, &c.****80 Chambers Street, New York.****13 Federal Street, Boston.**

Rolling Mill, Factories,

THOMASTON, CT. WATERBURY, CT.**EDWARD MILLER & CO.,****4 Warren Street, N. Y.**

(1st Store from Broadway.)

Manufacturers of

Sheet Brass, Tin and Brass Lan-

terns, Patent Spun Brass

Kettles, Engine & Machinery

Oilers, Kerosene Lamps,

Burners and Trimmings,

Tea and Coffee Pot

Spouts, And Sheet Metal

Wares generally.

MILL AND FACTORIES, MERIDEN, CT.

**BROOKLYN
Brass and Copper Co.,**

100 John Street, N. Y.,

Manufacturers of

Copper Sheets, Bolts, Wire, Tubes**& Bottoms, Roll Brass, Wire,****Tubing & Rivets.**

Zinc Plates, Sheets and Tubes. Also, Patent

Metal for Roofing, Linings for Bath Tubs, Refriger-

ators, &c.; considered the best metal for Signs and

Reflectors.

JOHN DAVOL & SONS,

100 John Street, N. Y.,

Dealers in

Ingot Copper, Spelter, Tin, Lead,**Antimony, Solder & Old Metals.****Wire, etc.****Geo. W. Prentiss & Co.,****HOLYOKE, MASS.,**

MANUFACTURERS OF

IRON WIRE,**Bright, Coppered, Annealed and Tin****Plated.**

Coppered Pail Ball Wire, Bolt Screw, Rivet, Belt

Hook and Buckle Wire; Wire for the manufacture

of Pins, Hair Pins, Wire Cloth, Heddles, Reeds, &c.

Also, Clock, Machinery, Spiral Spring and Piano

Pin Wire, Plated Piano String Covering Wire, Plated

Hook and Eye and Button Eye Wire, Tinned Broom

Wire, fine Tinned Wire, and Tin-Plated Wire of all

sizes and for all purposes. A specialty is made of

the manufacture of

GUN SCREW WIRE

of all sizes up to one half inch in diameter, straight-

ened and cut to order. Special attention is given to

finishing orders to sample for particular purposes,

where exactness of size is required. We work

only the best Brands of Norway and Swedes Iron.

WEST BROADWAY WIRE WORKS,**90 West Broadway, New York.**

MANUFACTURERS

Brass, Copper and Iron Wire Cloth

of Superior Quality.

The Heavy Patent Spark

Arrester Wire Cloth, Fancy

Car Baskets, &c. Patent

Iron Wire Bailing, for

Banks, Offices, Cemeteries,

&c., Extra Strong Coal and

Sand Screens, Coal, Meal

and Hair Sieves, Meat

Sieves, Fenders and Gate

Guards.

Sole Agent for D. M.

Weston's Patent Centrifugal

Lining for Sugar Ma-

chines. All kinds of Wire

Work made to order.

Orders thankfully received

and promptly executed by

A. W. HOPKINS.

ROEBLING'S**WIRE ROPE**

For Best

IRON or STEEL WIRE HOISTING, RUN-

NING or STANDING ROPES, or BEST

GALVANIZED CHARCOAL WIRE

ROPES FOR SHIP'S RIGGING,

Address, JNO. A. ROEBLING'S SONS, Manufacturers,

Trenton, N. J. or 117 Liberty St., N. Y.

Wheels and Rope for transmitting power long

distance. Send for Circular and Pamphlet.

Wire, etc.**National Wire and Lantern
Works.**

Warehouse, 45 Fulton Street, New York.

HOWARD & MORSE,

MANUFACTURERS OF

BRASS, COPPER AND IRON**WIRE CLOTH,****LOCOMOTIVE SPARK WIRE CLOTH,****Iron Wire Bolting Cloth,****Ship and Railroad Lanterns,****Signal Lights, Conductors' Lanterns,****ADJUSTABLE GLOBE HAND LANTERN,****DESK AND OFFICE RAILING****Riddles, Coal and Sand Screens,****NURSERY FENDERS & SPARK GUARDS****Ornamental Wire Fence.****R. D. WOOD & CO.,**

PHILADELPHIA,

Manufacturers of

Cast Iron Water and Gas Pipe,**Lamp Posts, Retorts, &c.**

Also, Race & Mathews' Patent Hydrant. This Hy-

drant is perfectly anti-freezing, is the most ornamental

and the cheapest made.

R. PAINE, Selling Agent,

Office, 175 Broadway, N. Y.

SAMUEL PARKER & CO.,**WETHERSFIELD, CONN.**

Manufacturers of

Brass, Copper and Iron Wire Cloth Locomotive Spark Wire Cloth,**Ox Muzzles, Wire Flower Stands, Brass, Iron and Galvanized Kiddles.****STEEL CASTING BRUSHES.**

Steel & Rattan Brooms & Flue Brushes, Plain & Landscape Wire,

Window Screen Cloth a specialty; Wire Window Guards, etc.

Send for Price List.

UNION EYELET CO.,**PROVIDENCE, R. I.**

MANUFACTURERS OF

EYELETS,

of every description.

B. Long,**A. B. 14,****F. P. 1,****Extra B. Long,****Tag,****Corset,****Suspender,****Bustle,****Skirt,****Stationer's,****A.,****B. &c., &c.**

All orders should be addressed to

Howard, Sanger & Co.,**Selling Agents,****105 & 107 Chambers St., N. Y.****Wire, etc.****Washburn & Moen Mfg. Company
WORCESTER, MASS.**

Established 1831.

IRON AND STEEL WIRE.

WIRE RODS of all Grades; Round Iron, Rivet quality,

3-16 in.

Trenton Vise & Tool Works,

TRENTON, N. J.

Manufacturers of

Solid Box Vises,

HAMMERS, SLEDGES, PICKS,
Mattocks, Grub Hoes, Etc.

WAREHOUSE 101 and 103 Duane Street, N. Y.

Our Vises are Warranted to do more work than any other make. No broken boxes or screws.



R. M. GREEN & CO.,

100 Chambers Street, NEW YORK.

Hardware Manufacturers' Agent.

REPRESENT:

BATCHELLER MFG. CO., Cast Steel Forks, Rakes, &c.
VERMONT SNAPE CO., Snaths.
NORTH CAROLINA HANDLE CO., Axe and Pick Handles.
EXCELSIOR MFG. CO., Carriage Rims, Hubs and Spokes, Wood Hay Rakes.
VERMONT MFG. CO., Hay, Manure and Shovel Handles. All kinds of Ash, and Hickory Timber Sawed and Turned to order.
BIGSALL MFG. CO., Barn Door Rollers and Hangers, G. S. Fixtures, Pump, &c.



Ausable Horse Nail Co.,

MANUFACTURERS OF

Hammered and Hammer Pointed and Finished
HORSE NAILS,

FROM

BEST NORWAY IRON.

Orders promptly filled at lowest market rates.

ABRAHAM BUSSING, Secretary.

35 Chambers Street, New York.

GLOBE NAIL COMPANY,

MANUFACTURERS OF

Pointed, Polished & Finished Horse Shoe Nails.

Recommended by over 20,000 Horse Shoers.

All Nails made from best NORWAY IRON, and warranted perfect and ready for driving. Orders filled promptly and at lowest rates by

GLOBE NAIL CO., Boston, Mass.

C. HAMMOND & SON,


Mfrs. of Hammers, Edge Tools, Railroad, Machinists' & Blacksmiths' Tools,
Office and Sample Rooms, 13 N. 4th Street, PHILADELPHIA.



Unfinished Picks.....\$ 7.00 per doz
Finished Picks.....\$ 4.00 per doz
Pittsburgh Broad Axes.....\$ 20.00 per doz

NELSON TOOL WORKS,

157 East 32d Street, N. Y.,



MANUFACTURERS OF


Shackel Bars, Block Sledge ploges, Mattocks, Sledges, Blacksmiths' Sledges, Masons' Brick Hammers, Swedges, all sizes, Mill Picks, Crow Bars, Smiths' Hand Hammers, Coopers' Hammers, Masons' Stone Axes, File Cutters' Hammers, Striking Hammers, Fullers, all sizes, Horse Shoers' Tools, Nail Tongues.

HAMMERS of all kinds made to order, on receipt of Pattern or Drawing. Special attention paid to R. R. Work

EMMET HAMMER CO.,

Manufacturers of all kinds of

HAMMERS AND SLEDGES AND CONTRACTORS TOOLS,
BROOKLYN, E. D., NEW YORK.



BUCK BROTHERS, MILLBURY, MASS.

The most complete assortment in the U. S. of Shank, Socket Firmer, and Socket Framing

CHISELS.

Gonges of all lengths, and circles beveled inside or outside. Nail Sets, Scraps and Belt Awis, Chisel Handles of all kinds. Orders filled promptly, generally same day as received.

Leather Belting.

PAGE BELTING COMPANY.

Sole Manufacturers of



GENERAL MILL SUPPLIES,
No. 24 Exchange Street, Boston.

BRADFORD & SHARP,

Manufacturers of

Leather Belting

OAK TANNED,

57 Walnut Street, Cincinnati, O.

We furnish many of the largest Iron Mills in the West, and guarantee quality of all goods sold. Send for prices

Alexander Brothers,


Manufacturers of OAK TANNED

Leather Belting

410 & 412 North 3d, Philadelphia, Pa.

THE PREMIUM REFINED BORAX

Formerly known as the J. T. & Co. brand, and the only true California Borax now made, will hereafter bear this



upon the boxes. Having all the advantages of dryness claimed for any other product from the Pacific coast, the form of the crystals, denoting purity, is the same as the best English.


It received the first premium from the American Institute, 1873. Consumers can rely upon the strength and purity of this brand.

Delivered in New York, Boston or Hartford.

BEACH & CO.,
Hartford, Conn., Agents.

The Swift Mill.

Established in 1845



Letter "B" Geared Counter Coffee or Spice Mill.

*Stands nearly 2 1/2 feet high. Is highly finished, color deep Vermilion and Gold. We make more than 20 different styles and sizes. Send for catalogue. Manufactured exclusively by

LANE BROTHERS, Millbrook, N. Y.



O. LINDEMANN & CO.,
MANUFACTURERS OF
JAPANESE AND PATENT BRIGHT METAL
HARD COATERS,
P.O. BOX 107, NEW YORK, N.Y.
Released Dec. 20th, 1873, March 12th, 1874
Office and Salesroom, No. 231 Pearl St., New York
Factory, Nos. 222, 223 & 224 Pearl Street.

T. C. RICHARDS & CO.,

47 Murray Street, N. Y.,

Manufacturers of Richards' Patent Porcelain-head Picture Nails; also, Porcelain Picture, Drawer, Shutter, and Door Knobs, etc., etc.


Importers of German Brass Goods, also, China, Gilt, Steel, and Silver Furniture Nails Wire Nails etc., etc.

We particularly invite the attention of large buyers to our Patent Picture Nails and Knobs being a specialty with us, we offer satisfactory discounts on good orders.

Improvement in Hollow Ware.

Messrs. Bolklin Bros., of No. 210 Water street, N. Y., have introduced an improvement in hollowware, which they call the Patent Safety Strainer Pot, and which seems to us so useful and so simple that it well merits a brief description.

The improvement consists—
First.—In the addition of a strainer formed upon the inner side of the vessel in such a way that the liquid contents may be poured off and the solid contents retained. This, it will be



seen, gives an entirely new usefulness to the vessel, without interfering with or diminishing its space or capacity.

Second.—The addition of a lip, by which the liquids can be poured off, and not be permitted to trickle down the side of the vessel, as has been the case with the one heretofore in use.

This vessel seems well adapted to the wants of the housekeeper, and in order to complete its safety and convenience a handle is attached to its rear side, so as to guide it when pouring



off its contents, thereby avoiding the possibility of scalding the person holding it; an accident which no amount of experience could provide against in the use of the older and more clumsy utensil.

In addition to these advantages a lid or cover is provided, so nicely adapted to its purpose that when pouring out its contents the hand and arm of the person holding it is entirely protected from the steam, which is only permitted to escape under the full control of the holder.

Messrs. Bolklin have also extended these improvements to other kitchen utensils of a similar kind, thereby increasing their utility and convenience.

Interesting Experiments with Bar Iron.

The officers of the Boiler Inspection and Insurance Company, of Hartford, Conn., have made some experiments with bar iron, which are interesting in themselves, and important as showing one cause of weakness in boilers which has hitherto escaped notice. We are indebted to Mr. John M. Allen, president of the company, for the following account of the experiments and their object:

When we wish to break a bar of iron, we usually cut a channel with a cold chisel around the entire bar at the point where the break is desired. This having been done we place the bar on an anvil with the channel slightly over its edge. A smart blow on the out lying portion will cause a fracture which at first sight has all the appearance of crystallization. Now if we take this same bar and cut a channel on one side, and subject it to the same treatment with the channelled face up, the crystalline appearance will show slightly, in close proximity to the bottom of the channel, but the main body of the bar will be bent and partly broken, displaying a fiber with a long silky appearance.

Now if we take this bar with no previous preparation and subject it to the same treatment, we shall find that, instead of breaking, it will simply bend to a right angle or more, showing no fracture whatever. The question arises why, with the same blow, do these different specimens of iron show such widely different results? It has been said that the blow on the cold chisel disturbed the fiber of the iron weakening it and putting it in condition to fracture at the point cut. Being desirous of demonstrating this matter, and for reasons given below, we obtained a bar of iron 1 1/2 inches wide and 3/4 inch thick. Instead of using a cold chisel we made use of a file and cut a channel around the entire bar. We then placed the bar on an anvil with the channel slightly over the edge, struck the out lying portion a smart blow and it flew from the bar like cast iron. The fracture presented a crystalline appearance. This experiment satisfied us that something other than the disturbance of the fiber by the cold chisel was the cause of this sudden disruption and consequent crystalline appearance.

Some have argued that when the original skin of the iron was broken or cut the strength was greatly reduced, and that fracture in bending was well nigh certain.

To settle this theory, we cut again a channel around the bar and put it upon a planer and planed away the surface for some distance each side of the channel until the channel was entirely "planed out." The bar was reduced in thickness nearly one-third, but the "original skin" of the iron was gone. We next subjected this to the same treatment as described above, and it bent beautifully with no indication of fracture. This demonstrated to our satisfaction that the "original skin" of the iron was not, in this kind of strain, what saved iron from frac-

ture. It should be stated here that from a good quality has been broken with an apparently crystalline fracture, where no channeling or previous preparation had been made. See Kirkaldy's experiments on wrought iron and steel. But the circumstances were different from those under discussion here. When we bend a bar of iron slowly the fibers on the convex or outer surface of the bend are disturbed very greatly comparatively, and this disturbance or elongation of fiber decreases as approach is made to the other side of the bar, where a crumpling of the surface fiber will take place. From a careful examination of the bent portion, the different layers of fibers, so to speak, appear to have slipped or slid one over the other to an extent depending upon the degree of strain brought to bear upon each. Sections cut from the bent portion, when examined with a microscope, show, more or less distinctly, that the laminae and iron threads have become disturbed and loosened in their cluder envelopes, particularly on the outer side of the bend. If the bending is repeated back and forth several times the loosening up of fiber is distinctly seen without the aid of a glass. Having briefly considered the action of iron fiber, in the process of bending, we return to the question of fracture. Why does the bar break suddenly and with a crystalline appearance under a smart blow at the point marked or channelled with a file? When a bar of iron is bent the outer fibers receive the strain first, breaking its severity as it is transmitted to those underlying. The disturbing force is distributed over the entire portion of the elongated fiber, diminishing each way from the point of greatest strain. Now it will be seen that by cutting a channel through the outer layer of fiber the strain is confined to the point where the channel is cut. The fiber on either side, to the depth of the channel, is not acted upon at all and exerts no influence as a protection to the underlying layers of fiber; hence, when the blow is received the effect is confined to the channel, the fiber having little or no opportunity to protect itself, and it breaks short off. When a channel was cut in the bar on both sides, and then planed out, the bar was virtually restored to its normal condition, and its behavior was the same as when in its original condition. Had we space allusion might be made to inferior qualities of iron, where in piling the center portions are very poor indeed, whilst the outside bars are of unexceptionally good quality. This kind of iron presents a good surface, but in bending and breaking its inferior quality is readily discovered. But the experiments which we made were with good bar iron. Now the object of these experiments was this: We not unfrequently find boilers fractured along the edge of the outer lap of the sheet, both transverse and longitudinal, and we further find a great many boilers where the caulking tools have been most carefully used. It often occurs that the corner of the tool is allowed to cut a channel entirely through the skin of the iron, which renders the plates weak at the point of greatest strain. The immense force in a boiler under pressure is little understood by those not familiar with the laws of steam, and when we take into consideration the fact that this immense pressure is striving to force the surrounding iron into a true cylindrical form, we shall gain some idea of the great strain brought to bear along the lap of the joints--the points deviating farthest from a true cylinder--and the importance of having the iron of the best quality and free from all defects by the careless use of caulking tools, or otherwise.

The fractures found at joints, both longitudinal and transverse, are brought about by expansion and contraction, or by fretting of the iron from uneasy seating of the boiler in its setting, and it will be readily seen that any defect in the iron, at or near the point of greatest strain, is very liable to result in fracture. Boilers are sometimes met with that are at least of one-third less capacity than they should be for the work required. The engine requires more steam than they can easily and steadily carry, hence, at every revolution, the draft is so great that the hand of the pressure gauge will vibrate through an arc, measuring a variation of from 10 to 15 pounds. The boiler feels the accumulating pressure, resulting from fires furiously urged, and expands to its utmost to accommodate it, until the opening ports conduct the steam to the cylinder and afford it momentary relief. Thus the boiler like a great animal "breathes," and its "respirations" can sometimes be detected by the eye. With this slow but continuous process of bending back and forth, is it any mystery that boilers finally "give out?" And if instead of good, sound iron, there are defects at the points of greatest strain, need we look for mysterious agencies when boilers rupture--burst--or explode?

There are many little things that will work great mischief if they are neglected, and we believe the mystery will recede and vanish in connection with boiler explosions in proportion as sound and careful investigation is made. But patience and painstaking examination, extending over years if need be, are necessary to a satisfactory solution of this question, and the greater the number of boilers under examination, with their particular defects understood, the greater the fund of information from which to make up conclusions.


The Marquette Mining Journal says: A serious misfortune has befallen the Champion Furnace. At a quarter past eight o'clock Thursday morning a tuyere burst, and in less than five minutes the entire cone was in flames. The engine house, hoist and stock house were completely destroyed, but the stack, hot blast, large engine and boilers were not very badly damaged. The large coal and wood piles near the furnace were saved only by hard, hot work. The iron roof and sides of the buildings checked the flames considerably, or the loss would have been much greater. We have not heard the loss to the company estimated as yet, but it must be quite heavy. The stack has been shoved out, and is all right, the loss being mainly confined to the destruction of the buildings.

Iron.
NEW YORK.
GAM'L G. SMITH & CO.,
IRON WAREHOUSE,
342, 344 & 346 Pearl Street, New York.
Importers and Dealers in
IRON AND STEEL,
COMMON AND REFINED BAR IRON,
SHEET AND PLATE IRON,
Rod, Hoop, Band, Scroll, Horse Shoe,
Angle and Tee Iron,
PIG IRON,
OLD RAILS,
WROUGHT IRON BEAMS.
and all sizes and shapes made to order.

Manchester Steel Works,
ENGLAND,
sell from stock, at lowest prices, all descriptions
Best Tool & Machinery Cast Steels
SPRING STEEL
Cast Spring, Sleigh Shoe, Toe Calk
and Plov Steel. Best Cast Steel and
Bessemer Wire Rods.

AGENTS:
PIERSONS & CO.,
24 & 26 Broadway, and 77 & 79 New St.,
NEW YORK CITY.

JACKSON & CHACE,
206 & 208 Franklin St., N. Y.
Importers and Dealers in
IRON and STEEL.



Agents for
JOHN A. GRISWOLD & CO'S
Bessemer Steel,
MACHINERY STEEL,
Cast Steel and
SPRING STEEL,
ANGLE and T IRON.
Special Irons for Bridge and
Architectural Work.

ABEEL BROTHERS,
Successors to JOHN E. ABEEL & CO.,

Iron Merchants,
190 South Street and 365 Water, N. Y.

ULSTER IRON
A full assortment of all sizes constantly on hand.
English and American Refined Iron
of choicest brands,
common Iron.
Band, Hoop and Scroll Iron.
Sheet Iron.
Norway Nail Rods.
Norway Shapes.
Cast, Spring and Tire Steel, etc.

Alfred R. Whitney,
Importer and Dealer in
IRON STEEL,
Well assorted stock of
Angle and T Iron,
To 30 feet in length, constantly on hand.
56, 58 & 60 Hudson, and 49, 51 & 53 Thomas Sts., N. Y.
English and American Manufacture
AGENT FOR IRON
Used in Construction of
Fire-Proof Buildings, Bridges, &c.
Books containing Cuts of all Iron now made, sent by
mail. Sample Pieces at office.
Please address 56 Hudson Street.

BORDEN & LOVELL,
Commission Merchants
70 & 71 West St.,
New York.
Wm. Borden,
L. N. Lovell,
Agents for the sale of

Fall River Iron Co.'s Nails,
Bands, Hoops & Rods,
AND

Borden Mining Company's
Cumberland Coals.

A. B. Warner & Son,
IRON MERCHANTS,
28 & 29 West and 52 Washington Sts.
BOILER PLATE,
Boiler Tubes, Angle, Tee & Girder Iron,
Holler and Tank Rivets.
Sole Agents for the celebrated

"Eureka," Pennocks,
"Wawasset," Lukens,
Brands of Iron. Also all descriptions of Plate, Sheet,
and Gasometer Iron. Special attention to Locomotive
Pipes. Fire Box Iron a specialty.

HOLDEN
HOPKINS
& STOKES
IRON
CAST STEEL,
NAILS, RAILS,
& R.R. SPIKES.
104-106 JOHN ST.
NEW YORK.

Iron.
NEW YORK.
Conklin & Huerstel,
"IRON MERCHANTS,"
99 Market Slip, N. Y.
English and American Refined Iron,
COMMON IRON,
Band, Hoop and Scroll Iron,
Horse Shoe Iron & Horse Nails,
Norway Nail Rods and Shapes,
Cast, Spring, Toe Calk and
Bessemer Tire Steel.
Sole Agents for the Celebrated Horse-Shoe Brand
HORSE RASPS.

WM. GARDNER,
575 Grand, 414 Madison & 309 Monroe Sts.
Bar, Hoop, Rod, Band and
Horse Shoe Iron.
AGENT FOR

Best Norway N. R. & Shapes,
Spring, Toe Calk, Tire & Sleigh Shoe Steel.



POWERVILLE
ROLLING MILL,
JOHN LEONARD,
450 & 451 West Street, NEW YORK.
Manufacturer of all sizes of **MERCHANT**
IRON and HOOPS. Also Manufacturer of
Best Charcoal Scrap Blooms.
And Dealer in Old and New Iron,
Steam Engines, Boilers and Tanks.

GILEAD A. SMITH & CO.,
23 Change Alley, Lombard St., No. 30 Pine St., N. Y.
London. P. O. Box No. 5070.

RAIL ROAD IRON
In Ports of New York & New Orleans.
Steel Rails of most approved Makers.
Importers of Old Iron Rails for re-rolling.
Bills of Exchange on Imperial Bank, London.

Marshall Lefferts, Jr.,
90 Beekman St., New York,
MANUFACTURER OF
AMERICAN
Galvanized Sheet Iron,
AND AGENT FOR THE
Easton Sheet Iron Works, Easton Pa.

MANUFACTURER OF
Best Bloom, Charcoal & Refined Sheet Iron.
Galvanized Telegraph and Fence Wire
Galvanized and Tinned Roofing and Siding
Nails.
Galvanized Tea Kettles.
Galvanized Hoop Iron of all widths.
Galvanized Staples.
Corrugated Iron for Roofing, plain or gal'd.
Galvanized Bars and Chains for Cemetery
Railing.

S. WHITNUM,
Manufacturer and Galvanizer of
Coal Hods, Water Pails, Baking
Pans, &c.

Galvanizer of Sheet Iron, Nails, Spikes and Tinned
Roofing Nails, Wire Hoop and Band Iron. Iron
Work for Cemetery Purposes furnished complete.
Factory, cor Clay and Franklin Sts.,
GREENPOINT, L. I.

FLUOR SPAR

As a flux for foundrymen and iron and steel works
Fine ground and No 1 lump in barrels, or in bulk, as
mined. **PORTER & STENTON.**
Sole Agents Mineral City Mining and Smelting Co.,
7 Public Landing, Cincinnati, O.
Send for a circular.
Orders promptly attended to by our New York Agent,
W. A. STAGG, 68 Broadway.

Iron.
NEW YORK.
HAZARD & JONES,
BROKERS.
NEW & OLD RAILS,
FOREIGN AND DOMESTIC
Pig Iron,
Wrought & Cast Scrap Iron, &c.,
212 Pearl St., New York.

J. TREVITT PIKE,
Successor to W. H. Pettit & Pike,
72 Wall Street, N. Y.
RAILWAY, SCRAP AND
PIG IRON.
Post Office Box, 5565.

JAMES WILLIAMSON & CO.,
SCOTCH AND AMERICAN

PIG IRON,
No. 69 Wall St., New York.

B. F. JUDSON,
SCOTCH AND AMERICAN
PIG IRON,
Wrought and Cast Scrap Iron.
457 and 459 WATER STREET,
And 335 SOUTH STREET, near Pike,
NEW YORK.

JOHN W. QUINCY,
95 William Street, New York
Dealer in
Anthracite & Charcoal Pig Irons,
OLD SCRAP and CUT NAILS.
Gibbs' Patent Lock Nut and Washer, and
Fish Plates for Rail Roads.

BOONTON
CUT NAILS,
HOT PRESSED NUTS,
Machine Forged Bolts,
Washers.
Fuller, Lord & Co.,
BOONTON IRON WORKS,
139 Greenwich Street, New York.

Swedish Iron.
A Variety of Brands, including
IB HP NRB 03
BARS suitable for Steel of all grades, Wire, Shovels,
Hoes, Scythes, Carriage Bolts, Nail Rods, Tacks, &c.
CHARCOAL PIG IRON for Bessemer and
Cast Iron.
MUCK BARS for Steel Smelting and Re-rolling.
SCRAP or BAR ENDS.
Direct Agency for **N. M. HÖGLUND, of**
Stockholm, represented in the United States by
NILS MITANDER,
69 William St., New York.
ABBOTT & HOWARD, ALBERT POTTS,
Boston, Mass. AGENTS: Philadelphia, Pa.

DANIEL W. RICHARDS & CO.,
Importers of and Dealers in
SCRAP IRON,
Pig Iron,
OLD METALS.
YARDS:
88 to 104 Mangin St., Foot of Stanton St., E. R.
71 to 79 Tompkins St., New York.
OFFICES:
90 & 92 Mangin Street, New York.
178 Pearl Street,
30 The Albany, Liverpool, England.

The Corrugated Metal Co.
D. F. Towner, East Berlin, Ct. G. W. Cook, Secy.
Pres. & Treas. N. C. North, Supl.
Manufacturers of
PATENT CORRUGATED FIRE-PROOF
SHUTTERS, of Superior Quality.
The best shutters known for protection against fire.
New York Office, 44 Centre St., NORTON & WILKS, Agents.

P. W. GALLAUDET.
Banker and Note Broker,
Nos. 3 and 5 Wall Street,
NEW YORK.
HARDWARE, METAL, IRON, RUBBER, SHOE,
PAPER AND PAPER-HANGINGS, LUMBER, COAL
AND RAILROAD PAPER WANTED.
ADVANCES MADE ON BUSINESS PAPER AND
OTHER SECURITIES.

T. B. CODDINGTON & CO.,
25 & 27 Cliff St., New York.
Bar Iron, Sheet Iron, &c
Of every description

Iron.
NEW YORK.
HARRISON & GILLOON
IRON AND METAL DEALERS,
558, 560, 562 WATER ST., and 302, 304, 306 CHERRY ST.,
NEW YORK.
have on hand, and offer for sale, the following:
Scotch and American Pig Iron, Wrought, Cast
and Machinery Scrap Iron, Car-Wheels, Axles and Heavy
Wrought Iron; also old Copper, Composition, Brass,
Lead, Pewter, Zinc, &c.

JOHN F. PFEFFERLE,
Dealer in all kinds of
SCRAP IRON AND OLD METALS,
BAR AND PIG IRON.
Also, New and Second-Hand Anchors, Chains and Ma-
chinery of all descriptions.
Nos. 531 & 533 Water St., N. Y.

PETTEE & MANN,
Dealers in
Ulster, English Refined & Common
BAR IRON,
Scotch and American Pig Iron, Wrought &
Cast Scrap Iron, &c., &c.,
228 & 229 South and 449 & 451 Water Sts., N. Y.
The highest price paid for Wrought and Cast Scrap
Iron. Storage for Pig, Bar and Railroad Iron taken at
the lowest rates.
G. A. MANN,
D. L. PETTEE.

OXFORD IRON CO.,
Cut Nails and Spikes,
R. R. Spikes, Splice Bars and
Nuts and Bolts,
81, 83 & 85 Washington, near Fector St, N. Y.
COLLIER & SCRANTON, Agents.

DAVID CARPENTER,
Manufacturer of
HOT PRESSED NUTS,
And Dealer in
All kinds of Refined Bar & Horse Shoe Iron,
402 Water Street, New York.

U. O. CRANE.
BROKER IN
PIG IRON & METALS,
104 John St. New York.

H. L. GREGG & CO.,
Ship Brokers & Commission Merchants,
Importers of
Old Iron, Metals and Rags.
Freight engagements made to all parts of the world.
Marine insurance effected in reliable offices.
108 Walnut St., Phila.

THE SPRINGFIELD IRON COMPY,
SPRINGFIELD, ILLINOIS,
Is now ready to receive orders for the manufacture of
IRON RAILS,
Of a quality second to none.
Capacity of Works, 25,000 tons per annum.
Chas. Ridgely, Pres. J. W. Bunn, Vice Pres
George M. Brinkerhoff, Secy
E. A. Richardson, Supt.
Agent in New York,
GEORGE T. DAVIS, 47 Exchange Place.


BURDEN'S
HORSE SHOES.

"Burden Best"
Iron.
Boiler Rivets.

Burden Iron Works, H. Burden & Sons,
Troy, N. Y.
Established in 1849.

THE
Jackson & Woodin Mfg. Co.
Successors to JACKSON & WOODIN,
Manufacturers of

Car Wheels and Cars,
BERWICK,
COLUMBIA, CO., PA.



Wrought Iron buildings, Corrugated Iron Bridges,
Rods, Chains, Doors, Floorings, &c. Corrugated
Sheets of all sizes manufactured by Mosley Iron
Bridge & Roof Co., No. 5 Dey St., N. Y.

Iron.
PITTSBURGH.
Pittsburgh Foundry.
A. GARRISON & CO.,
Manufacturers of
CHILLED AND SAND
ROLLS,
Of acknowledged superior quality, at the lowest cur-
rent prices.
Ore and Clay Crushers, and Roll-
ing Mill Castings,
of every description.
Office and Warehouse, 209 Liberty Street,
PITTSBURGH, PA.

PENNSYLVANIA IRON WORKS.
EVERSON, GRAFF & MACRUM.
Pittsburgh, Pa.
Manufacturers of every description of
Bar, Sheet and Small Iron,
Make a specialty in
Fine and Common Sheet Iron.

W. P. TOWNSEND & CO.,
Manufacturers of
WIRE and
Black and Tinned Rivets
OF CHOICEST CHANCOIL IRON.
Rivets any diameter up to 7-inch and ANY LENGTH
required.
19 & 21 Market St., PITTSBURGH PA.

Boston Rolling Mills
Manufacture extra quality small Rods, from best se-
lected Scrap Iron
Swedish and Norway Shapes,
NAIL and WIRE RODS.
Also **HORSE SHOE IRON.**
BOSTON ROLLING MILLS,
W. R. ELLIS, Treasurer.
Office, 17 Battery-march St., Boston.

"PEMBROKE"
Round, Square & Flat Iron.
"FRANCONIA" Shafting & Bar Iron.
Extra quality when great strain or superior finish
is required. Also, Irons for ordinary work, like the
"ENGLISH REFINED."
WM. E. COFFIN & CO.,
No. 8 Oliver Street, Boston.
New York Agents,
JEVONS STROUD & CO., 104 John St., N. Y.

PACKARD, GOFF & CO.
Youngstown, O.
Manufacturers of
Merchant Bar Iron.
Mills at Hubbard, O.; also Jobbers in
Nails, Nuts, Washers & Carriage Bolts.

Bonnell, Botsford & Co.,
Iron, Nails & Spikes.
YOUNGSTOWN, OHIO.

ALTHOUSE & UMBERGER,
Commission Merchants
For the exclusive sale of
PIG IRON,
341 Walnut St., Phila.

Pottsville Spike, Bolt and
Nut Works.

G. D. ROSEBERRY,
Pottsville, Pa.
Manufacturer of
RAILROAD SPIKES
MINING SPIKES,
Cold Pressed Nuts, Machine Bolts & Bolt Ends.

Clement & Hawkes Mfg. Co.,
Manufacturers of
SHOVELS,
Planters' Hoes, Trowels and Machinery,
Northampton, Mass.
Send for Circular and Price List.

Tubal Cain Metal Works,
1320 Callowhill Street, Philadelphia.
Du Plaine & Co.,
BRASS CASTINGS
for Rolling Mills, Machine, Ship and Car Work
Work and metal warranted as represented.

J. J. MOHR,
IRON
Commission Merchant,
430 Walnut St., Philadelphia.
Sole Agent for
BUSHONG, SHERIDAN,
And other brands of **PIG IRON.**

Iron.

PHILADELPHIA.

Iron and Steel T and Street Rails

Of Best American and English Makes.
CHAIRS, SPIKES, FISH BARS, RAILROAD SUPPLIES.
Muck Bars, OLD RAILS, Scrap, BLOOMS.

American and Scotch
PIG IRON, AND METALS.
CHAS. W. MATTHEWS,
133 Walnut St., Phila.
(Late RALSTON & MATTHEWS, 183 Walnut St.)

MALIN BROS.,
IRON
Commission Merchants,
No. 228 Dock Street,
3d door below Walnut, PHILADELPHIA.

BLAKISTON & COX,
IRON
Commission Merchants,
No. 333 Walnut Street,
PHILADELPHIA.

THE CAMBRIA IRON WORKS,

Situated on the line of the Pennsylvania Rail Road, at the western base of the Alleghany Mountains, are the largest of their class in the United States, and are now prepared to make

1800 TONS PER WEEK,
Of Iron and Steel Railway Bars.

The Company possesses inexhaustible mines of Coal and Ore, of suitable varieties for the production of Iron and Steel Rails of

BEST QUALITY.

Their location, coupled with every known improvement in machinery and process of manufacture enable them to offer their rails, when quality is considered, at lowest market rates.

The long experience of the present Managers of the Company, and the enviable reputation they have established for "CAMBRIA RAILS," are deemed a sufficient guarantee that purchasers can at all times depend upon receiving rails unsurpassed for strength and wear by any others of American or foreign make. Any of the usual patterns of rails can be supplied on short notice, and new patterns of desirable weight or design will be made to order. Address,

CAMBRIA IRON COMPANY
218 S. Fourth St., PHILADELPHIA.
or at the works, JOHNSTOWN, PA.

S. FULTON & CO.,
MANUFACTURERS OF
Pig Iron and Cast Iron Gas and Water Pipes.
ALSO HEAVY AND LIGHT CASTINGS
OF EVERY DESCRIPTION.
PLYMOUTH IRON WORKS, CONSHOHOCKEN, PA.
Office, No. 242 S. 3d St., Phila.
SAMUEL FULTON. THEO. TREWENT

W. GRAHAM HOOPES
Commission Merchant
FOR THE SALE OF
Pig, Bloom, Plate, Bar & Railroad
IRON,
No. 419 Walnut Street, Philadelphia.

The Phenix Iron Co.,
410 Walnut St., Philadelphia.

MANUFACTURERS OF
CURVED, STRAIGHT AND HIPED
Wrought Iron Roof Trusses
BEAMS, GIRDERS, AND JOISTS,
and all kinds of Iron Framing used in the construction of Iron Roof Buildings.

Deck Beams, Channel, Angle and T Bars
curved to template, largely used in the construction of Iron Vessels.

Pat. Wrought Iron Columns, Weldless Eye Bars,
for Top and Bottom Chords of Bridges.

Railroad Iron, Street Rails, Rail Joints and Wrought Iron Chairs.

Refined Bar, Shafting, and every variety of Shape Iron made to order.

Plans and Specifications furnished. Address
SAMUEL J. REEVES Vice Pres.

G. A. HART,
Old and New Rails, Muck Bars,
PIG AND SCRAP IRON, COPPER, &c.
208 Walnut St., Philadelphia.
SECOND FLOOR

TUBAL CAIN METAL WORKS,
Offices & Warehouses, 1320 Callowhill St. Foundries & Smelting Works, 1908 to 1936 Buttonwood St., Phila.

Du Plaine & Co.,
REFINED SOLDER.
Engineers, Machinists and Plumbers' Supplies.



THE TRAVELERS Insurance Comp'y
Of Hartford, Conn.,

INSURES AGAINST
Railway Accidents.
Steamboat Accidents.
Carriage Accidents.
Bridge Accidents.
Street Accidents.

Accidents by Machinery.
Accidents in the Shop.
Accidents in the Factory.
Accidents of Farming.
Accidents of Building.
Accidents by Drowning.
Accidents of Riding or Driving.
Accidents of Walking.
Accidents of Traveling.
Accidents of Staying at Home.

Accidents on the Land.
Accidents on the Water.
Accidents of all Occupations.
Accidents Everywhere.

Every Business man, Professional man, Workingman, or any other man, should have a General Accident Policy in the

TRAVELERS Insurance Comp'y
Of Hartford, Conn.

Apply to any Agent, or write to the Company.

New Patents.

We take from the records of the patent office at Washington the following specifications of certain patents lately issued, which will be found interesting:

IMPROVEMENT IN APPARATUS FOR PUDDLING IRON.

Specification forming part of Letters Patent No. 148,112, dated March 3, 1874, issued to Joseph Davies, of Knoxville, Tennessee.

Figure 1 is partly a plan view and partly a horizontal section of my improved puddling furnace. Fig. 2 is a sectional elevation taken on the line x x of Fig. 1.

Similar letters of reference indicate corresponding parts.

A represents the puddling hearth, which is made in the form of a circular cup or tub, and arranged with its top fitted closely against the short cylindrical part B of the top C of the puddling furnace. This hearth is fitted on a pivot, D, at the center of its bottom, in a vertically adjustable step, E, and near the outer edge it rests on rollers F in stationary supports, so as to be revolved horizontally, for which it is provided with a toothed rim, G, with which a bevel pinion, gears, said pinion being driven by a belt from a driving shaft. The step E screws up and down in the pedestal K, to regulate the pressure of the hearth top at its joint with the bottom B of the furnace top. Openings leading from the fire place M and to the chimney P are made through the sides of the station any part of the furnaces. This portion has also a large opening, Q, for putting in and taking out the iron, and smaller holes R for the puddling tools S and T, which are worked by power apparatus to manipulate the iron as it is brought to them by the revolving hearth. The tool S is attached to a slide, U, and has a reciprocating motion imparted to it by the cranked wheel V and connecting rod W. The tool T has a rotary motion, which is imparted to it by the shaft X, to which it is attached, and said shaft is turned by a bevel pinion, Z, which gears with the cranked wheel V. Said pinion is arranged to shift out and in gear, and is provided with a shifting lever, Z', to shift it as required, for it is sometimes only needed to work the reciprocating puddling tool. The cranked wheel V is driven from the main driving shaft J by a belt, Z', and pulleys. By the rotation of the hearth in this way the puddling tools can be worked by power in a simple way, because the iron is brought to them by the hearth; and by using power driven tools the puddlers' labor is very much lessened.

Claim.—The combination, with a revolving furnace, of two puddling tools, S, I, the one revolving and the other reciprocating therein, as described.

IMPROVEMENT IN COATING IRON AND STEEL.

Specification forming part of Letters Patent No. 148,795, dated March 17, 1874, issued to Enoch Wood, of Pittsburgh, Pa.

This invention consists of a new and improved composition for and method of coating iron and steel. The ingredients, with the proportions of each used in the composition with which the coating is accomplished, are as follows: Lead, or any of its compounds, six parts; borax, four parts; flake white, four parts; zinc, two parts; brass, two parts; copper, one-eighth; manganese, one-eighth; tin, one-fourth; antimony, one-eighth; lime, indefinite.

Each of the foregoing named ingredients is taken separately and pulverized, after which they are melted together in such a manner as to secure their fusion at one and about the same time. The compound thus formed upon cooling, resolves itself into a disintegrated mass, which is afterward pulverized into a fine powder, and when in this condition is ready for use in the process of coating iron or steel.

A good compound, answering the purposes named, can be prepared from the above ingredients without fusing before use in the process of coating iron or steel. Its application must of necessity take place while the iron or steel to be coated is in a heated condition, a red heat being sufficient for the purpose.

For coating rolled iron or steel, the new alloy can be applied during the process of rolling, by means of any simple device for distributing it over the surface of the iron or steel, either during or before the operation of rolling. It can be equally well applied to ordinary iron or steel castings while in a condition of red heat, by means of a metal brush, or other suitable device.

Immediately upon the application of the new alloy to the heated iron or steel, it fuses and spreads, which, upon cooling, forms a bright surface thereon. This new surface is perfectly impervious to rust or oxidation in any degree, under any and all conditions of exposure to weather or moisture. It also retains its color and its permanency up to a condition of red heat, at which point, however, its luster is temporarily lost, but its adhesiveness maintained. It is not claimed that beyond a condition of red heat its permanency could be secured.


Its application to sheet iron, especially when required for use in positions of exposure to weather, water, or moisture, is of the greatest importance, while bending even to breakage, does not cause the coating to scale off.

By the admixture of lead, zinc, brass, flake-

white and borax in proper proportions, a surface of a darker shade is produced, while by the addition of manganese a still darker shade of coating is effected.

The coating in the case of rolled iron or steel, being done during the process of rolling, adds little to the cost thereof, while in the case of castings or forged iron, the process of coating being instantaneous renders it very economical.

Claim.—A compound, composed of the following ingredients, in these or any other suit-



IMPROVED PUDDLING APPARATUS.—Fig. 1.

able proportions, namely: Lead, six parts; borax, four parts; flake-white, four parts; zinc, two parts; brass, two parts; copper, one-eighth; manganese, one-eighth; tin, one-fourth; antimony, one-eighth; and lime in sufficient quantity, either first pulverized and then mixed together, or first fused and pulverized, for use as a coating for iron and steel, to prevent rust and oxidation.

2. The method herein described of applying an unfused coating to the surface of iron and steel, while in a condition of red heat, by means of a metallic brush or switch, or by rolling.

IMPROVEMENT IN SEPARATING TIN FROM TIN SCRAP.

Specification forming part of Letters Patent No. 148,790, dated March 17, 1874, issued to Pierre de P. Ricketts, of New York.

This invention relates to certain improvements on the process for separating tin from




Fig. 2.

iron in tinners' clippings, described in the Patent No. 128,265, granted to Thomas F. Wells, June 23, 1872.

These improvements consist in treating the clippings or scraps, first, in a bath of hydrochloric acid, until about two-thirds of the tin has been dissolved, then immersing the same in a bath of hydrochloric acid, mixed with other acids, until the remainder of the tin is dissolved, so that from the first bath a comparatively pure tin and pure chloride of zinc are obtained, as hereinafter described, while the second bath yields an inferior product, consisting of tin mixed with iron. For the purpose of precipitating the tin from the solution the "dross" from galvanized iron and scrap galvanized iron is used, thereby effecting a saving in zinc, and increasing the yield of iron scraps.

In carrying out the invention, series of tanks or vats are provided, which are made acid proof, and which are filled, one with hydrochloric acid, the second with a mixture of hydrochloric acid, mixed with other acids—such as nitric acid, or sulphuric acid—a third with clean water, and so on. The scraps or clippings from which the tin is to be removed is collected in a suitable drum or basket, and immersed in the first bath of hydrochloric acid, until about two-thirds of the tin has been dissolved. The scraps are then removed from the first bath, and immersed the same in the second bath until the remainder of the tin is dissolved.

By following this course a pure chloride of tin, almost free from iron, is obtained in the first bath, which, when having been precipitated by means of zinc, gives a pure tin, the market value of which is much higher than that of tin contaminated with iron. Beside this, pure chloride of zinc is obtained which can be used with advantage for preserving wood.

The second bath, which contains nearly all the iron dissolved, will yield an impure tin; also, a material which will command a good price as a disinfectant.

For the purpose of precipitating the tin from the solution, dross from galvanizing iron and scrap galvanized iron is used in the same manner in which metallic zinc is commonly employed for this purpose; and, since the dross

obtained in the process of galvanizing iron, and also scrap galvanized iron, are commonly considered and treated as mere waste, a saving of from four to six cents per pound is effected upon the zinc used; and, furthermore, a quantity of iron is obtained from the dross and from the scrap galvanized iron, which can be sold with the iron from the tin scrap.

The iron from the zinc will, of course, be in the bottom of the tank, after precipitation, with the metallic tin, and may be separated from the same by throwing it on a sieve.

From the foregoing description it will be seen that the principal aim of the improvements is to reduce the expense of the process for removing the tin from iron in tinners' clippings; and, since the practical success of such process depends wholly upon the question of profit or loss, the saving of a few cents renders the process a success, while other processes, by which tin can be easily removed from tinners' clippings are practically failures, because they do not pay.

Claim.—1. The process of separating tin from iron in tinners' clippings, by immersing said clippings first in a bath of hydrochloric acid, until about two-thirds of the tin is dissolved, and then introducing said clippings in a second bath of hydrochloric acid mixed with other acids, such as nitric acid or sulphuric acid.

2. The process of precipitating tin from the solution by means of dross from galvanizing iron or scraps of galvanized iron.

A Favorable Locality for Iron Manufacture.

Mr. Henry Dedaker, of Allen's Creek, Amherst county, Virginia, sends us some interesting facts in relation to the iron ores of that neighborhood. He states that at Allen's Creek, which is situated in the valley of the James River, on the canal of that name, about 120 miles west of Richmond and 26 miles east of Lynchburg, there is one of the best natural locations for a furnace, or other machinery for the working of iron, that he has ever seen, iron ore (both magnetic and hematite) existing in the immediate vicinity in sufficient quantities to supply material for iron working operations on the most extended scale for a century to come. There are, also, at the precise point where they would be most serviceable, a never failing water-power and an abundance of limestone. Mr. Dedaker thinks that a furnace erected at Allen's Creek could, with a tramway about 400 yards in length conducting to its bridge house (on a level), be furnished with an ample supply of the very rich magnetic ore which follows the line of a mountain ridge, varying from 150 to 300 feet above water level, and crops out at different points for three miles. By means of a level tramway in another direction, and by tunneling through the ridge, as many as three distinct veins of ore might be intersected, all of good quality, and only about one-half or three-quarters of a mile from the furnace. Mr. Dedaker also says that there are inexhaustible quantities at other points up and down the canal. He adds, moreover, that he is not actuated by personal motives in communicating this information, for he does not own a foot of land in that vicinity, and has no ore to sell. We are happy, therefore, to give publicity to the above facts, coming, as we have reason to believe they do, from such an unbiased source.

Report of Inspections Made by the Hartford Steam Boiler Inspection and Insurance Company, for the Months of January and February, 1874.—The number of inspection visits made during these months was 2204. Number of boilers examined 4342; internal examination, 1298. The hydraulic pressure was applied in 289 cases, mostly in connection with new boilers, before leaving the yard of the boiler maker. The weaknesses and defects discovered in these examinations were 1988—353 of which were regarded as dangerous. We are not prepared to say that all of them would have resulted in immediate disaster, but they were in a condition where disaster was liable to occur at any moment. The conditions under which boilers are used have much to do with developing these defects. If a boiler is forced beyond its ability it is strained, weakened and fractured, and often rendered dangerous, even though its dangerous condition is not understood, and it finally fails with more or less destructive results. Number of boilers with defective furnaces, 94—14 dangerous. Fractures, 140—68 dangerous. Burned plates, 148—88 dangerous. These last defects more frequently occur from deficiency of water owing to defective feed apparatus or leaks. Blistered plates, 353—73 dangerous. Cases of deposit of sediment, 362—35 dangerous. External corrosion, 161—26 dangerous. This is a defect often met with. It is very insidious in its progress, but by care and attention can be arrested and prevented. If leaks are allowed to go unrepaired, corrosion must follow. Covering a boiler with brick work so that leaks cannot be detected is a dangerous practice. Allowing the joints of fittings to go unpacked when leaking is productive of difficulties and annoyances arising from corrosion. Internal corrosion, 54—8 dangerous. Much might be said on this subject, but experiments in progress will sooner or later furnish material for a special article bearing upon the question of internal corrosion. Internal grooving, 16—5 dangerous. The cause of this defect was fully set forth in our last annual report, and subsequent investigation confirms fully our views there expressed. Water gauges defective, 92—17 useless. Blow off defective, 44—8 dangerous. Safety valves overloaded, 51—20 dangerous. Pressure gauges defective, 28—32 dangerous. Boilers without gauges, 89. Cases of deficiency of water, 7. This defect arises from leaks or defective feed apparatus, and is one of the principal causes of burned plates, defective furnaces and fractured plates. Braces and stays loose and broken, 70—23 dangerous. Boilers condemned as unfit for use, 24.

Iron.

CLEVELAND.

CLEVELAND ROLLING MILL CO.,

MANUFACTURERS OF

BESSEMER STEEL RAILS,

Steel Plates and Furlings, Railroad Iron, Merchant Bar,
Beams, Girders, Sills, Bolts, Spikes, &c. &c.Cedar, No. 99 and 101 Water St., CLEVELAND, O.
H. CHISHOLM, V. P. & Gen. Supt.
E. S. PAGE, Sec'y.

Cleveland, Brown & Co.

IMPORTERS, MANUFACTURERS AND DEALERS IN

IRON AND STEEL,

HORSE SHOES, HORSE NAILS,

NORWAY NAIL RODS,

NAILS, SPIKES,

"Standard Taper" Axles & Swedes Iron.

WINDOW GLASS,

Wrought Iron Pipe and Boiler Tubes.

Chains, Rivets, Nuts, Washers, and Heavy
Hardware Generally.

25, 27, 29 & 31 Merwin Street,

CLEVELAND, OHIO.

OLD DOMINION

Iron and Nail Works Company,

RICHMOND, VA.,

R. E. BLANKENSHIP, Commercial Agent,

Manufacture

NAILS AND BAR IRON,

Hands, Scrolls, Horse Shoe Bars, Nut and
Rivet Iron, Spike Rods, Shunting, Bridge
Bolts, Ovals, Half Ovals, Half Rounds, &c.NEW HAVEN
Rolling Mill Comp'yManufacturers of Merchant, Horse Shoe, and extra
quality iron. Guaranteed to stand specified tests.
Special orders taken for common iron.

New Haven, CONN.

J. TREVITT PIKE,

Successor to W. H. Peit & Pike.

72 Wall Street, N. Y.

RAILWAY, SCRAP AND
PIC IRON.

Post Office Box, 5565.

Established 1836.

Sidney Shepard & Co.,

BUFFALO, N. Y.

Our Specialties

For which we Invite Corres-
pondence & Solicit Orders.

Tinmen's Tools and Machines.
Ausable Horse Nails.
W. D. Wood & Co.'s Sheet Iron.
Patent American Russia Iron.
Galvanized Sheet Iron.
Snell's Augers and Bits.
Snell's Boring Machines.
Tabular Lanterns.
Shepard's Blind Hinges.
Iron Tea, Table & Basting Spoons.
Turn Table Imp'd Apple Parers.
Peerless Egg Beaters.
Brass Kettles.
Enameled Kettles.
Rubber Belting, Packing & Hose.
Berea Grind Stones.
Yager's Soldering Salts.
Cast Hollow Ware.
Sheet and Bolt Copper.
Copper Bottoms.
Planished Copper.
Yaw's Cow Bells.
Tinned and Black Rivets.
American Screw Co.'s Screws.
Manila Rope.
Bessemer Steel Spring Wire.
Novelty Clothes Wringers.
Stove Boards.
"Champion" Ice Cream Freezers.
Tea Trays.
Chesapeake Cut Nails.
Iron Wire.
Wire Dish Covers.
Stove Ornaments.
American Coffee & Spice Mills.
Perforated Tin.
Maischoss Bros. C. S. Files.
Gem Stove Polish.
National Cast Butts.
Charcoal Sad Irons.
Howard Parallel Vises.
U. S. Gov. White Lead.

Prices Reduced!!!

OHIO TOOL CO.,
Planes and Plane Irons.

OHIO TOOL CO., Columbus, O.


J. CLARK WILSON & CO., Agents,

81 Beckman St., N. Y.

Iron.

MILWAUKEE IRON CO.,

MANUFACTURERS OF



RAILROAD IRON

of Unsurpassed Excellence.

Capacity of Works, 45,000 Tons of Rails per Annum.

E. B. WARD, Pres. ALEX. MITCHELL, Treas. J. J. HAGERMAN, Secy. & Co.

WILLIAM F. DUFFEE, General Superintendent.

MILWAUKEE, WIS.

MILES ALARM TILL CO.,

The Oldest,

Largest and only

Incorporated Alarm

Till Co. in the

World.



"TRADE MARK."

Providence, R. I.

Send for

Catalogue,

Price List

and Circulars.

WELLS W. LEGGETT.

LEVERETT L. LEGGETT

LEGGETT & LEGGETT,
Patent Attorneys and Solicitors of Patents.

WASHINGTON, D. C.,

Give special attention to securing American and Foreign Patents for Inventors,
Reissues and Extensions of Patents; also, to the taking up and prosecu-
ting of Rejected Cases, Interferences, Infringements, Appeals, etc

We prosecute cases before the Patent Office & in the different Courts

Correspondence promptly and carefully attended to.

Artistic & Enduring

MONUMENTS,

IN GRANITE AND BRONZE.

Designs submitted by Mail.


National Fine Art Foundry

218 East 25th Street, New York.

Schweitzer Mfg. Co.,

57 Read St., N. Y.

IMPORTERS & JOBBERS.



Prices of APPLE PARERS, &c., for 1874.

Bay State Apple Parer, Coring and Slicing
Machines (does all at once), 12 doz. \$15 00
Skeleton Apple Parer, Coring and Slicing
Machines (does all at once), 12 doz. 8 50
Union Improved Apple Parers, 12 doz. 8 50
Bay State Peach Parers, 12 doz. 12 00
Peach Stoner and Halver, 12 doz. 7 00
Meat Cutters, 30 doz. \$30 00 and \$72 00
"Skeleton" and "Union" in 50 doz. lots, 2 doz.
\$8 00. Other kinds included at 10 per cent. discount
from list. Terms, 30 days, or 5 per cent. discount if
draft be made on shipment.


Manufactured by

D. H. WHITTEMORE,

Worcester, Mass.

J. Clark Wilson & Co., New York, and Wm. H. Cole,

Baltimore Agents.



Buffalo Bellows Factory.

MERCHANTS WILL FIND IT ADVAN-
tageous to buy from me, as I sell low, and my loca-
tion enables me to ship at very low rates. No charge for
cartage or other incidental expenses, my quotation being
the whole cost to the purchaser, except the freight from
Buffalo to his location. Please send your orders to
JOSEPH CHURCHYARD,
Clinton cor.
Buffalo, N. Y.

GEO. W. BRUCE,

No. 1 Platt Street.

Continues to Import

Nettlefold & Chamberlain's,

IRON AND BRASS SCREWS, AND WIRE

GOODS, RIVETS, &c.

and assures the trade that his stock, assortment and
prices are not equaled by any other parties, whatever
their pretensions.

NEW YORK, April 1st, 1873.

Iron.

CAST IRON FLANGE PIPES

Of any length or diameter, for Steam Engines, Exhaust Steam, Fire Purposes, Refineries,
both Faced and Drilled and Plain. Also,

GAS and WATER PIPES

Of all sizes, with necessary connections for

same. LAMP POSTS, FIRE HYDRANTS,

VALVES, &c.

R. A. BRICK & CO., Mfrs., 112 Leonard St., N. Y.

NEW HAVEN ROLLING MILL CO.,

Manufacturers of

HORSE AND MULE SHOES.

NEW HAVEN, CONN.


JESSE W. STARR.

BENJ. A. STARR.

BENJ. F. ARCHER.

CAMDEN IRON WORKS

(Established 1824), CAMDEN, N. J.



JESSE W. STARR & SONS,

Engineers, Contractors and Manufacturers of Gas Apparatus.

And all the

Buildings, Tanks, Holders, &c., required for the Manufacture, Purification, and Storage
of Gas, and Street Mains Requisite for its Distribution.

Plans, Drawings, and Specifications promptly furnished.

IRON FOUNDERS.

CAST IRON STREET MAINS, for Water and Gas, from One and a Half Inches to

FORTY-EIGHT Inches in Diameter.

Stop Valves (all sizes), FIRE HYDRANTS, HEATING PIPES, BRANCHES, BENDS, TEES

CASTINGS of any form or size required.

PHILADELPHIA OFFICE, - - 403 WALNUT STREET.


TAYLOR IRON WORKS,

HIGH BRIDGE, N. J.,

On the line of the Central Railroad of New Jersey.

CAR WHEELS, CAR AXLES,

DRAW HOOKS & FORGINGS.



LEWIS H. TAYLOR, President.

W. J. TAYLOR, Treas. & Gen. Man.

JAS. H. WALKER, Secretary.

S. P. RABER, Supt.

New York Office, 93 Liberty St.

STANDARD DRAW HOOKS, finish-
ed, ready for immediate use, with
draw hook, with or
without flange.

ATKINS BROTHERS,

PROPRIETORS OF THE

Pottsville Rolling Mills & Pioneer Furnaces

POTTSVILLE, PENNSYLVANIA.

Having introduced New and Improved Machinery into their Rolling Mills, and manufacturing all their
iron from the ore, and also doing all Machine Work and Repairs in their own shops, they are enabled to
produce

RAILROAD IRON

Of uniform quality, unsurpassed for strength and wear, and of any required length.

Address the Proprietors Pottsville, Pa.

The Britannia Ironworks Company, Limited,
Middlesbro' England,

MANUFACTURERS OF

ALL DESCRIPTIONS OF IRON RAILS


Surplus Stocks of Various Sections always on hand.

London Office: W. G. FOSSICK, 6 Laurence Pountney Hill, E. C.

Weekly Output, One Thousand Tons.

NEWCOMB BROS.,

Manufacturers of

Smiths', Moulders' and Hand
BELLOWS.

For further particulars send for descriptive circular and price list.

586 Water St., near Montgomery, N. Y.

Cross Street, East Broadway and South Street Cars cross Montgomery St.

W. & B. DOUGLAS,

MIDDLETOWN, CONN.

The Oldest and Most Extensive Manufacturers of

PUMPS, HYDRAULIC RAMS, GARDEN ENGINES

AND OTHER

Hydraulic Machines

IN THE
WORLD.

Awarded the GRAND MEDAL of PROGRESS at WORLDS' EXPOSITION, VIENNA, 1873, being the highest awards on Pumps, &c., also, highest medal at PARIS in 1867.

Descriptive Catalogues and Price Lists sent when requested.

BRANCH WAREHOUSES,

85 & 87 John Street, N. Y.

AND

197 Lake St., CHICAGO, ILL.



UNION MANUFACTURING COMPANY,

Manufacturers of all styles

PLAIN AND ORNAMENTAL

Cast Fast & Loose Butts,

Drilled and Wire Jointed.


Japanned, Figured, Enamelled, Nickel Plated, and Real Bronze Butts. Also a full line of

IRON & BRASS PUMPS.

Clsters, Well, and Force Pumps, Yard, Drive Well, Garden Engine and Steam Boiler Pumps, Hydraulic Rams, etc., and all with the most modern improvements. Fine Castings a Specialty.

NEW BRITAIN, CONN.

Warehouses, 109 Chambers Street, N. Y., 14 India Street, Boston, (Butts,) 67 Kilby Street, Boston, (Pumps.) Send for New Illustrated Catalogue and Price List.



THE LARGEST PUMP WORKS. IN THE WORLD.

Over 800 different styles

Pumps, Steam Pumps, Rotary Pumps, Centrifugal Pumps, Piston Pumps,

for Tanners, Paper Mills, Fire Purposes, suitable for all situations imaginable.

HAND FIRE ENGINES,

Send for Catalogue. Address

RUMSEY & CO.,

SENECA FALLS, N. Y., U. S. A.

LINFORTH, KELLOGG & CO., San Francisco, Cal., GENERAL AGENTS FOR THE PACIFIC COAST.

L. M. RUMSEY & CO.,

Branch House, 811 N. Main Street, St. Louis, Mo.



JAMES T. MAGUIRE,

MANUFACTURER

Builders' Wrought Iron Goods,
HOOKS HASPS AND STAPLES,

Awning Hooks, Corner Irons, Rings, Meat Hooks, Horse S. Placers, Tongues, &c., &c. Price List.

Messrs. WM. F. SHATTUCK, & CO., 115 Chambers Street, New York, Manufacturers, 606 E. 11th St., New York.




WRIGHT'S

Double Acting,
BUCKET - PLUNGER
STEAM PUMPS.

ALWAYS RELIABLE

V ALLEY MACHINE CO., Easthampton, Mass.



Manufacturer of

Rules, Planes, Iron Planes, Grooving Planes, Gauges, Plumbs and Levels, Hand Screws, Bench Screws, Handles, Door Stops, Try Squares, Sliding T Bevels, Turning Saw Frames and Saws, Schell's Patent Gauge, Butler's Patent Gauge, Boring Machines, &c., &c. Illustrated Catalogues of 1874 furnished on application. Address,

H. CHAPIN'S SON, Pine Meadow, Conn.

New Patent "X" Razor Strap.

PATENTED DECEMBER 23, 1873.

This Strap, designated on our List as Letter "X," is of novel construction—is elastic, pleasantly yielding to the razor—gives a keen fine edge—is made of superior stock—is furnished at a low price—and gives universal satisfaction.

ITS PRICE SELLS IT.


BENJAMIN F. BADGER, Sole Manufacturer,

Badger Place, Charlestown, Mass.

Automatic Flood Pipe for Buildings.

Mr. Stewart Harrison, of London, England, has invented an apparatus for automatically flooding buildings with water in case of fire, which is very clearly shown in the accompanying illustrations.

The self-acting preserver valve (Figs. 1 and 2) is so constructed that the valve is held in its seating, so as to prevent the efflux of water, only by a conical brass plug, carrying the stem or spindle of the valve, and retained in position within a suitable conical recess or seat by an annular wedge of fusible metal. Between the valve and the plug there is a perforated hollow spheroid, which acts like a rose, to distribute the water, when issuing under pressure, on all sides; and this rose and the plug beneath it necessarily project downward below the ceiling.



AUTOMATIC FLOOD PIPE FOR BUILDINGS.—(Figs. 1 and 2.)

ing, for obvious reasons, the supply pipes being affixed by holdfasts to the joists above. Then, in case of a fire occurring by accident, generating flames and elevating the temperature, so soon as the boiling point of water is attained, the fusible plug melts, the plug drops out, the valve falls, and water in continuous streams is at once discharged upon the fire and flame, extinguishing them before they can spread or gather strength, so as to become uncontrollable; in fact, the fire is the immediate agent and existing cause of its own destruction.

So far it is clear there is nothing out of the way or impracticable in the scheme; nothing involving any departure from existing practice, as in the case of gas and water pipes, bell wires, speaking tubes, and the like; of which, indeed, it is the corollary and extension. But it obviously involves the absolute existence of a constant public water supply, at high pressure, accessible and available; or, in default thereof, of adequate storage of water in cisterns, of sufficient dimensions, suitably placed, to give the requisite supply and pressure. It is obvious, also, that some expedient in adaptation to the circumstances of a frost, by saline ingredients and due circulation, would be advantageous or necessary.

To avoid the danger of unduly flooding a building, and thus causing as much damage by water as would probably have resulted from fire, Mr. Harrison has produced an attachment which causes the water to depress a piston, which releases and sets in action an alarm; which, by making a connection with a galvanic battery, and completing a circuit, might, if required, be made to ring an alarm bell situated anywhere, these alarms continuing until attention is aroused, and some one comes to turn off the water and stop the flow, and the alarm simultaneously.

The Utilization of Waste Substances.

[Concluded.]

The minor uses of the numerous other components of the vegetable world are singularly varied. Rape-seed, linseed and cotton seed, after the oil has been pressed out of them, present the form of husky cakes, which, both in themselves and in the portion of oil which they still contain, are valuable as cattle food, for which they have very fattening qualities. It affords a curious instance of the discreditable adulterating practices of our day, that there are many factories in which the husks and refuse of rice are worked up into a substance called "shude," sold in thousands of tons, to adulterate oil cake, to which it is made to bear a considerable resemblance—wanting, however, in the oleaginous properties of the latter. Grape


husks, when charred, are employed in making the intensely black ink with which bank notes are printed. The raisin stalks and skins which accumulate on the hands of British wine makers form the very best filter for the use of vinegar manufacturers; and hence arises a certain advantage in carrying on both those processes in one establishment, as is done by the celebrated firm of Beaufoy, at Vauxhall. Rice husks, and the delicate pellicle which incloses the grain, are largely employed as a litter for stables, as a substitute for saw dust, and as a food for live stock and poultry. The bran or refuse from the grinding and bolting of corn is useful as a food for cattle, as a material in tanning, as a cleanser in calico printing and tin plate making, and as a stuffing for cushions and dolls. Brewers' and distillers' grains are much sought after as fattening food for live stock. The

van-loads from Covent Garden Market to the dairies in the vicinity of the metropolis, as a food for milch cows; in France, they are made to yield a little spirit by distillation, and are used, also, in paper-making. Sawdust and shavings have a multiplicity of useful applications; from mahogany, they are used in smoking fish; from boxwood, in cleaning jewelry; from cedar, in making "otto of cedar-wood;" from sandal-wood, in filling scent bags; from deal, in packing bottles and ice, in stuffing dolls, cleansing metals, and sprinkling floors. Tobacco ashes, procured by burning damaged tobacco in the custom-house kiln or "Queen's Tobacco-pipe" at the London docks, are sold to tooth-powder makers. In Savoy, walnuts are pressed for walnut oil; and the residue oil cake is eaten by children and poor persons. Palm oil, which is shipped to the extent of fifty thousand tons annually from the west coast of Africa, for the manufacture of soap and candles, is made from a pellicle which surrounds the nut or kernel; this kernel used to be thrown away as a useless residue; but another kind of oil is now expressed from it. It has been estimated that there must be ten million bushels of nuts to yield the fifty thousand tons of palm oil; that the kernels from this enormous quantity ought to yield the more delicate oil—something like cocoanut oil—to the value of three million pounds annually; and that there would remain one hundred and twelve thousand tons of oil cake, worth five hundred thousand pounds, as cattle food.

Turn we finally to the mineral kingdom, which presents its own peculiar list of "waste" or refuse now applied to useful purposes. The screenings and siftings at our coal-pits, once allowed to remain valueless, are now become a marketable commodity, either by themselves, or mixed with other substances to form artificial fuel. At the gas works, after the gas and the coke have been made from coal, there are many residual substances which, in the early history of the manufacture, were regarded as troublesome incumbrances; but now they nearly all become useful. From the liquid left in some of the pipes are manufactured sulphate of ammonia for manure, sal-ammoniac for soldering and for calico printing, ammonia for dyers, and as one component in orchil and cudbear. A kind of oil useful as manure is obtained from the shale of the coal. Coal-tar (of which three hundred thousand tons are among the annual residue of our gas works) is used in the preparation of printers' ink, lamp black, asphaltic composition for pavements, disinfectants, artificial fuel, and for yielding a magnificent straw-color dye for silk. There were days when naphtha, now used for artificial illumination, benzole, now used as a lubricator, and paraffine, now used for a variety of purposes, were all thrown away as waste. Ashes and small cinders form a well known ingredient in bricks; and soot is worth sixpence per bushel as manure, even if chemists make no use of it for the charcoal it contains. Argol, the sediment of wine casks, is imported to the extent of a thousand tons yearly; when purified into "cream of tartar," it is used as a medicine, and also as a mordant by dyers. One thousand tons of broken bottles, instead of being thrown away, are, in London alone, yearly consigned to the glass furnace, to commence a new career of usefulness. Horse-shoe nails, picked up by the grubbers about the streets, and the scraps of steel from needle factories, are eagerly bought up by the Birmingham gun makers, as the best of all material for the barrels of muskets and rifles. Steel-pen waste is bought back by the Sheffield steel makers at ten pounds per ton; Birmingham brass filings fetch half the value of new brass; and steel filings are valuable to chemists and apothecaries. Jewelers, and gold beaters' sweepings are rated at a very high value; the sweepings of the benches and floors are always preserved for sale; the clothing and aprons have a sufficient number of particles of gold in and about them to give them a marketable value; the older they are, of course, the better. A gold beater can generally obtain a new waist-coat for an old one; and sometimes a very old waistcoat will be bought by a refiner at a price almost fabulous. In all such cases, everything extraneous is burnt away, leaving precious gold as a residue. Tin plate cuttings, in hundreds of tons, are awaiting the result of experiments now being made to separate the tin from the iron, and thus render both again serviceable; meanwhile, the scraps are applied to a few useful purposes. The old iron shops, which are supplied by dustmen, street-grubbers, mud-larks, and other persons, in their turn supply the captains of American ships with battered and broken old kettles, saucepans, frying-pans, gridirons, candlesticks, tea-trays, shovels, boilers, corrugated roofing, etc. These odds and ends serve as a cheap kind of ballast for ships going away with light cargoes.

Enough. Readers of any experience could easily add to this curious list of proofs that nothing is valueless—that there is good in everything.

Metallic Floors.—A method has been devised for rendering floors in a good degree fire-proof, by employing long, flat bars of thin sheet metal, with a perpendicular flange turned on each edge. Other long, thin bars, which are curved or arched, and riveted at or near their edges to the first named strips, are placed edgewise vertically, one between each two, the connection being so arranged that the tops of the arches do not rise quite as high as the tops of the first set of bars. Narrower strips are also arranged across and riveted to the lower flanges at suitable intervals apart, to serve as laths for holding the ceiling plaster to be applied to them, as well as to brace them laterally. Similar strips are arranged across and riveted to the upper flanges, or wood pieces may be bolted on to receive and support the floor boards. The outside flanges are built into and rest in the wall; and other flanges may be applied, if desired, to the outside strip for letting into the wall. For a floor of great length the bars are lapped and riveted.



THE NICHOLSON FILE.

All Nicholson Files are cut with the Patent Increment Cut, an invention owned and controlled exclusively by us, the file cut in this manner being Patented as a new article of manufacture, and differs from all other machine cut files (all of which have their teeth cut with equal spaces) by being cut with teeth slightly expanding or increasing in size and space from the point, thus avoiding the too great regularity of teeth common to all other machine cut files. The tendency of all cutting tools with teeth or cutters placed at regular distances from each other may be illustrated (to the machinist at east) by the fluted reamer—as it is well known that if a round reamer be made with (say 12) teeth whose spaces are equidistant, the hole reamed will not be round and smooth, but will approximate to a hexagon in shape. Whereas, if the same number of teeth be made of irregular distances, the hole reamed will be both round and smooth. The same is true of a file, hence the necessity of its having teeth at unequal distances, and to which we have applied the name of Increment Out File, which possesses all the advantages of hand cut work, and the accuracy and uniformity of machine work. It is now upwards of seven years since this File was introduced to the public, and the demand has increased until our production is undoubtedly treble that of any File manufactory in the country.

We put all files under seven inches in boxes of either one-half or one dozen each. These boxes are neatly arranged, and open on the end, on which the kind is plainly marked with printed labels, acknowledged improvements on the old methods.

The "Increment File" is not an experiment, but an established fact, and already has acquired a legitimate demand for upwards of 500 dozen per day. We employ no regular Travelers, but our goods may now be found in the hands of the principal jobbers and dealers throughout the country.

Prices and terms will be forwarded on application to

NICHOLSON FILE COMPANY,
Providence, R. I.

1816. 1844. 1850. 1868.
H. F. F. H. F. F. & SON. P. A. F. P. A. F. & CO

PETER A. FRASSE & CO.,
95 Fulton Street, New York,
IMPORTERS OF

Stubs' Steel Wire, Files and Tools,
Grobet Swiss Files,
Extra Quality English Spring Steel Wire,
Nos. 1 to 34.

Steel Wire for Sewing Machine Needles and for other Purposes,
French Cold Rolled Sheet Steel,
Sizes, 22 to 36 Gauge.


Jewelers', Engravers' & Mechanics' Tools.

The only Agents in the United States for

HUBERT'S CELEBRATED FRENCH EMERY PAPER.
For Hatters' and Machinists' Use.

Black Diamond File Works

Send for Illustrated Price List.




Send for Illustrated Price List.

G. & H. BARNETT,

39 41 & 43 Richmond St. Phila.

FILES
AND
RASPS.
EXTRA QUALITY,
MADE FROM THE BEST
IMPORTED STEEL,
BY THE
Auburn File Works,
AUBURN, N. Y.

FRONT VIEW.



LLOYD, SUPPLEE & WALTON,

WHOLESALE

HARDWARE HOUSE,

AND

HARDWARE FACTORS.

BATES' MANUFACTURING CO.'S GOODS.

Bonney's Pat. Hollow Augers & Spoke Trimmers.


Bonney's Patent Double-Edged Spoke Shave.

Bonney's Patent Adjustable Gate Hinge.

Bonney's Patent Sash-Fast and Lamp Bracket.

625 Market Street,
PHILADELPHIA.

BACK VIEW



Cowdin Mfg. Co.,

Manufacturers of the


DIAMOND

FLINT AND EMERY
PAPER,

Flint & Emery Cloth.

113 Chambers Street,

P. O. Box 3502. NEW YORK CITY



CHAS. E. LITTLE,


59 Fulton Street, New York.

Agent for

Merchant's Improved
DOWELING MACHINES,

FOR COOPERS' USE.

Price List mailed on application.



Patent Parallel
Machinist's Vise

Manufactured by

Harrisburg Foundry and Machine Company,
Harrisburg, Pa.

Send for Circular and Price List.

Chain.

CALN, GORDON & CO.,
Union Chain & Anchor Works,
1845 Richmond Street.

Office N. W. cor. Queen & Swanson Sts.
PHILADELPHIA.

American Chain Cable Works,
28 Years' Experience in the Business.

KENDRICK & BUNKLE, Trenton, N. J.
Manufacturers of Cable, Crane, Coal Mine Slope, Car Brake Chains, Traces, Breast, Binding, Cow and Log Chains of all kinds. N. B.—The highest grades of Crane Chains a specialty.


New England Chain Works

271 Eddy Street, Providence, R. I.
Manufacture Iron Chain of every description.
Mowing Machine, Crane, Break, Draft Chains, &c., &c.
Also Latest Improved Cotton Can Rings.
W. H. WATT, Proprietor.



LANE, GALE & CO.
TROY, N. Y.

PENNSYLVANIA FILE WORKS.



McCAFFREY & BROTHER,
Manufacturers of FIRST QUALITY FILES and RASPS ONLY,
Nos. 1732 & 1734 North Fourth Street, Philadelphia, Pa.

Coopers' & Turpentine Tools.

Coopers' Drawing Knives,
Coopers' Adzes and Axes,
Coopers' Froes,
Stocked Croze and Irons,
Coopers' Jointers,
Trass Hoops, all sizes.

Turpentine Hackers,
Turpentine Shavers,
Turpentine Scrapers,
Turpentine Axes,
Turpentine Dippers,
Hacker Stones and Files.

FOR SALE BY

N. WEED, 37 Chambers St., N. Y.

FERNALD & SISE,

100 Chambers Street, NEW YORK.

HARDWARE MANUFACTURERS' AGENTS,

REPRESENT:

Reading Hardware Co.
Crooke & Co.
Yerkes & Plumb.
Hartie, Wiley & Co.
Vulcan Horse Nail Co.
Walsh & Bro.
Moran & Sons.

Barnes & Deltz.
Nashua Lock Co.
Arcade File Works.
William McNeice.
Langstroth & Crane.
B. Rowland & Co.
A. E. Young.

Underhill Edge Tool Co.
Plumb, Bardet & Barnard.
Hotchkiss, Tuttle & Co.
Klein, Logan & Co.
T. T. Rhodes.
Orleans Scythe Stone Co.

TURNER, SEYMOUR & JUDDS,

MANUFACTURERS, IMPORTERS AND DEALERS IN

Hardware and Upholsterers' Brass Goods.

SOLE AGENTS FOR

L. L. Davis' Patent Levels, Stevens' Calipers and Dividers,
Page's Auxiliary Jaws.

Manufacturers of Judd's, Prindle's and Combination Patent Curtain Fixtures, Locks and Curtains. Patent Raisin Seeder, Patent Twine Boxes, Picture Nails and Hooks, Escutcheon Pins, Coat and Hat Hooks; also Miscellaneous Iron and Brass Goods.

Small Brass and Iron Castings made to order.
64 Duane Street, NEW YORK.

JAMES C. HAND & CO.
COMMISSION MERCHANTS,

No. 614 & 616 Market Street,

PHILADELPHIA

AGENTS FOR:


William Penn, Reading and Norristown Pig Iron.
Reading Iron Co.'s (Crescent Brand) Nails, Boiler Flues, &c.
Bar Iron, Plow Steel and Iron, South Easton Iron Wire.
Wm. Jessop & Sons' Steel and Norway Nail Rods.
Barrows, Savery & Co.'s Hollow Ware Castings, &c.
Fisher & Norris' "Eagle" Anvils and Vises.
Washington Mills Emery.
Heavy Hardware, &c., &c.

W. F. SHATTUCK & CO.,

113 Chambers and 95 Reade Street, New York.

MANUFACTURERS OF AMERICAN HARDWARE.

Cox & Taft's Pat. Wrenches. Mouse Traps. Wire Selves. Yaw's Cow Bells. Axes, Picks and Hatchets. Hammers. Crow Bars. Sled Irons. Boring Machines. Cast Iron Hatchets. Coffee Mills. Star Steel Spoons. Stocks and Dips. Hatches, Auger, Chisel & File. Patent Tap Borers. Tool Chests. Climax Horse Collars. Brandage Horse Sails. Maguire's Wrt Iron Goods. Shattuck's Platform Counter Scales.



A. FIELD & SONS,
TAUNTON, MASS., Manufacturers of
Copper and Iron Tacks, Tinned Tacks,
SUPERIOR SWEDS IRON TACKS, for Upholsterers' Use, Saddlers' Supply, Card Clothing, etc., etc.
American and Swedes Iron Shoe Nails,
Zinc and Steel Shoe Nails, Carpet, Brush and Cimp Tacks, Common and Patent Brads, Finishing Nails,
Annealed Trunk and Clout Nails, Hob and Hungarian Nails,
Copper and Iron Boat Nails, Patent Copper Plated Tacks and Nails
Fine Two Penny and Three Penny Nails, Channel, Cigar Box and Chair Nails, Leathered Carpet Tacks,
Glaziers' Points, etc., etc.
OFFICES AND FACTORIES AT TAUNTON, MASS.
WAREHOUSE AT 35 CHAMBERS STREET, NEW YORK, where may be found a full assortment of Tacks, Brads, &c. for
the accommodation of the New York Wholesale and Jobbing Trade.
Any variations from the regular size or shape of the above named goods made from samples, to order.

Washoe Tool Mfg. Co.,
Manufacturers of the
Celebrated Washoe Railroad and
Mining Picks,
MATTOCKS, HATCHETS AND OTHER
ADZE EYE TOOLS.

Having doubled their Manufacturing
facilities, they can now fill orders
promptly.
All orders should be addressed to their
SOLE AGENTS
Messrs. Hogan, Clark & Sleeper,
82 Chambers St., N. Y., or 105 Broad St., Boston,
Where Catalogues and Discounts can be
had on application.
H. H. TRENOR, Treas.

JOHN MAXHEIMER,
Manufacturer of
JAPANESE and
PATENT EUREKA
Bright Metal
BIRD CAGES.
Nos. 247 & 249 Pearl Street
NEW YORK.

RIEHL BROTHERS,
Ninth Street, near Coates, Philadelphia.
Pittsburgh Store, 58 Wood Street,
SCALES
ESTABLISHED 1845
"Patented Furnace Charging Scale."
Double Beam R. R. Track Scale, Com-
pound Parallel Crane Scales, &c. Patented
First Power Lever Wagon Scales. Testing
Machines any capacity.

DEMAREST, JOYCE & CO.,
Iron Founders,
MACHINISTS,
and Manufacturers of
Sewing Machines,
Steam Fittings,
AND
LIGHT WORK of all kinds.
ALSO
Plain and Ornamental
Japanning.
20 to 30 Morton, and 57 to 65
Clymer Streets,
BROOKLYN, E. D., N. Y.

GRANT'S LIGHTNING SCREW PLATE
Dies, Adjustable, Forward, Perfect, Threads, alone, cut.
The most perfect Labor Saving Tool ever invented for its purposes. Warranted to do five times the
work possible with any other screw plate. Also **HAND BOLT CUTTING MACHINES**, ranging
in price from \$60 to \$300. **POWER BOLT CUTTERS**, from \$175 to \$350.
FINE FRICTION CLUTCHES.
WILEY & RUSSELL, Greenfield, Mass.

**"GILL'S" CAST STEEL PATENT
CLUTCH DRILL,**
GEORGE W. GILL, 27 North 5th St., Phila.
PATENT CLUTCH DRILL
This is the only Friction Clutch Drill ever invented, and has superior advantages over
all other Drills.
1st. It is the cheapest Drill in the market.
2nd. The slightest motion of the Lever gives motion to the Drill.
3rd. The head or bit can be moved from end to end of the spindle, thereby being able
to clear obstructions with which the Lever may come in contact.
4th. The body is made of Cast Steel, hardened, and has a Pipe-Lever screwed in same.
5th. The strain is equally divided around the spindle, and not pulling with all the strain on one side of
the center, as in the case of other Drills. Send for Circular and Price List.

Something New for
OTIS FURNACES & MINES.
New Union Steam Safety Elevator,
How One Works.
Messrs. OTIS BROTHERS & Co., New York.
Dear Sirs: The experience of a year proves that your **Furnace Elevator is superior to all
others in use.** We have in the six weeks from December 1st to Sunday last, 12th inst., made **2724 tons,**
1401 lbs. Pig Metal, or an average of near **65 tons per day,** which required the elevator to lift **72**
feet high 4 1/2 tons Ore, Coke and Limestone for each ton of metal produced, or **more than 11,500**
tons material in the 6 weeks. The largest yield in one day was **81 1/4 tons Iron,** involving the lift-
ing of **345 tons material in 24 hours.** This has all been done to our satisfaction, and that, too, in the
coldest weather we have had. Other furnaces with **water and pneumatic hoists** have experienced
great difficulty, on account of the **water freezing in the tanks;** and in the case of the **air hoists,**
we understand that two furnaces, not far from us, had to **"blow out,"** from being unable to hoist
stock during the "cold snap." The difficulty, we are told, was caused by the **condensed moisture**
in the blast freezing to the sides of the cylinders, so that the piston could not move up or down.
Very truly, yours,
for Circular to
OTIS BROTHERS & CO.
348 Broadway, NEW YORK.

BUSINESS ITEMS.

PENNSYLVANIA.
Messrs. Anderson, Maxwell & Porter have
extensive engine and boiler works at Allegheny
City. They employ 75 hands, and have a large
machine shop, foundry and boiler yard, being
thus prepared to build locomotive and station-
ary engines and portable and stationary boilers.
The Titusville Courier, of the 8th, says:
There is a rumor that the Pennsylvania Railroad
has bought out the iron works of Brown &
Struthers, and are to move their shops, etc.,
from Kane to Warren. If the rumor is correct
it will be a good thing for Warren and vicinity.
It is stated that the Logan Steel Works, at
Lewistown, are about to try the experiment of
manufacturing a steel gun 18 feet long, and to
weigh 40 tons.
The Lebanon Manufacturing Company have
received orders to furnish the New York Cen-
tral and Hudson River Railroad Companies 100
box cars, two 60 horse-power engines, one 35
horse-power engine, and six portable engines
of eight horse-power each.
A new Siemens furnace is now being built by
the Pittsburgh Steel Casting Company, to be
used in making heavy castings. So great has
been the demand for this class of manufactures
that the company are obliged to increase their
facilities in order to meet it. They expect to
have the new furnace completed by the 10th of
May, after which time they will be better pre-
pared to fill orders.
The National Locomotive Works, situated at
Connellsville, on the Pittsburgh, Washington
and Baltimore Railroad, are running full time
with their usual force of men. They have re-
cently shipped quite a number of locomotives
for roads in Colorado, Utah, Missouri, Iowa
and South America. Their engines in Utah are
doing service on roads of a grade of 336 feet to
the mile. They make a specialty of engines for
narrow gauge railroads and for mining pur-
poses. Their location is peculiarly favorable
for obtaining labor and material cheaply.
There is a likelihood that another furnace will
be erected by Messrs. Kroman & Carnegie
Brothers, at Pittsburgh, to be located alongside
the Lucy. It is proposed to have it 24 feet at
the boshes, which would make it the largest in
the country.
The puddlers around Harrisburg, after a strike
of four months over a reduction of wages from
\$6 to \$5, have gone to work at the latter rate,
and agreed to abandon the union.
MASSACHUSETTS.
J. S. Barden has begun the manufacture of
his patent glass cylinder enamelled pumps at
New Bedford, and has also completed arrange-
ments for enamelling pipe. A stock company
will soon be organized to carry on the business,
under the name of the Hydraulic Company,
New Bedford, Mass.
The prospects of the machinists in Fitch-
burg are brighter. The Haskins Machine Com-
pany lately shipped six steam engines from their
works, one of which goes to Glasgow,
Scotland. The Fitchburg Machine Company
have received several orders recently, and are
now running on full time, with about 30 more
men than they have employed of late.
The Boston and Lowell Railroad began, last
Thursday, weighing at Framingham the cars
from the West loaded with grain and lumber
destined for Lowell and Taunton, and found an
excess of 15,000 pounds in one car over the
weight billed, of 20,000 pounds, a full car load,
which makes a difference of \$77 in freight.
The above was a Fairbanks 50-ton 34 ft. track
scale, sold to Boston and Albany R. R. Co.—
Boston paper.
CONNECTICUT.
The "T. C. Richards Hardware Manufacturing
Company," which has been located for the last
eleven years in New York, and manufactures
brass and iron small goods, have bought the
water privilege and property situated on the
outlet of the lake at Winsted for \$12,500.
They propose at once to put up a new three
story building, 125 feet long, and will employ
from 80 to 100 hands. The capital stock of this
company is \$60,000.
The Naugatuck Machine Co. have enlarged
their shop, which has very much increased their
facilities for work.
The monthly pay roll of the Aetna Cutlery
Works, at New Britain, lately destroyed by
fire, amounted to \$30,000, upward of 500 men
being employed. The owners, Landers, Frary &
Clark, employed between 100 and 200 men
and several teams in removing the ruins of
their destroyed works, and reported that they
would commence rebuilding in three weeks.
Then the capitalists of Bridgeport began bid-
ding strongly for Landers, Frary & Clark to
locate in that city, agreeing to form a company
with one million dollars capital; and, further-
more, to give out and out, desirable ground,
with a water frontage of 1000 feet. The pros-
pect for the removal is said to be decidedly
promising. All the officers of the company
favor this change, but most of the stockholders
are residents of Hartford, and wish that city to
secure the location of the works.
NEW JERSEY.
The Grant Locomotive Works, Paterson, have
received an order for 65 anthracite coal burning
engines for a railroad in Russia. Of these 22
engines are of the ordinary American pattern,
with 17x24 cylinders and 5 1/2 ft. driving wheels;
43 of them will have 8 wheels coupled. The
cylinders of the latter will be 20x24 inches and
the wheels 4 feet in diameter. The fire boxes
are to be 9 feet long, with water grates and iron
flues.
MISSOURI.
There are six large establishments in St. Louis
devoted to the manufacture of stoves. The ag-
gregate capital is \$1,500,000, and the annual
production 115,000 stoves. These works give
employment to 1150 hands, and the products
are shipped to the South and West, and even
to New Zealand and the provinces of South
America.

The Bessemer Steel Manufacturing Company,
at St. Louis, will, when completed, be a very
extensive affair. The capital of the company
is \$1,000,000. The works are located on the
river bank, directly opposite Carondelet, and
the property embraces 100 acres of land, with a
frontage on the river of 1197 feet. There will
be two blast furnaces, each 60 feet in height, 17
feet at boshes and 13 feet tunnel head. The
East St. Louis & Carondelet Railroad runs
through the property, also a narrow gauge road
to Cairo and Big Muddy Rivers. The works are
expected to be in operation early in 1875, and
will employ 250 hands.
A new charcoal furnace is nearly completed
at Warsaw, and considerable iron will be taken
out this season in that vicinity.
The Pioneer Mining and Smelting Company,
of St. Louis, was established in 1861, with a
capital of \$500,000. Last year the company
erected new dressing rooms and opened two
new mines. A large amount of labor has been
expended, as the property, as a mining prop-
erty, was new, on the construction of the works
and opening of the mines. The Jupiter Furnace
has just been completed, and consists of one
blast furnace, 20 feet bosh, which is claimed to
be one of the largest west of Pittsburgh. This
company have a capital of \$500,000, and employ
400 hands. Their annual product is expected
to reach 30,000 tons.
The Missouri Furnace, at St. Louis, has a ca-
pital of \$500,000. It was established in 1868, and
gives employment to 175 workmen. The com-
pany annually produce 10,000 tons. Iron is now
largely manufactured into steel and shipped
as far East as New York. The company use
largely the rich ores of Southwestern Missouri
in their furnaces. The South St. Louis com-
pany have an authorized capital of \$500,000,
\$383,000 of which has already been paid in.
They have been organized since 1869, and pro-
duce yearly some 9500 tons. The works employ
150 hands.
MICHIGAN.
The two stacks of the Bay Iron Company, at
Onondaga, are out of blast, having used up the
stock of ore laid in. They will be repaired and
altered somewhat before they are again put in
operation.
The Northern furnace, at Chocolay, has been
completely remodeled, and will soon go into
operation. This furnace was built in 1860, but
has been out of blast since 1867. Its diameter
at boshes has been increased from nine to
thirteen and one-half feet, and the height from
forty-three feet to fifty feet.
ILLINOIS.
A large variety of plows, embracing thirty-
two different styles, are manufactured by the
Weir Plow Company, of Monmouth, beside
cultivators and other agricultural implements.
The productions of the company amount to
about \$500,000 annually, and their manufac-
tures are shipped South and West.
INDIANA.
The Perkins Engine Company, Fort Wayne,
was incorporated on the 4th ult., the capital
stock being \$30,000. The company will manu-
facture the Perkins engine, which has already
attained a wide celebrity. The works will be
under the superintendence of Mr. P. B. Perkins.
The company expect to turn out from twelve
to fifteen engines per month.
Shipbuilding in the Fifteenth Century.
The following letter, written by John Alceire
to King Henry V., in 1419, is of peculiar inter-
est. It is printed from the MS. copy in the
British Museum in the first volume of the sec-
ond series of Ellis's "Original Letters," and,
as the editor describes it, "details minutely
the progress of certain workmen at Bayonne in
constructing a vessel of considerable size,
which the king had ordered to be built. Bay-
onne was then the last town in the Duchy of
Aquitaine. The Mayor and Corporation had
contracted with the king for the completion of
this vessel within a certain time, but the writer
of the letter thinks it could not be ready, and
that it would take even four or five years to
finish. The ship, as the timbers had been laid
down, was a hundred and eighty-six feet in
length. The letter, which is also curious as il-
lustrative of English orthography at that time,
is as follows:
Most excellent, most hiest, myghtiest Prince
and most Sovereayne Lord, all manner of low
supplication afore sayde. Lyketh yt to your
royall Majeste to wete the governance and the
makinge of your shippe at Bayon. At the
makinge of this letter yt was in this estate, that
ys to wetyng xxxvij. strakys [stretchers] in
hyth & beryd, on the weche strakys hyth y
lade xj. bemys; the mast bemys ys yn leynthe
xxxix fete, and the bemme of the hameron y
hinde is yn leynthe xxxij. fete; fro the one
most ende of the stemme unto the pothe by
hynd ys yn leynthe a hundred liij. xx. yj.
fete; and the stemme ys yn biithe liij. xx. yj.
fete; and the pothe xlvij. fete, and the keles
ys yn leynthe a hundred and xij. fete; but he is
y rotyt [rotted] and must be changed.
Also lyketh yt to your royall Mageste to wete
that your shippe wolde nat be redy at the
terme that they have by hote [promised] you;
and by that y can se nat this liij. or v. yerres
hereafter. For the Mayre and his consortes
haveth y rendyd your size [assize] liij. of the
lb. at your great dampnage [damage or loss]
and hare [their] profyte for yt is worth liij.
[thrice] so muche as they payth. Therefore,
like as y have wete to your royall Mageste
hereafter, for and all the money that comyth
of your syze schold go to the shippes workys,
your shippe wolde be sone a redy, and gilt of
that liill somme that your syze ys, y rendyd,
fore they takyth thereof to thare owne use.
And in this degre your workys of your shippe
now nat gon forth, and by evn thyng that y
can see they wolde lefe of the makinge of your
shippe in short tyme, but yf ye make othyr or-
dynance thereto.
Also lyketh yt to your royall Mageste to wete
that they mow wat excuse hum [them] by Bord
ne Tymbyr, for they mow have y now [enough]
in the Country, as gode as any may be; and as
touchyng the Carpenteres they mow have y now
yf they wolde, but they lentyen hum go where
they wullyth.
Also lyketh yt to your royall Mageste to wete
that y mow nat know of no costages [costs] ne
dispensys [expenditure], ne y what maner your
money ys by sette [best], but y lyke as hum
seifen [themselves] just. And levyng al myne
occupacions besy me, and travayle me aboute
the makinge of your shippes.
Most excellent, most hiest, myghtiest Prince
and most Sovereayne Lord, Almyghty Jhesus
have you in his keepinge.
Wrote at Bayon the xxv. day of Avereill [April].
By your pore subiecte and trow
lege man
JOHN ALCEIRE.

H. W. PEACE,


MANUFACTURER OF

SAWS OF ALL KINDS.

FACTORY, WILLIAMSBURGH, N. Y.

AMERICAN SAW CO.,

TRENTON, NEW JERSEY.




Solid saws require frequent gumming, thereby subjecting them to risk of springing or breaking. This is especially the case with cross cuts having Patent Teeth. In the perforated saws all gumming is avoided and the teeth are easily kept long and in proper shape, saving files, labor, expense and vexation. As is well known, our saws cut faster, smoother and easier than any other.

MOVABLE-TOOTHED CIRCULAR SAWS AND SOLID SAWS OF ALL KINDS.

Hankins' Elliptic Forked Saw Frame.

Patented June 28th, 1870.



The annexed engraving represents HANKINS' ELLIPTIC FORKED SAW FRAME, which commends itself to the trade for its simplicity of construction. The Forked Frame being all in one piece, without any centre bolt, secures for the Frame great strength and durability.

These Frames are put up with my best Webs, marked "No. 40, Harvey W. Peace."

HARVEY W. PEACE
VULCAN SAW WORKS,
WILLIAMSBURGH, N. Y.

YALE LOCK MFG. CO.

Office and Works at STAMFORD, CONN., Salesroom 298 Broadway, N. Y.

In addition to their line of Celebrated Locks, would particularly call the attention of the Hardware trade to their extensive manufacture of

ORNAMENTAL REAL BRONZE HARDWARE.

Illustrated Catalogues of which will be furnished on application.

These goods are equal to the best in the market, while their prices are very favorable.



NEW YORK SCREW BOLT WORKS.

(Estate of R. J. DEWHURST, deceased.)

JOHN COCHRANE, Executive Agent and Manager,

Office and Works, cor. Ave. D and 11th St., N. Y.


Bolts, Nuts, Turnbuckles, Washers, Forgings, &c

The attention of large consumers solicited.

J. FLINT & CO.,

Manufacturers of all kinds of SAWS and PLASTERING TROWELS, Rochester, N. Y.

A large Stock of Cross Cut Saws constantly on hand. Orders filled promptly. Dietrich's Double Handle One Man Cross Cut Saw made with any kind of tooth desired. Our patent method of grinding Hand Saws makes them superior to any in the market. Send for illustrated Price List.



GEORGE GUEUTAL & SON,

39 West 4th St., New York.

IMPORTER OF



Wood Screws, Steel in Sheets,

BAND SAWS, TOOLS FOR BRAZING, &c.

Bed Screws, Pin Hinges, and Wire Nails a Specialty.

E. M. BOYNTON,

80 Beekman St., N. Y.

Manufacturer of


LIGHTNING SAWS.



A Challenge of \$500, toward expense of a public test, to prove that the Lightning Saws excel all others in Speed, Ease, and Simplicity, has been offered since 1870, and has never been accepted. More than 100,000 Lightning Saws were sold during the year 1872, the purchasers of which testify to their superior merits.

Our leading papers, such as the Tribune, American Agriculturist, Christian Union, etc., have published over sixty editorial notices recommending these Saws. Farmer's Clubs, Lumbermen, and Hardware Dealers unite in propagating the genuine Lightning Saw the greatest labor-saving implement of the age.

I have hundreds of letters from practical sawyers, voluntarily written, expressing their entire approval of these Saws.



This is produced by dressing the two points of my M tooth, to cut in line so that the outside B, C, has four times the space of the slant edge behind it, or from 1 to 5, while slant has space from 1 to 2, the inefficient slant edges are thus practically concealed and do but slight surface cutting, while B, C, edges cut and clear simultaneously.

For Catalogue and additional information address.

E. M. BOYNTON, 80 Beekman Street, New York, Sole Proprietor and Manufacturer.

N. Y. Saw Frame Co.

E. M. BOYNTON,

80 Beekman Street, New York,

SOLE AGENT.



I make a specialty of the LARGEST SIZES of Circular Saws, and call particular attention of lumber manufacturers to the following points of excellence: Evenness of Temper.—The peculiar structure of my furnace subjects all parts of the saw to a DEAD heat, and when dipped in the oil bath secures perfect uniformity.

Perfect Accuracy in Thickness.—My saws are ground on a patent machine, automatic in its operation, grinding off the thick places upon the plate before the thinner parts are reached, and when the saw is removed BALANCES PERFECTLY, which is proof positive of the right accomplishment of the work.

Properly Hammered.—Great care is taken that no saw shall leave my works without due attention in this important particular. A saw too tightly strained upon the rim, or too loose in the center, cannot be successfully run—hence the importance of so hammering the saw as to effect equal strain in all its parts, and at the same time RUN TRUE. This department is under the personal supervision of myself, who has devoted over twenty years to the art of saw making.

I am sole proprietor and manufacturer of the celebrated "Challenge" Cross-Cut Saw. Price Lists of all kinds of saws sent on application.

JAMES OHLEN.

WHEELER, MADDEN &

&

CLEMON,

Manufacturers of Warranted Cast Steel

SAWS

of every description, including

Circular, Shingle, Cross Cut, Mill, Hand, Roberts' and other Wood Saws, &c., &c

Cast Steel Files

of the well known brand of

Wheeler, Madden & Clemson.

FACTORIES:

Middletown, Orange Co., N. Y.

BRANCH OFFICE:

97 Chambers Street, New York.

BRUNDAGE FORGED HORSE NAILS,

Manufactured from

BEST NORWAY IRON,

by BRUNDAGE & CO. Sold by

WHEELER, MADDEN & CLEMON

Middletown, Orange Co., N. Y.

W. ROSE & BROTHERS

WEST PHILADELPHIA,

Manufacturers of

Plasterers' and Brick Trowels

Hammers and Chisels.

ALSO,

Saddlers' Round Knives etc.,

N. E. cor. 36th & Filbert Sts.

Please send for Price List.

WM. MCNIECE, Excelsior Saw Works.

515 Cherry St., Philadelphia.

Manufacturer of

Extra Cast Steel Saws of every description.

Pat. Screw Socket Pole Pruning Saws,

Patent Screw Socket Edging Knives,

Patent Screw Socket Scuffle Hoes, and

Patent Screw Socket Paper Hang-

ers' Scrapers,

Mowing Machine Sections of all patterns

constantly on hand.

E. C. ATKINS & CO.,

Indianapolis, Indiana,

Saw Manufacturers.

Best Cast Steel Patent Ground Saws

Also, sole Manufacturers of Atkins' Patent



CROSS-CUT SAW HANDLE.

Best Patent Handle in use.

Manufacture and Office—Nos. 210 212, 214 and

216 South Illinois Street.

GENEVA HAND FLUTER



Manufactured by W. D. TURNER & CO., Geneva, N. Y. For Sale by G. H. HAM & HAINES, 88 Chambers St., N. Y., Manufacturers' Agents.

Cutlery.

ESTABLISHED 1852.

NEW YORK KNIFE CO.

MANUFACTURERS OF SUPERIOR

Table & Pocket Cutlery,

WARRANTED TO BE MADE OF THE BEST MATERIAL.

WALKILL RIVER WORKS,

Walden, Orange Co., New York.

THOS. J. BRADLEY, President.



Wood's Hot Water-Proof Table Cutlery.

Handsome, Cheapest, most Durable Cutlery in use.

Wood's Celebrated Shoe Knives. Butcher

Knives a specialty.

WOODS CUTLERY CO., Astoria, N. H.

No. 99 CHAMBERS STREET, N. Y.

A. TILLMES & CO.,

AUGUST TILLMES. I. H. CLAUSSEN.

521 Commerce St., Philadelphia.

Wholesale Cutlery.

Sole Agents for Wm. Claiborne's Warranted

Pen and Pocket

Knives, Razors, Scissors, &c.

SPECIALTIES:

Full Concave Razors,

Wostenholm's Pocket

Knives,

Razor Hones,

Russian Leather Razor Straps,

Wade & Butcher's Razors,

and Cutlery in general.



WILLIAM A. CARLYLE,

Importer of the

Celebrated XL all Cutlery.

Agent for LUKE OATES & CO., Sheffield.

50 Cortlandt Street, one door west of Green-

wich Street, New York.

VAN WART, SON & CO.

Hardware Commission Merchants,

BIRMINGHAM, - ENGLAND,

Agents,

VAN WART & MCCOY,

43 Chambers Street, New York

George H. Gray & Danforth,

48 India Street, Boston.

F. W. TILTON,

17 Old Levee Street, New Orleans.

At each of these places a complete assortment of sam-

ples of Hardware and Fancy Goods will be found, in-

cluding all new descriptions. Sole Agents for

John Rimmer & Son's Celebrated

Harness and other Needles.

OSCAR IRVING VAN WART & Co.,

FORWARDING AGENTS,

2 South John Street, LIVERPOOL.

SCHOLEFIELD, GOODMAN & SON.

(Formerly JOSHUA SCHOLEFIELD & SONS.)

GENERAL

Hardware Merchants,

BIRMINGHAM, - ENGLAND.

Agents and Sample Rooms.

New York—Edward Frith, 16 Cliff Street.

Boston—H. L. Richards, 18 Battery March,

Street.

New Orleans—R. Rhodes, 71 Camp Street.

Montreal—J. J. Evans 14 St., John Street.

HILL'S PAT. HOG RINGER,

RINGS AND TONGS

OR HOLDER.

H.W. Hill & Co.

59,800 Rings Sold.

DECATUR, ILLS.

A liberal discount given to the

trade. Send for circulars.

11,500,000 Rings.

Cutlery.

Landers, Frary & Clark,

New Britain, Conn.,
MANUFACTURERS OF

TABLE CUTLERY

OF EVERY DESCRIPTION. ALSO.

General Hardware,

IN VERY GREAT VARIETY.

298 BROADWAY, N. Y.

PETERS BROTHERS,

AWARDED THE MEDAL OF MERIT.

LARGE STOCK OF

VIENNA, 1873.



American, German, English

Pen, Pocket & Combination Knives.

Scissors, Scissor Cases,

Razors, Hones, Stropps, &c.,

Heinrich Tailor Shears, &c.,

88 Chambers Street, New York.



HENRY DICKINSON, Sheffield Cutlery, Files, &c.,

66 & 68 READE STREET (near Broadway), NEW YORK.

Manufacture, SHEFFIELD, ENGLAND.

Isaac Milner's Fine Pocket and Table Cutlery.

Howard Bro.'s Medium Pocket Cutlery.

J. B. Osberton & Co.'s Medium Table Cutlery.

Isaac Milner's Razors, Butcher and Hunting Knives.

Hargreaves, Smith & Co.'s "Imperial" Files.

Milner's "X" and Collins' "IXL" Hand Saws.

ROWE & POST,

MANUFACTURERS OF

Shears, Trimmers, Scissors, &c.

No. 120 Chambers and 50 Warren Streets,

TRADE MARK.

J. Rowe's XL.

NEW YORK.

Send for Catalogue.

TRADE MARK.

Aetna Shear Co.

FRIEDMANN & LAUTERJUNG,

MANUFACTURERS OF

Pen and Pocket Cutlery, Solid Steel Scissors, F. & L. Shears, Razors, Russia Leather Stropps, Oil and Water Hones, &c.

Sole Proprietors of the renowned full concave patent

"ELECTRIC RAZORS."

Also Agents for the BENCALL RAZORS.

American Table Cutlery, Butcher Knives, &c.

14 Warren Street, NEW YORK.

423 N. Fifth Street, ST. LOUIS, MO.

THE MILLER BROTHERS CUTLERY CO.,

Manufacturers of

PATENT FINE PEN & POCKET CUTLERY

WEST MERIDEN, CONN.

The only knives made that are put together in such a manner that there is no strain on the covering or frail part of the knife. We warrant our knives equal in cutting qualities and workmanship to any made, and are acknowledged by English makers as the Best American Knife. We also make

NICKEL & SILVER PLATED POCKET KNIVES

which will not rust or become discolored when used as a Fruit Knife, and their cutting qualities are equal to any other knife. Orders filled from the factory or by

J. CLARK WILSON & CO., 81 Beekman Street, N. Y.

JOSEPH S. FISHER,

No. 411 Commerce St., PHILADELPHIA,

AGENT FOR

George Wostenholm & Son,

Washington Works, SHEFFIELD,

Celebrated I-XL Cutlery, Razors, &c.

AGENT FOR

WALTER SPENCER & CO.,

Steel and File Manufacturers,

Rotherham, ENGLAND.

Corporate Mark.

No SPENCER ROTHERHAM

Granted 1777

RICHARD A. TURNOR,

37 Chambers St., New York,

Agent for

F. W. HARROLD,

Hardware Commission Merchant,

BIRMINGHAM.

JOSEPH ELLIOT & SONS,

Manufacturers of Razors, Table Knives, &c.,

SHEFFIELD.

AMERICAN

PEN AND POCKET KNIVES,

MANUFACTURED BY

PEPPERELL,

Iron Burkinshaw, MASSACHUSETTS.

My Blades are forged from the best Cast Steel, and

arranged. To me was awarded the GOLD MEDAL of

the Connecticut State Agricultural Society; also a Medal

and Diploma from the New York State Society, and a Medal

CORPORATE MARK,



Joseph Rodgers & Sons'

(LIMITED)

CELEBRATED CUTLERY,

No. 82 Chambers Street, New York.

CHARLES PEACE, JR., Agent.

The demand for Joseph Rodgers & Sons' productions having considerably increased, they have, in order to meet it, greatly extended their Manufacturing Premises and Steam Power.

To distinguish Articles of Joseph Rodgers & Sons' Manufacture, please to see that they bear their Corporate Mark.

Notice of Removal.

ASLINE WARD,

From 54 Beekman St. to No. 101 and 103

Danne St., N. Y.

REPRESENTING

GEO. WOSTENHOLM & SON

CUTLERY AND RAZORS,

WASHINGTON WORKS, SHEFFIELD.

CORPORATE MARK.



FRED'K WARD & CO., SHEFFIELD,

CUTLERY & TABLE KNIVES.

CORPORATE MARK.



Shaw's Relief Block for Rolling Mills.

The invention, which is herewith illustrated, is designed to prevent the breaking of housings, rolls, and other gearing pertaining to rolling mills, and to afford instant relief when the engine is overloaded. In order to fulfill the object mentioned, the demands made upon the invention are peculiar, for it will be observed that the power of a rolling mill is a thing not to be trifled with, that no elasticity is permissible, that the adjustment should be under perfect control, and not liable to disorder when adjusted, and that the parts should be so arranged that the operator will be enabled to release a load of 500 to 1000 tons with an ordinary bar wrench, when emergency requires.

All of the foregoing points are met in Mr. Shaw's Relief Block, which consists of an obtuse wedge C (Fig. 1), supported on the top of its bed plate A, of corresponding angle. The

should have a limit of safety before its maximum strength is reached. In rolling mills, this engine is the best safety valve for overstrain, which should be so proportioned with steam, as to stop the engine before breaking the machinery.

There need be no fear of the engine slackening up under ordinary work, for the damaging strain is from 50 to 100 per cent. in excess of ordinary loads. Whenever the engine slackens speed from excessive strain, liable to break the machinery, instant relief can be afforded by the relief block here described.—*Journal of the Franklin Institute.*

The Extension of the Bessemer and Martin Processes for the Manufacture of Steel in Germany.

By W. HOFFELD, Superintendent of the Foundry at Preval.

No branch of the iron industry in the German confederation has in the past years in-




Fig. 1.

said bed plate terminates in a flange on its outer end for the reception of the collars of screw B, which screw is tapped in to base of wedge C, and controls the movements of the same. The wedge C is covered by a top plate D, having side wings, as shown in (Fig. 2), reaching down to plate A, to prevent any lateral movement of the three separate parts. The angles of wedge C are made sufficiently obtuse to cause the wedge to be squeezed outward whenever pressure is applied, but the angle should be so acute as not to give any great force

increased so rapidly as the manufacture of steel. For years people strongly opposed the new cast steel methods, and particularly regarded the puddled steel as the only trustworthy material for the manufacture of rails. The last few years have, however, brought about a change in the views of the consumers, and the great demand at the termination of the French war has occasioned the erection of numerous new steel works, which even now have reached a really immense productive capacity, for which it may




Fig. 2.

to this outward tendency. This angle will vary with the material employed in its construction; with steel, three inches to the foot being a sufficient angle for each side of wedge C. Whenever it is desired to withdraw the wedge, it is only necessary to apply a spanner wrench to the head of screw B, which can be revolved under all loads. This relief block is placed in an ordinary housing G (Fig. 3), on top of the journals of rolls I and H, and the housing screw F, pressed upon the top of said relief block. It will be observed how easily this invention accomplishes its task of relieving the screw,

be difficult to find a market in the home trade, and which will be yet greater upon the completion of the works in process of erection. Naturally, the most numerous and more conspicuous works have risen in the Rhine and Westphalian coal districts, though there are others isolated in different industrial provinces.

The Achilles' heel of the German Bessemer steel manufacture was, until now, its inevitable dependence upon the English pig iron, which, but a short time ago, was held indispensable, and against which, in Germany, only the George Marlen furnace ran in competition, as the Hoerder Bessemer pig iron had not yet entered the market. Since its deliverance from this dependence, the German industry has made great advances. In this relation, Krupp, Hoerder, Bochumer Steel Works, Dortmund, Union, Phoenix, and Good Hope furnaces, as also the Bavarian Max foundry and the Princess Maria foundry, have spared no effort to procure suitable ore for the production of Bessemer pig iron in their own works, and, in this regard, have not been confined to Germany, but have extended their inquiries to Spain, Algiers, and Sweden. In this connection it is striking, that on the Upper Silesia side, especially at the favorable establishment at the Koenigs furnace, until now no experiments in reference to the Upper Hungarian ore had been made. Apart from some unimportant charcoal furnaces in Thuringia and Elberfeld, there are in blast at this time exclusively for Bessemer iron:

Three furnaces of the Bavarian Max Works, out of feldspathic and brown ironstone of the Thuringian dolomite and graywacke at Elberfeld. One furnace of the Princess Maria Works, at Zwickau, out of feldspathic and brown ironstone at Gera. One furnace of the Saxon Iron Industry Association, at Pirna, out of magnetic ironstone at Bergschnebel.

Five furnaces of the George Marlen Works at Osnabrueck, out of friable, but very clean and magnetic brown ironstone of the Huelgel.

Three furnaces of the Hoerder Union, out of the Siegen, Nassau and Elberfeld ore.

Two furnaces of the Dortmund Union at Dortmund, out of Spanish, Algerian, Siegen and Nassau ore.

Two furnaces of the Good Hope factory, at Oberhausen.

One furnace of the Phoenix furnace, at Ruhrort.

Three furnaces of Krupp's Johannis Works, at Duisburg, also with Spanish, Algerian, Siegen and Nassau ironstone.

There are a number of furnaces being constructed: two at Bochum, one at Dortmund,

others at Krupp's Johannis Works, and at various localities. If we estimate for every furnace a yearly production of from 125,000 to 150,000 cwt. pig iron, a present man-

ufacture of 125,000 to 150,000 tons of Ger-

man Bessemer raw iron results. Beside the productive capacity of the well known steel works, this amount is far from touching the limit. For instance, there are (at work, or in course of erection) the following Bessemer converters:

Two at the Max furnace, at Regensburg. Four at the Princess Maria furnace, at Zwickau.

Two at the Koenigs furnace, in Upper Silesia. Four at the Osnabrueck steel works. Four at the Hoerder Hermanns foundry.

Two at Hoersch, in Dortmund.

Four at the Dortmund Union, in Dortmund and Hattingen.

Seven at the Bochumer steel works.

Two at the new steel works, at Bochum.

Eighteen at Krupp's, in Essen.

Four at the Good Hope foundry, at Oberhausen.

Two at Phoenix, in Ruhrort.

Six at the Rhine steel works, at Meiderich.

Two at Ponsingen and Glesbert, in Dusseldorf.

Two at Red Earth, at Aachen.

Two at Steinhauser foundry, in Witten.

Two at Gienauth Bros., in Kaiserlautern.

Three at Dietrich & Co., in Niederbrunn.

in all 71 converters.

If we allow for 60 furnaces in action, and for each one a yield of 500 cwt. daily, we have a daily average of 30,000 cwt. Bessemer steel, or a productive capacity of 9,000,000 cwt. in a year.

For this, 10½ to 11 million cwt. pig iron is needed, also, after the deduction of the present German yield, an import of 7½ to 8 million cwt. foreign Bessemer iron. Should this amount, easily attained with the existing conveniences, be exclusively turned into rails, it would give 8 million cwt. steel rails, or a supply sufficient to lay 3330 miles of a single track railroad.

For the Bessemer steel manufacture the pig iron is fused in cupola furnaces, which are usually worked with Root's blasts; for the specular iron addition, which, with the increasing use of the German spiegelisen, is diminishing, they employ small blast furnaces.

The converters at their maximum capacity hold five to seven tons, and are constructed on the English models, with hydraulic turners, cast cranes, ingot cranes and semi-circular mold stands. At the Steinhauser works and in Dortmund they run the iron in vessels placed upon trucks below, thus dispensing with molds.

Amongst the blast engines, both upright and horizontal, twin engines are chiefly used, provided throughout with a proportionate long action, also constructed on large dimensions. The Bessemer steel is exclusively applied to rails, axles and tires, rarely used for plates, small wares or cast pieces, though the last named are made by Grenauth Bros. The method of this manipulation is peculiar. In the majority of cases the blocks are hammered beforehand, or, as in Bochum, rolled; only at Steinhausen factory the small blocks are ready at once to shape, and are even cast outlined. The rail lathes, always with triple rollers, are generally highly powerful, and with correspondingly heavy engines, which facilitate a production of from 250 to 400 pieces per day. Reversing engines for rail turning are unnecessary; they cut tires out of huge blocks. The plates from these blocks are got out under hammers, their width being 10 to 15 inches, which are broken cold, then perforated, and under upright heat turners finished.

For the most part they hammer the axes under hammers into sockets all ready; the forging plays a much greater part than in interior of Austria, on account of the inferior quality of the steel. The Bessemer fragments (rail ends, etc.) are either worked into smaller wares, or placed in a converter, or finally used as material for Martin steel.

The Bochumer cast steel works have an extensive foundation laid, and probably the finest furnaces already in action. Altogether there are probably 50 furnaces in blast, which have a daily productive capacity of 4000 cwt.

If we only allow 200 cwt. steel to a furnace, and calculate that one third are in daily use. There is every modification of this process in use, utilization of the steel scrap, welding of wrought and raw iron (scrap process), and finally addition of iron stone partly after the Siemens method for the direct wrought iron manufacture out of ore. The last modification, namely, addition of reduced iron dross in place of ore is employed by the Dortmund Union in steel manufacture. This is the material out of which the axles, rails and ties are manufactured which figured at the Siemens exhibition, and which by many was falsely regarded as the products of direct steel manufacture from native ore. In common, the Martin steel is looked upon as a transition between Bessemer and crucible cast steel, and it is especially adapted to casting in molds, for which, on account of its greater density, it is better suited than Bessemer steel. In this direction a great field of usefulness lies open before the Martin steel, as, on the one hand, for coarser articles it supersedes the more costly crucible steel, and, on the other, for all casts in which people look for greater hardness united with strength, viz., rollers, shafts, spindles, etc. It can replace with great advantage the cast iron.

Catasaqua.—The following notes are taken from the Catasaqua (Pa.) Dispatch: The officers of the Crane Iron Company, of this place, are not in receipt of orders to start the furnaces, which will be ready in about two weeks. Considerable repairs are being made, which will require some time to complete. The application of men for work are numerous, and several hundred more than necessary could have been employed, but the company have not decided upon the time of commencing again, and do not require more laborers at present.

The works are having a coat of mineral paint put on them, and with the other improvements recently added, are presenting a different appearance from former days.

The Crane Iron Co. have on hand about one thousand tons of iron, which, during good business times, would have been sold in a few days. The strike occurred on the 17th of February, and yet this amount of stock remains on hand. Dull trade.

The rolling mill at this place and Fern Dale are increasing the number of working days, but the price of iron is at such figures that the profits of manufacturing are very small. Now that the finance question has been determined by Congress, there may be some chances for a brightening of business.

The Union Foundry and Machine Company are experimenting with a new machine for polishing and straightening shafts, but as yet with very little success. The machine is the invention of a man in New Haven, who has disposed of it to a company of capitalists in this place, but its success is not yet complete.





Fig. 3.

rolls and housings of the severe strain, when metal is caught and locked between the rolls, by using the force of the strain between the journals to eject an obtuse wedge at the will of the operator. The relief block is perfectly solid and free from all elasticity (unlike hydraulic presses tried for the same purpose), and will always maintain the height at which they are set, and can be used for slight adjustments of the rolls when required; and by introducing them, it will no longer be necessary for rolling mill owners to place engines of 50 to 70 per cent. of excess of power, to crowd through the rolls whatever may be placed between them without regard to the strength of rolls and housings, to the imminent risk of breaking and damaging expensive machinery. All machinery liable to excessive strains

H. D. SMITH & CO., PLANTSVILLE, CONN.

Patent Embossed Steps.




Leaf Pattern.

King Bolt Yokes.




Established 1850.


No. 6 Fifth Wheels.



1871 Pattern Shaft Couplings.



Patent Cross Bar Steps.





Upper View.




Lower View.

Solid Plain Pattern Steps.



Star Pattern.

Smith's Improved Philadelphia Pattern Slat Irons.




MANUFACTURERS OF A LARGE VARIETY OF FIRST-CLASS

FORGED CARRIAGE IRONS.

Send for Price List.

FORT PLAIN SPRING & AXLE WORKS, CLARK, SMITH & CO.,

Green Jacket Axles. FORT PLAIN, N. Y. Fine Carriage Springs.



MANUFACTURERS OF

English and Swedes Steel Springs, and Iron and Steel Axles.

Execute orders promptly for

Black, Bright, Tempered and Oil Tempered Springs,
Of any Pattern or Style. Also for AXLES of any description, from a COMMON LOOSE
COLLAR to the FINEST OF STEEL.

Our facilities for manufacturing are very extensive, and with our recent additions of new and improved
machinery, we defy competition.

Send for Price List and Descriptive Circular.

CARRIAGE BOLTS.

Buy the Best.

Clark's Patent
Carriage Bolt.

Best Bolt manufactured for all kinds of agricultural machinery. Will not split the wood, and can not
turn in its place.

MANUFACTURED BY

CLARK BROS. & CO., Milldale, Conn.

Also Manufacturers of

Plow and Machine Bolts, Coach Screws, Nuts, Washers, Tire Blanks, Rivets, &c
Send for New Illustrated Price List, just completed.

WILSON MANUFACTURING COMPANY.,

NEW LONDON, CONN.

MANUFACTURERS OF

SOLID BOX VISES.

With or without Convex and Concave Washers.



Jackscrews, Braces, Coffee Mills, Turning Lathes; Clamp
Heads and Screws; Parallel Bench Vises, Sash Pullies, Ho
House Pullies, Composition Cocks, Bench Screws, Vise Screws
Gridirons, Drill Stocks and Bows, Box Chisels, Rivets,
Sheaves, Block Pins, Composition Roller and Iron Bushings,
Riggers' Screws, Caulkers' Tools, Pump Chambers, Belaying
Pins, Marlin Spikes, Malleable Iron Castings, and Genera
Hardware.

GALVANIZING DONE TO ORDER.

WILSON MFG. COMPANY,

Warehouse, 37 Chambers St., N. Y.

The National Screw Co.,

MANUFACTURERS OF

Patent Dovetailed Slot Gimlet-Pointed

IRON AND BRASS SCREWS.

COMPLETE ASSORTMENT OF SIZES.

RUSSELL & ERWIN MFG. CO., Sole Agents

45 and 47 Chambers Street, New York.

P. O. Box 3298

Orders filled promptly

CONCORD SPRING WORKS, J. PALMER & CO.,

Manufacturers of

CARRIAGE SPRINGS,

Superior Temper, Warranted.

CONCORD, N. H.

Philadelphia Star Bolt Works.

"STAR"

Carriage and Tire Bolts,

NORWAY IRON,
Button Head.

QUALITY GUARANTEED.

Philadelphia List.



XL

Carriage and Tire Bolts,
CHARCOAL IRON,
Beveled Head.

QUALITY UNSURPASSED.
Old New England List.

The Celebrated "STAR" Brand of Axle Clips.

Blank Bolts, Wood Screws, Square Head Bolts, Plow Bolts, &c., &c.

Our I X L

Bolt is made from approved brands of Iron, and is equal in every
point of appearance to the regular Philadelphia Carriage Bolts, being made on the same machinery, and
the quality is not surpassed by any bolt of like grade in the market.

TOWNSEND, WILSON & HUBBARD, 2301 Cherry St., Philadelphia, Pa.

UNION NUT CO., New York,

78 Beekman Street,

Agents for

HART'S PATENT SAW SET.



(CUT 1/2 SIZE.)

Upon trial will be found to be the most powerful and simple Saw Set ever offered to the public. Care
has been taken to make the parts of the best material, and of proper proportions to give the greatest
strength. It is made of the best Malleable Iron, except the Set Lever, which is of the best Cast Steel,
and properly tempered.

DIRECTIONS FOR USING.

Adjust the Brass Gauge to the tooth to be set; then adjust the top gauge by means of the screw on
the top until the gauge rests solidly on the saw blade. It will be readily seen that more or less Set can
be given to the Saw by turning the set screw on top up or down.

Iron & Brass Wood Screws.

Full assortment constantly on hand.

ALFRED FIELD & CO.,

Importers,

47 John, and 5 Dutch Streets, N. Y.



ARMS, BELL & CO.,

Manufacturers of

Carriage, Tire & Square Head
Bolts.Cold Pressed Nuts and Washers, Etc.,
YOUNGSTOWN, OHIO.

Price lists sent on application.



H. M. WENTWORTH & CO.,

Manufacturers of

Carriage Axles & Springs,
BEST SWEDEN STEEL,
Sword Tempered, and
Common Patent Tempered SPRINGS
Of every description, made to order.
Dam No. 3, Water St., Gardiner Me.
Send for Price List.

H. M. Wentworth. F. A. Plafsted.

David Wentworth.

HOWSON'S

OFFICES FOR PROCURING

UNITED STATES AND FOREIGN
PATENTS,

Forrest Buildings

119 SOUTH FOURTH ST., PHILADELPHIA,
AND MARBLE BUILDINGS1605 Seventh St. (Opposite U. S. Patent Office,
Washington, D. C.)

H. HOWSON, Solicitor of Patents. C. HOWSON, Attorney Law.
Communications should be addressed to the
PRINCIPAL OFFICES PHILADELPHIA.

JAMES A. WHITNEY, Patent Agent
and Expert, offers his service to inventors in
securing American and Foreign Patents, as ex-
pert in patent cases, etc.

"We take pleasure in commending the new agency to
the favor of inventors." *The Iron Age*, June 6.

"Of Prof. James A. Whitney we can speak from a
personal acquaintance. Any person seeking profes-
sional advice from him will be certain of just and hon-
orable treatment." *Norwich, Conn., Daily Advertiser*
May 29.

"His long experience in this field of investigation
has made him familiar with the business in all its
branches, and we can confidently recommend him to
those needing his services." *Prairie Farmer*, Chicago,
June 1.

"Few persons have had more opportunities for
learning the necessities of such a business." *The World*
(weekly), New York City, June 19.

"A thorough mechanical engineer with a valuable
practical experience in the machine shop." *Am. Rail-
road*, June 1.

"Mr. Whitney is qualified by experience and practical
knowledge. His life and experience have been such as
to develop the fullest sympathy with men engaged in in-
dustrial pursuits, especially inventors." *Moore's Rural*
New Yorker, June 8.

Address, for full information, free of charge.
128 Broadway, Room 11, New York City.



OILERS! OILERS!

J. H. WHITE, Newark, N. J.

MANUFACTURER OF

Olmsted Patent and Common Oilers,
of all descriptions.

Colwell Patent Door Spring Chil-
dren's Carriage Trimmings, Spun and
stamped Brass for all Trades, Dies
and Tools &c., &c.




FLAT AND ROUND HEAD MACHINE SCREWS,
 OF SIZES, Nos. - - 4, 6, 8, 10, 12, 14, 16, 18, 20, 24, SCREW GAUGE.
 AND LENGTHS - - 1/4, 3/8, 1/2, 5/8, 3/4, 7/8, 1, 1 1/4, 1 1/2 INCH.

PLUG AND BOTTOMING TAPS.

Manufactured, **KEPT IN STOCK**, and sold by

AMERICAN SCREW COMPANY, - - PROVIDENCE, R. I.

Fillister Head and Pattern Machine Screws Made to Order Promptly



JACOBUS & NIMICK MFG. CO.,
 PROPRIETORS OF
Pittsburgh Novelty Works & Pittsburgh Variety Works,
 Manufacturers of
LOCKS AND LATCHES.
 Fairbanks' Standard Platform and Counter Scales, Paint and Coffee Mills, Builders' and Domestic Hardware generally.
 New York Office, 96 Chambers St., N. Y.

DIRECTIONS FOR USING
L. B. Taylor's Patent Speed Indicator.

To ascertain the number of revolutions made by a shaft in any given time: Take the Indicator by the handle in the right hand, holding your watch in the left, press the point of the spindle gently against the end and center of the shaft. To every hundred revolutions of the shaft the Hundred Pointer will make one revolution, while the Thousand Pointer will indicate one number, the dial being marked into ten parts. It may be applied to a shaft revolving either to the right or left.

Manufactured only by **CONN. CUTLERY CO., NAUGATUCK, CONN.,**
 TO WHOM ALL ORDERS SHOULD BE ADDRESSED.

AMERICAN BOLT COMPANY,
 MANUFACTURE
BOLTS AND NUTS,
 Coach or Lag Screws, Washers, Chain Links, Forgings, &c.
 OF ALL KINDS AND SIZES, AT SHORT NOTICE.
 210 Lawrence St., Lowell, Mass.

With increased facilities we are now enabled to pay prompt attention to all orders for our **Patent Bolt Heading Machine**, now fully acknowledged the best ever invented. Our Machines will head Bolts from 3/4 inch diameter to 1 1/2 inch diameter, and from 1/2 inch to 48 inches long, or longer if necessary, and almost any description of heads—Square, Hexagon, T head, &c. and properly attended, without changing, will head from 300 to 500 per day. We are also prepared to offer for sale our **New Patent Bolt Cutter**, which will cut Bolts from 3/4 inch diameter to 1 1/2 inch inclusive. A boy will cut on an average 300 3/4 inch Bolts per day. Parties wishing first class Bolt Heading Machines or Bolt Cutters, we would respectfully invite to call at our works, where they can at all times see the Machines in operation and judge for themselves. Perfect satisfaction guaranteed in all cases. For references and any other information in regard to the above, apply to the **American Bolt Co., Lowell, Mass.**

"The BEST in the WORLD!"
BLATCHLEY'S
Horizontal Ice Cream Freezer,
 (Tingley's Patent)
 For Saloons, Hotels, Ice Cream Manufacturers, or Families.
STANDS ENTIRELY UNRIVALED!
 With the aid of this Freezer a most delicious dessert of Ice Cream, Water Ice, or Frozen Fruits, Custards, &c., may be frozen in from five to eight or ten minutes, at the will of the operator, with almost no trouble and but trifling expense. It is acknowledged the "Best Freezer in the World," and a luxury no family should be without. The Closed Head will save Ice enough in one season to pay for the Machine. The Tub requires but one filling to freeze. Sizes 3 to 40 quarts. For sale by the trade generally.
 Trade Discount liberal. Application should be accompanied by business card.
CHAS. G. BLATCHLEY, Manufacturer, 506 Commerce St., Philadelphia, Pa.

PARALLEL SWIVEL VISE,
STRONG, DURABLE.

Wrought Iron Bar.	Weight.	Price.
Width of Jaw.		
4 in.	50 lbs.	\$11.00
5 "	80 "	13.00
6 1/2 "	130 "	17.00
8 "	167 "	22.00

Manufactured by
CHARLES MERRILL & SONS,
 556 Grand Street, NEW YORK.

J. A. Knowles, Jr.,
STANDARD
 Platform and Counter
SCALES,
 Fletcher St., Lowell, Mass.
 240 lbs. Scales a specialty.

MIDDLETOWN TOOL CO.,
 MIDDLETOWN, CONN.,
 MANUFACTURERS OF
 The Celebrated "Baldwin" Plane Iron,
 HENSHAW'S PATENT HARNESS SNAPS
 GERMAN HARNESS SNAPS,
 PAT. GAFF TOP-SAIL SELF-MOUSING SHIP HOOKS
 Plow, Filletster & Dado Stops of all kinds, Set Screws, Plows, Bench Plane Starts, &c. Patent Washer Cutters, Plane Iron Screws to order of any size.
 Send for Illustrated Catalogue and Price List.

GREENFIELD TOOL CO.,
 Sole Manufacturers of the Celebrated
"Diamond" PLANE IRONS.
 Of Uniform temper and finish, Solid Steel Caps and Warped. **PATENT FORGED OX SHOE.** The only shoe made with concavity to fit hoof, and the best and cheapest. **REA HAND MOULDING PLANES** of every description. Also, Flow and Match Bits, Moulding and Rabbet Irons, Plane Stops, Cuts, Starts, Plates, &c., &c. Drop Forgings to order. Address for Catalogue and Prices
GREENFIELD TOOL CO., Greenfield, Mass.
 Warehouses: New York, 37 Chambers St.; Boston, 22 Oliver St. 25% Reduced Prices for 1874.

Ludlow Valve Mfg. Co.,
 OFFICE AND WORKS:
 938 to 954 River St. & 67 to 83 Vail Ave., Troy, N. Y.
 MAKE
VALVES
 (Double and Single Gate, 1/2 in. to 36 in.—outside and inside Screws, Indicator, &c.)
 for Gas, Water and Steam.
 Send for Circular.

Water Filter.
 Crystal Spring.
 Jewett's Patent
JNO. C. JEWETT & SONS
 BUFFALO, N. Y.

NEW STYLE JUST OUT.
Porcelain Lined.
 A perfect success, accomplishing results never claimed for any Filter ever before invented. This Filter is now the acknowledged standard all over the United States and Canada.
 Send for Circular.
 MANUFACTURED ONLY BY
JNO. C. JEWETT & SONS
 BUFFALO, N. Y.

NORWICH LOCK MFG. CO.,
 NORWICH, CONN.
 Agencies:
 Hogan, Clarke & Sleeper, 82 Chambers St., N. Y.
 Adams & Chute, 19 Oliver St., Boston.
 I. G. Brenner, Son & Co., 21 North 5th St., Phila.
 F. H. Davidson, 158 Franklin St., Baltimore.

The Iron Age.

New York, Thursday, April 23, 1874.

DAVID WILLIAMS Publisher and Proprietor.
JAMES C. BAYLES Editor.
JOHN S. KING Business Manager.

The Iron Age is published every Thursday morning, at No. 10 Warren Street, New York, on the following terms:

SUBSCRIPTION.

Weekly Edition \$4 a year.
Issued every THURSDAY Morning. Contains full Trade Reports for the week, brought up to the close of business on the previous day.

Semi-Monthly Edition \$2 a year.
Issued the FIRST and THIRD THURSDAY of every month. Contains a full Review of the Trade for the previous half month.

Monthly Edition \$1 a year.
Issued the FIRST THURSDAY of every month. Contains a full Review of the Trade for the previous month.

To	Weekly.	Semi-Monthly.	Monthly.
Canada	\$4.40	\$2.40	\$1.20
Great Britain	6.00	3.00	1.50
France	6.00	3.00	1.50
Germany	8.00	4.00	2.00
Prussia	8.00	4.00	2.00
Buenos Ayres	8.00	4.00	2.00
Pern	6.00	3.00	1.50
Belgium	8.00	4.00	2.00
Mexico	7.00	3.50	1.75
Sweden	12.00	6.00	3.00
New Zealand	8.00	4.00	2.00
Brazil	6.00	3.00	1.50

ADVERTISING.

One square (12 lines, one inch), one insertion, \$2.50; one month, \$7.50; three months, \$15.00; six months, \$25.00; one year, \$40.00; payable in advance. All communications should be addressed to

DAVID WILLIAMS, Publisher,
10 Warren St., New York.

EUROPEAN AGENCY.

CHAS. CHURCHILL & Co., American Merchants,
28 Wilson Street, Finsbury, London, England,
will receive subscriptions (all postage prepaid by us) at the following prices in sterling: Great Britain and France, 25/-; Germany, Prussia and Belgium, 33/4; Sweden, 50/-. They will also accept orders for advertisements, for which they will give prices on application.

City Subscribers will confer a favor upon the Publisher, by reporting at this office any delinquency on the part of carriers in delivering *The Iron Age*; also, the loss of any papers for which the carriers are responsible. Our carriers are instructed to deliver papers only to persons authorized to receive them, and not to throw them in hall ways or upon stairs; and it is our desire and intention to enforce this rule in every instance.

CONTENTS.

First Page.—Fountains. Paddle Steel Rails. Bismuth.
Third Page.—Improvement in Hollow Ware. Interesting Experiments with Bar Iron.
Fifth Page.—New Patents. A Favorable Locality for Iron Manufacture. Report of Inspections Made by the Hartford Steam Boiler Inspection and Insurance Company, for the Months of January and February, 1874.
Seventh Page.—Automatic Flood Pipe for Buildings. The Utilization of Waste Substances. Metallic Floors.
Ninth Page.—Business Items. Ship Building in the Fifteenth Century.
Eleventh Page.—Shaw's Relief Block for Rolling Mills. The Extension of the Bessemer and Martin Processes for the Manufacture of Steel in Germany.
Fourteenth Page.—The State of Trade. Now Gives Us Free Banking. Thoughts Suggested by the Recent Disasters at Sea. The Centennial. The Smoke Nuisance in Manufacturing Cities.
Fifteenth Page.—The Smoke Nuisance in Manufacturing Cities.—(Continued). New Publications. Our Foreign Trade in Iron, Metals and Manufactures Thereof. The New Canadian Tariff. Scientific and Technical Notes. A New Furnace at Lebanon, Pa.
Seventeenth Page.—Trade Report.
Eighteenth Page.—Trade Report (concluded). Our English Letter.
Nineteenth Page.—Our English Letter.—(Continued). London Metal Market.
Twentieth Page.—The Centennial Exhibition. The Late William Resor. The Origin of Electro-Plating.
Twenty-third Page.—The Iron Age Directory.
Twenty-fourth Page.—Philadelphia Correspondence. Pressed and Stamped Metal Goods. White Coal.
Twenty-sixth Page.—New York Wholesale Prices of Hardware and Metals.
Twenty-seventh Page.—New York Wholesale Prices (concluded).
Thirty-first Page.—Philadelphia, Buffalo, Cincinnati, and Detroit Hardware and Metal Prices.
Thirty-third Page.—Chicago, Boston, and St. Louis Hardware and Metal Prices.

In response to many requests for copies of the tables showing the cost of pig iron on furnace bank and bar iron at mill, from 1830 to May 1st, 1874, compiled for *The Iron Age* by Mr. Wm. E. S. Baker, Secretary of the Eastern Iron Masters' Association, we have had them reprinted upon heavy Bristol board, 9 by 14 inches, also upon paper, for folding in letters. Copies may be had, without charge, upon application at this office.

The State of Trade.

Earnestly as we have sought during the past few weeks for some indications of a substantial improvement in the condition of the iron trade, we are compelled to confess that we have not found them. As our readers know, we are always disposed to look with hope and confidence upon the future, and we do so even now; but it cannot be denied that the present condition of trade is as bad as it well could be, and that if relief does not soon come in some manner which cannot now be foreseen, many failures would seem to be inevitable. Pig iron is in oversupply, and furnaces most favorably located and with an established reputation for their iron, are either piling up their product in the hope of selling it eventually, or standing idle, with no hope of soon resuming operations. For manufactured iron the demand is so limited as to effect

no perceptible reduction of stocks in store, and there is no sign of improvement. Labor is discontented with reduced wages, and is assuming a menacing attitude, although we think the men are not so blind as not to see that the threatened "general strike" would be the last straw needed to break the camel's back, and that after such a demonstration as they now propose, the chances of obtaining any employment through the summer would be exceedingly small. There has also been a very general suspension or curtailment of mining operations, owing to the small demand for ores. The trade is now feeling most seriously the effects of the late panic, as the orders which kept the works running for a time have been filled, and no new orders are coming in. Many prominent iron merchants and manufacturers express the belief that no marked improvement can now be looked for until fall, and in such an emergency as this we can only advise our friends in the trade not to take counsel of their fears, but to move cautiously and reduce expenses wherever such reduction is possible. A glance at the statistics of our national development will show that the present depression cannot long continue, unless recovery is retarded by a mistaken policy of financial legislation; but with trade in a worse condition than it has been within the memory of a majority of our iron masters, we do not consider it safe to venture any very hopeful prediction for the immediate future.

It is, perhaps, some poor satisfaction to know that the depression in the iron trade is not limited to the United States, but that it is felt in a greater or less degree in all the iron producing countries of the world. In England the situation is described by a leading iron trade journal as "desperate." British makers are undersold in their own market by Belgian agents, who, for lack of profitable orders from Continental consumers, are selling very cheap in England, where the unreasonable demands of the workmen for wages, altogether disproportionate to the profits of iron manufacture, render it impossible for the masters to take contracts as cheaply as they can be filled in Belgium at the present time. From other parts of the Continent we hear no very cheerful reports, and it is evident that iron masters in all parts of the world will have to content themselves with small profits for some time to come. This condition is probably the natural effect of sudden and sharp reaction from undue stimulation and high prices. The pendulum swung beyond its limit in one direction, and now seems likely to swing as much too far in the other. This may the sooner restore the true equilibrium; but the first effect is to paralyze industry and disorganize commerce. Another year will probably see us entering upon a long and comparatively uneventful period of steady development and moderate prosperity; but it is quite certain that for many years to come skillful management and close economy will be the conditions of success in all branches of iron manufacture, and that the future of this industry depends in a great measure upon our ability to make iron at a price which will enable us to export our surplus production.

Now Give Us Free Banking.

The President has vetoed the currency bill, the long anxiety for a settlement of the currency question has ended in disappointment, and the promise of relief to commerce and manufactures still remains unfulfilled. It is not probable that the bill will be passed over the veto, and the country now looks to Congress for some measure of relief which will be immediate in its benefits and permanent in its operations. What shall this be? We answer unhesitatingly—Give us free banking. As the term "free banking" is used among business men, it does not mean absolute freedom, but freedom to establish as many banks, and to issue as many notes, as the country requires, under the national banking law which requires the deposit of government bonds with the treasurer at Washington to secure circulation, and with some provision for redemption which does not now exist. The wants of the merchants and manufacturers of the country are better expressed in Mr. Merriam's bill, reported to the House by the Committee on Banking and Currency on the 29th of January, and then committed to the Committee of the Whole, than in any measure yet proposed. This bill, 1st, removes all existing restrictions upon the volume of national bank notes, and allows their unrestricted issue, based upon deposits of United States bonds; 2d, it requires each bank to keep a deposit of five per cent. of its circulation in legal tenders at the Sub-Treasury at New York for redemptions, in lieu of the present reserve of fifteen and twenty-five per cent.; 3d, it requires the Assistant

Treasurer here to redeem in legal tenders all bank notes presented for payment, and return them to the banks from which they emanated; 4th, it does away with the present system of keeping reserves with redemption agents, and requires every bank to keep what reserve it requires in its own vaults. This bill should be promptly passed. It mitigates or reforms all the evils of our present national bank system; it permits the establishment of national banks wherever they are needed; it insures us all the currency we need, and carefully guards against an overissue of currency—which, however, would not depreciate so long as the government bonds are worth ninety per cent. of their face value—by requiring the banks to provide for the redemption of their notes in legal tenders; it would meet the wants of the country without adding a dollar to the national debt; it would give us an abundance of currency without the much dreaded "inflation," and would encounter no serious opposition in any quarter. We call upon the friends of commerce and industry in Congress to push this bill, or one embodying essentially the same provisions, to a prompt consideration and passage. The country needs it, public opinion demands it, and there is no danger involved in the experiment. If new banks are not needed, capitalists will not go into the business; if more currency is not needed, the banks cannot issue it, for no one will borrow it. Three years ago, Hon. Daniel J. Morrell, then representing the State of Pennsylvania in the House of Representatives, urged the claims of freedom of banking upon his colleagues in terms so clear and forcible, and which so well express the views of a large and influential class of merchants and manufacturers, that we quote from his speech to give additional force to what, in the brief interval between the reception of the news of the President's veto and the hour of closing our forms, we have been able to say:

The only safe means of distributing and regulating the volume of currency is through local banks which receive deposits and make discounts in accordance with the business requirements of the communities which they serve. Any other way of swelling or reducing the volume of currency cannot be healthful, and its effects must resemble the temporary stimulation of intoxicating drinks and the depression which follows a debauch. The national banks are in successful operation; men of all parties, professions and occupations are stockholders, and their management is free from political or sectional influence. Their officers necessarily have an accurate knowledge of the resources and necessities of the people and possess their confidence. Being independent of the national administration, yet subject to inspection, and liable to forfeiture of privileges which are abused, they are a check upon the treasury, and the treasury a check upon them. That the banks have made large profits is chiefly owing to causes which have made all money capital productive, and is no evidence of the faults, but rather of the virtues, of the system. Make banking free, and it will cease to be unduly profitable. They will have only such profits upon their business and circulation as can be realized under free competition, money at the same time being plentiful.

This is a common sense, business view of the subject, which commands itself at once to the judgment. We may add, that free banking places no obstacle in the way of a resumption of specie payments, whenever such resumption is possible, and we hope Congress will not delay the earnest and intelligent consideration of the measure an hour longer than is necessary.

Thoughts Suggested by the Recent Disasters at Sea.

Of what advantage are the so called "water tight bulkheads" of our iron steamships? The agents of the various lines lay great stress upon the fact that their vessels are all "compartment ships," and nervous voyagers are assured that it is next to impossible to sink them, no matter what may happen, for if one compartment fills with water the others will float the ships for an indefinite period. It costs considerable to put these bulkheads in, they are very much in the way after they are in, and they render no service in strengthening the ships which could not be performed at once better and cheaper with less iron; their only function is to give the ships buoyancy in case of accident, and if they do not do this to an extent sufficient to keep a ship, which happens to spring a leak in one compartment, from sinking at sea, of what possible benefit are they to any one? A few years ago, when the bulkheads were removable, it was not an unusual thing for captains to lay them down in the ships' bottoms and pile cargo on them, or to leave them on shore in some convenient storehouse. Now that they are built in with the ship, they seem to be of scarcely greater utility than when they were left on shore, or utilized as flooring in the hold. The French line has lost two compartment steamers, and nearly lost a third; the Allen line lost seven; the Anchor line lost one a year for several years; the White Star line one; and the Inman line several—we do not now recall just how many. We believe these were all compartment ships, and the question whether these compartments are really useful for anything beyond advertising purposes is, certainly, a very natural one.

Another question of equal importance suggests itself in this connection. If transverse bulkheads do impart additional security to a ship, is not an undue dependence placed upon them, and do not the owners neglect, in consequence, precautions which are indispensable to safety? It would certainly appear so in the case of the *Europe*, which was so insufficiently provided with pumps that the salvage crew from the *Greece* could not keep her afloat, although the water in the hold had only gained one foot in eleven hours, during which time she was left without a soul on board. Of the truth of this assertion there can be no doubt. Salvage crews will take any reasonable risk to save the vessels committed to their care, and they will not leave them while a chance remains of getting them into port. In the case of the *Europe*, Mr. Buck, the officer in command, testifies that he could probably have taken her into port had her pumps been equal to even a moderate service, far below what should have been their minimum capacity. This is a matter which calls for intelligent investigation.

It is useless to call for the enactment of laws for the better protection of life at sea, or to call upon the owners of steamships for reforms of any kind. The only remedy lies with the marine underwriters, and until they are prompted by self-interest to decline taking risks upon vessels which are not as safe and strong as it is possible to make them, more attention will be paid to upholstery and the comfort of passengers than to the means of guarding against disasters at sea. Cheap marine insurance gives us unseaworthy ships, as cheap fire insurance upon land gives us cities which can be swept away in an hour by conflagration. Mr. Plimsol has shown us what appalling abuses have grown up in the British merchant service, as the legitimate result of the willingness of underwriters to insure unsafe ships, and equally courageous investigators would find but little difficulty in showing that the evil effects of this system have spread to all branches of ocean carriage, though the effects are less marked in the cases of the "floating hotels" which ply across the Atlantic, than in those of old and rotten merchantmen sent on distant and dangerous voyages for the purpose of being lost, or, as the phrase goes, of "selling them to the underwriters." Mr. Mackenzie, agent of the French line, states that the company will not be peculiarly affected by the loss of the *Europe* and *Amerique*—supposing at the time that the latter had gone down—although they might be put to temporary inconvenience in finding ships with which to maintain their regular weekly service. As it is, the losses fall upon the insurance companies, and if they are as ready now to write upon steamers insufficiently provided with pumps, upon old side-wheelers lengthened into modern propellers, and upon unseaworthy hulls generally, as they have been in the past, the loss of half the steamers afloat would teach the owners of the other half nothing which would diminish the dangers of ocean travel. Like all evils, that of cheap insurance upon doubtful and hazardous risks will ultimately cure itself through the abuses to which it gives rise; in the meantime we look for but few reforms, so long as the saving of life is the only object to be gained thereby.

The Centennial.

In another column we publish an address to the people of the State of New York, signed by Mr. John Welsh, President of the Centennial Board of Finance, which merits the careful and thoughtful attention of business men. It sets forth that, as nearly one-half of the money needed to carry out the great undertaking has been subscribed, its success is assured; but that it is important to complete the preliminary arrangements at an early day, in order that each State in the Union may be properly represented in the exhibition. The total capital stock of the Centennial, as fixed by Congress in June, 1872, is ten millions. Of this, about four millions have already been raised by public and private subscriptions in Pennsylvania, New Jersey, New York, Delaware, Rhode Island, Arkansas, Virginia, Iowa, Illinois, Indiana, Ohio, Alabama, Wisconsin, Michigan, Missouri, Nebraska, Oregon, Montana, Nevada, Louisiana, Florida, Maryland and California. For reasons set forth at length, the people of New York are asked to assist the work by more liberal subscriptions than they have hitherto made. We hope the appeal will meet with a generous response.

In Congress, the cause of the Centennial is looking up, and the chances are better than ever before for an appropriation of \$3,000,000 to nationalize and stimulate the enterprise. On Monday Mr. Kelly succeeded in having the bill appropriating \$3,000,000 taken from its place on the calendar and made the special order for May 5th, by a vote which clearly indicates that

it will pass when it comes up for consideration. The friends of the Centennial may, therefore, consider that they have won the fight, and that, unless some unforeseen obstacle should interpose, the work will go on rapidly to a successful consummation. We hope Congress will not impose upon the commissioners any absurd conditions, or place any obstacle in the way of making the Centennial an international exhibition; but that it will authorize the President to direct our diplomatic agents abroad to use all reasonable means to secure the fullest co-operation of foreign powers. We should, at best, only gratify a petty national vanity by limiting the exhibition to goods of American manufacture or production, while we should lose the benefit which would come from the comparison of our products with those of other nations. Narrow selfishness would prompt us to exclude foreign exhibits: enlightened self-interest would lead us to invite them. Very much of the commercial advantage which may reasonably be expected to result from the Centennial, depends upon the coming of foreign visitors, and if we make it strictly and exclusively national in character, the people of other countries will not trouble themselves to come and see it.

The Smoke Nuisance in Manufacturing Cities.

In many of our Western cities, especially those which consume large quantities of coal for manufacturing purposes, the pollution of the atmosphere by the clouds of smoke continually pouring from the chimneys, is not only an extravagance which must be paid for by the consumers of manufactured products, but an intolerable nuisance as well. Can this waste of fuel—for smoke is only the product of imperfect combustion—be prevented, and the nuisance abated? The question has often been asked and often answered, but in few instances have attempts been made to apply the remedies which have been found successful by experiment. The reason for this is probably found in the popular belief that coal is plenty, and that it is cheaper to waste a little of it than to adopt the appliances needed to insure its perfect combustion in the furnace. Were coal worth only half its present value, the idea that it could be economically wasted—if a term so seemingly contradictory is admissible—would be a mistaken one. Improvements in furnaces are paid for only once—a waste of fuel is a constant tax, which must be added to the cost of production as long as it continues. It is not our intention to discuss the subject at much length, but as it involves the consideration of principles which should receive the careful study of all who make or use stoves and furnaces of every kind, it cannot be without interest to our readers.

It is important, at the outset, to divest the inquiry of an element which needlessly obscures the subject, and leads to erroneous ideas. Smoke and soot arising from the imperfect combustion of fuel never are, and probably never will be, consumed after they are formed. All useful inventions designed to abate the smoke nuisance are simply contrivances for preventing its formation. The first product of a freshly lighted coal fire is not smoke, properly speaking, but a volume of crude, impure coal gas, or fuel in a minutely divided, or diffused, and partly volatilized condition. What is needed, and all that is needed, is to introduce sufficient air among the solid portions and gaseous products of the fuel to effect and sustain perfect combustion, and when this is done the only product will be gases which have no affinity for oxygen and which cannot be consumed. When this is attained the combustion of the fuel will be perfect, and there will be no waste.

It need not be supposed, however, that the introduction of air at the right place and in the right quantity needed to prevent the formation of smoke, is as simple a matter as it would appear at first glance. If it were, the evil of smoky towns and begrimed populations would long since have ceased to exist, both in Europe and in America. It is not sufficient to supply the furnace with an adequate quantity of air. This much could easily be effected by simply opening the furnace door, and the result of it, so far from suppressing the smoke, would only be to cool the furnace. Hence the introduction of air can not be effected *en masse*, but must be so proportioned and diffused as to become intimately and rapidly mingled with the products of combustion, and this mingling must take place without any reduction of the temperature within the furnace, otherwise the desired result will not be attained. A perfect furnace would be one where the due proportion of air could constantly be admitted at the precise points where the incessant formation and evolution of foul gases was going on. If at every stage of the fire, from the moment of coaling to the time when it becomes bright and clear, only the requisite quantity

of air were admitted, smoke would not be evolved at all.

Experience, however, has shown that by no invention yet applied can the formation and diffusion of smoke be wholly prevented, although in some places a near approximation to this desirable result has been reached. The most successful of the manifold inventions for suppressing smoke, appear to be those which introduce the atmospheric air by numerous small apertures at the bridge of the furnace, so as to diffuse it in streams and jets among the gases before they ascend the chimney flue. With such devices, however, quite as much depends upon the skillful management of the fire as upon the machinery employed. To obviate the evils resulting from inattentive firemen or stokers, some patents supply the fuel to the furnace by machinery; the grate being also made to revolve, is thus kept constantly supplied with an even layer of fuel. Being self-feeding, it requires no skill on the part of the fireman, who has merely to fill a large hopper with coals two or three times a day. This invention has been measurably successful, but the very regularity of its mechanical action is sometimes a serious disadvantage, because it prevents the fireman, in case of an emergency, from urging his fire, or creating "high pressure." It also requires that the furnace should be very large, and that there should be a surplus of boiler room. It can be adapted to few furnaces already built, and its expense is, therefore, a serious drawback.

This subject offers an inviting field for investigation and experiment, and whoever shall succeed in doing what the many inventors who have obtained patents have failed to accomplish, or accomplished only in part, will reap a profit that will more than compensate for the time and labor expended. The gas generated by a ton of bituminous coal measures about ten thousand cubic feet, and it requires about ten times its volume of atmospheric air (or one hundred thousand cubic feet), while the coke portion of the same ton of coal will require a further amount of two hundred thousand cubic feet of pure air, in order to effect its complete consumption. How to supply this air, as, and when, it is needed, is the question for which our furnace builders have hitherto failed to find a satisfactory answer. We incline to the belief, however, that were smoky chimneys declared public nuisances, and coal consumers required by local ordinances to abate that nuisance, a means would soon be found for so doing, to the permanent advantage of all classes of the communities now required to breathe smoke impregnated air.

New Publications.

THE APPRENTICE, OR FIRST BOOK FOR MECHANICS, MACHINISTS AND ENGINEERS. BY OLIVER BYRNE, NEW YORK. A. J. FISHER, pp. 207.

This little volume, which is printed in excellent type, on good substantial paper and neatly bound in boards, supplies the want so long felt of a thorough elementary treatise on practical mechanics.

To understand the so called elementary treatises on the theory and application of mechanics, used in our schools and colleges, requires a greater amount of mathematical knowledge than is usually possessed by artisans, and even when the information contained in them is acquired, it is seldom of much value to the practical man. Mr. Byrne's book, unlike those more elaborate and abstruse works, embodies all the information necessary in an elementary work of this nature in a practical, concise and comprehensible form. The system pursued is inductive and simple, the illustrations perfectly clear, and the explanations which accompany them unusually lucid. It is too frequently the practice to encumber works of this nature with unnecessary verbiage and roundabout explanations which only serve to confuse the student. This common defect is most ably avoided in the present volume, the instruction contained in it being always conveyed in intelligible and brief terms. We regard it as a most serviceable contribution to the literature of mechanics.

Our Foreign Trade in Iron, Metals and Manufactures thereof.

The forthcoming report of the Bureau of Statistics for December, 1872-1873, and the calendar years ended therewith, makes the following showing of imports of metals into the United States for the two years:

	1872.	1873.
Brass, and manufactures of.	343,469	191,237
Copper, and manufactures of.	2,411,739	2,116,490
Iron, pig.	5,181,847	7,367,850
Iron castings.	19,169	38,564
Iron, bar, boiler, band, hoop, screw and sheet.	6,153,564	6,907,146
Iron rails.	4,708,189	14,496,012
Machinery and other manufactures of iron.	3,681,723	2,908,701
Steel, ingots, bars, sheets and wire.	3,865,316	4,106,087
Steel railroad bars.	8,964,103	8,207,013
Steel, manufactures of.	10,109,901	10,169,391
Lead, pigs and bars.	2,561,035	3,172,034
Metals and metal compositions.	1,190,547	913,632
Tin, in bars, blocks and pigs.	8,048,396	1,317,357
Tin, in plates.	14,340,868	13,893,450
Zinc, spelter, and manufactures of.	794,412	1,308,988

The exports of iron, steel, metals and their manufactures for the years 1872 and 1873 were published in our issue of April 2 from advance sheets furnished us by Dr. Young.

The following are the total values for the

year ended December 31, 1873, as compared with 1872:

	Imports.	Domestic exports, (in specie values.)	Foreign exports.
1873.	\$624,997,392	\$906,396,531	\$24,968,304
1872.	677,144,579	844,438,789	23,060,083

Classified as follows:

	Imports.	Domestic exports, (in specie values.)	Foreign exports.
1873.	\$29,749,439	\$56,363,496	\$7,308,892
Specie & bullion.	565,247,953	5,103,139	17,659,312
Merchandise.	1872.		
Specie & bullion.	21,182,004	92,395,296	8,391,678
Merchandise.	655,961,575	432,143,533	16,694,395

	Imports.	Foreign exports.
1873.	\$171,322,761	\$10,814,130
Free.	453,774,691	14,154,081
Dutiable.	115,575,436	10,478,186
1872.		
Free.	561,869,143	14,617,397
Dutiable.		

Allowing for the difference in the warehouse accounts, the exports for the calendar year 1873 are in excess of the imports by \$289,331, while for 1872 the imports exceeded the exports by \$108,473,713.

The New Canadian Tariff.

The following is an abstract of the new Canadian tariff which went into effect on the 15th inst.:

Goods paying 10 per cent. ad valorem.—Locomotive engine frames, axles, cranks, hoop iron or steel for tires of wheels, bent and welded crank axles, piston rods, guide and slide bars, crank pins and connecting rods, machinery for mills and factories which is not manufactured in the Dominion.

Goods paying 5 per cent. ad valorem.—Ships' materials, viz.: Binnacle lamps, blocks and patent bushes for blocks, bunting, cables, iron chain of all sorts, compasses, dead eyes, dead lights, deck plugs, knees, iron masts or parts of, iron pumps and pump gear, riders, iron shackles, sheaves, signal lamps, steering apparatus, traveling trucks, wedges, wire rigging, cables, hemp or grass cordage, sail cloth or canvas, varnish, black and bright iron scraps, galvanized or pig, bars, blooms and billets, puddled or not puddled, bolts and spikes, galvanized wire, steel wrought or cast in bars and rods, steel plates cut to any form, but not molded; copper in pigs, bars, bolts, and for sheathing; yellow metal in pigs, bars, and for sheathing.

Goods paying 7½ per cent.—Iron in bar, hoop, rod and sheet, nail and spike, rod, round, square and flat, Canada plates and tinned plates, rolled plate and boiler plate.

Scientific and Technical Notes.

There has lately been an exhibition in Chicago

A CURIOUS STEAM ENGINE,

invented by Mr. E. A. L. Roberts, of Titusville,

Pa. It is described as follows: The peculiarity

of Mr. Roberts' invention consists in having a

double exhaust cylinder, the main escape of

the exhaust steam being in the middle. The

cylinder is constructed with a circular part, or

slot, around the middle, the piston

head being one half as long as the

cylinder, less the width of the circular part or

slot. It will be seen that when the

piston head is at one end, and steam

is admitted to force it to the other end of the

cylinder, that the full pressure of the steam is

held until the piston has done its work, when

the exhaust steam is allowed to escape all

around the cylinder, instantly increasing

an almost perfect vacuum. The full force of

the steam is employed, or, in other

words, the steam does not "let go" until the

piston has accomplished its full stroke.

For instance, in a locomotive engine, 17x22,

with the link in a certain position, in which

the valve travels 2 2-16 inches, the live steam is cut

off at three inches of the stroke, the steam

commences to exhaust, forward and back, at

11 4-16 inches, leaving ten inches of space for

the piston to move under a constantly diminishing

force of steam. In the case of the central

exhaust, which has a capacity about nineteen

times larger than the other for disposing of the

exhaust steam, the full power of the live steam

is exerted the entire length of the stroke upon

the piston head. The cylinder may be placed

either vertically or horizontally, and if in the

latter position, the central part affords an

excellent opportunity for the water arising from

condensed steam to escape without the use of

cocks. Another important feature in Mr.

Roberts' invention is the fact that the piston

head, being long, has a better bearing upon the

cylinder, and, of course, is less liable to wear

than any other. By thus using the full power of

the steam a less amount can be employed,

together with a smaller cylinder, to produce a

given power, which results in a saving of at

least twenty-five per cent. in the fuel used. The

motion being quicker by reason of the instan-

aneous exhaust, and the application of full

power of the steam up to the instant of ex-

hausting, the engine can be reversed, when

running at a high rate of speed, with little

danger, even with one cylinder, of striking the

dead center; and in the trial recently, when

the balance wheel was making 1000 revolutions

a minute, the cut off was thrown back and

forth, apparently hardly checking its velocity

in changing its direction.

In a recently published essay on "The Use

of Coke in Blast Furnaces," Ringel undertakes

to show that

SMALL CHARGES IN BLAST FURNACES

are better than large ones. In a given case,

other circumstances being the same, and the

production the same, a small charge remains

in the furnace three hours longer than a large

one, and hence is longer exposed to the action

of the gases, while the alternation of charges is

twice as rapid, and thus the temperature of the

carbureting and reducing gases lying above the

zone of fusion is reduced, which causes a more

perfect preparation. Beside, small charges

possess the following advantages: a. The action

of the ascending current of reducing gases is

more intense because the height of the column

of ore is actually less. b. The rapid succession

of charges, and consequent lower temperature,

prevents their fusing together so as to form

bridges and thus suspend the charge. c. The

fuel is more completely used, for, by its broader

distribution, a larger surface is offered to the

air blast. d. Owing to the more intimate mixture

of fuel and burden, the injurious constituents

of the burden soon come into contact with

such materials as will prevent their exerting

an injurious influence on the product. e.

Since this rapid alternation of charges prevents

a high temperature in the portion of the fur-

nace above the zone of fusion, it also decreases

the injurious action of the sulphur given off

from the fuel. The sulphur passing upward

over the layer of ore meets with iron which is

already sufficiently carbonized, so that it can

only decarbonize it to a certain extent, without

replacing the carbon entirely, as would be possible

with iron but slightly carbonized. f. The low

temperature of the upper part prevents the

reduction of silicon.

In choosing large charges, especially of fuel,

there has been a cardinal error, which, in spite

of the alleged valuable increase in the heat of

the furnace with large charges of fuel, has ex-

erted the greatest influence on producing un-

satisfactory results. In general, if 17 to 20 cwt.

of coke be taken for a charge, as is customary

in well managed furnaces, it is easy to prove

that the results are far more satisfactory than

when twice as much coke is used.

Frequently the broadest section of the fur-

nace (at the boshes) is taken as the basis for

calculating the volume of the charge of fuel,

which is required to be such that when spread

out in this section it shall still be thick enough

(some metallurgists say 4 inches) to prevent

the ore above from rolling through, whereby

all would get too much mixed up in the lower

part. This determination of the size of the

charge, according to the section of the boshes,

gives an unsafe result, since the different density

of the coke never permits charging by weight,

but always by volume. Charging fuel by

volume, although admissible now and then, is

absolutely useless.

As already remarked, small charges produce

a stronger carburation of the iron, and hence it

takes up sulphur from the fuel ash with more

difficulty. Lime has a similar effect; it renders

the charge less fusible, delays the descent of the

charge, the carburation is greater, and the iron

takes up less sulphur. When the fuel contains

much sulphur, high carburation must be aimed

at, for the more sulphur the iron takes up be-

fore fusion the less carbon it will contain.

M. Mayer, an electrician of Paris, has per-

fected the system of

CHIROGRAPHIC TELEGRAPHY

by the invention of an instrument which trans-

mits a message in the handwriting of the

sender. The message is written on metallized

paper—i. e., paper which has a sufficient metallic

surface to conduct electricity, and that the

writing fluid used must be a non-conductor.

The metallized paper is wound round a cylinder,

termed the transmitting cylinder, which

moves with great regularity, and is insulated.

Close to it is a micrometer screw, carrying a

nut or slide, which, by the revolution of the

screw, moves in a direction parallel to the axis

of the cylinder. The slide carries a metallic

brush and a style, which are insulated from

each other and constantly rub against the sur-

face of the paper. The parts are so geared and

proportioned, that at each revolution of the

cylinder the style moves one-fourth of a milli-

metre. Every portion of the surface of the

paper, therefore, comes successively into contact

with it, and into electric communication with

the earth with which it is connected. At the

transmitting station the positive pole of the line

battery is connected not only with the line, but

also with the metallic brush. The battery cir-

cuit is constantly closed, and the distribution

of the current depends upon the position of the

style. When its tracing point touches the

metallized surface of the paper, the battery

current takes the course of least resistance, pass-

ing through the brush, over the paper, to the

style, and thence to the earth. In this case only

a derived current passes through the line. But

when the style is on any letter of the message,

then as this letter is written with a non conduct-

ing ink, the short circuit is open, and the battery

current is sent in its entirety through the line

wire. So much for the transmitting part; but

each apparatus is also provided with a receiving

instrument, so that a *fac simile* of the telegram

is produced at each station. Around the cylinder

of this instrument a triangular metallic

thread is so wound that the helical figure it

forms shall describe one convolution round the

cylinder. This thread constantly rubs against

an ink roller, and makes on the receiving paper

a series of short lines which gradually become

complete, and thus form the letters of the mes-

sage. If we suppose the strip of paper upon

which the despatch is to be autographed to be

supported against and thus remain in contact

The Iron Age.

New York, Thursday, April 23, 1874.

DAVID WILLIAMS . . . Publisher and Proprietor.
JAMES C. BAYLES . . . Editor.
JOHN S. KING . . . Business Manager.

The Iron Age is published every Thursday morning, at No. 10 Warren Street, New York, on the following terms:

SUBSCRIPTION.
Weekly Edition.....\$4 a year.
Issued every Thursday Morning. Contains full Trade Reports for the week, brought up to the close of business on the previous day.

Semi-Monthly Edition.....\$2 a year.
Issued the First and Third Thursday of every month. Contains a full Review of the Trade for the previous half month.

Monthly Edition.....\$1 a year.
Issued the First Thursday of every month. Contains a full Review of the Trade for the previous month.

To	Weekly.	Semi-Monthly.	Monthly.
Canada.....	\$4 00	\$2 00	\$1 25
Great Britain.....	6 00	3 00	1 50
France.....	6 00	3 00	1 50
Germany.....	8 00	4 00	2 00
Prussia.....	8 00	4 00	2 00
Buenos Ayres.....	8 00	4 00	2 00
Pern.....	6 00	3 00	1 50
Belgium.....	8 00	4 00	2 00
Mexico.....	7 00	3 50	1 75
Sweden.....	12 00	6 00	3 00
New Zealand.....	8 00	4 00	2 00
Brazil.....	6 00	3 00	1 50

ADVERTISING.
One square (12 lines, one inch), one insertion, \$2 50;
one month, \$7 50; three months, \$16 00; six months
\$25 00; one year, \$40 00; payable in advance.
All communications should be addressed to
DAVID WILLIAMS, Publisher,
10 Warren St., New York.

EUROPEAN AGENCY.
CHAMBERS, CURRIE & CO., American Merchants,
25 Wilson Street, Finsbury, London, England,
will receive subscriptions (all postage prepaid
by us) at the following prices in sterling: Great
Britain and France, 25/-; Germany, Prussia and
Belgium, 33/4; Sweden, 50/-. They will also accept
orders for advertisements, for which they will give
prices on application.

City Subscribers will confer a favor upon the
Publisher, by reporting at this office any delinquency
on the part of carriers in delivering *The Iron Age*;
also, the loss of any papers for which the carriers
are responsible. Our carriers are instructed to deliver
papers only to persons authorized to receive them,
and not to throw them in hall ways or upon stairs;
and it is our desire and intention to enforce this rule
in every instance.

CONTENTS.

First Page.—Fountain. Puddle Steel Rails.
Bismuth.
Third Page.—Improvement in Hollow Ware.
Interesting Experiments with Bar Postage prepaid
by us) at the following prices in sterling: Great
Britain and France, 25/-; Germany, Prussia and
Belgium, 33/4; Sweden, 50/-. They will also accept
orders for advertisements, for which they will give
prices on application.
Fifth Page.—New Patents. A Favorable
Locality for Iron Manufacture. Report of Inspections
Made by the Hartford Steam Boiler Inspection and
Insurance Company, for the Months of January and
February, 1874.
Seventh Page.—Automatic Flood Pipe for Build-
ings. The Utilization of Waste Substances. Metal-
lic Floors.
Ninth Page.—Business Items. Ship Building
in the Fifteenth Century.
Eleventh Page.—Shaw's Relief Block for Roll-
ing Mills. The Extension of the Bessemer and Mar-
tin Processes for the Manufacture of Steel in Ger-
many.
Fourteenth Page.—The State of Trade. Now
Gives Us Free Banking. Thoughts Suggested by
the Recent Disasters at Sea. The Centennial. The
Smoke Nuisance in Manufacturing Cities.
Fifteenth Page.—The Smoke Nuisance in Manu-
facturing Cities—Continued. New Publications.
Our Foreign Trade in Iron, Metals and Manufactures
Thereof. The New Canadian Tariff. Scientific and
Technical Notes. A New Furnace at Lebanon, Pa.
Sixteenth Page.—Trade Report.
Eighteenth Page.—Trade Report (concluded).
Our English Letter.
Nineteenth Page.—Our English Letter—(Con-
cluded). London Metal Market.
Twentieth Page.—The Centennial Exhibition.
The Late William Rosser. The Origin of Electro-
plating.
Twenty-third Page.—The Iron Age Directory.
Twenty-fourth Page.—Philadelphia Corre-
spondence. Pressed and Stamped Metal Goods. White
Coal.
Twenty-sixth Page.—New York Wholesale
Prices of Hardware and Metals.
Twenty-seventh Page.—New York Wholesale
Prices (concluded).
Thirty-first Page.—Philadelphia, Buffalo, Cin-
cinnati, and Detroit Hardware and Metal Prices.
Thirty-third Page.—Chicago, Boston, and St.
Louis Hardware and Metal Prices.

In response to many requests for copies
of the tables showing the cost of pig iron
on furnace bank and bar iron at mill, from
1850 to May 1st, 1874, compiled for *The
Iron Age* by Mr. Wm. E. S. Baker, Secre-
tary of the Eastern Iron Masters' Associa-
tion, we have had them reprinted upon
heavy Bristol board, 9 by 14 inches, also
upon paper, for folding in letters. Copies
may be had, without charge, upon applica-
tion at this office.

The State of Trade.

Earnestly as we have sought during the
past few weeks for some indications of a
substantial improvement in the condition
of the iron trade, we are compelled to con-
fess that we have not found them. As our
readers know, we are always disposed to
look with hope and confidence upon the
future, and we do so even now; but it can-
not be denied that the present condition of
trade is as bad as it well could be, and that
if relief does not soon come in some man-
ner which cannot now be foreseen, many
failures would seem to be inevitable. Pig
iron is in oversupply, and furnaces most
favorably located and with an established
reputation for their iron, are either piling up
their product in the hope of selling it eventu-
ally, or standing idle, with no hope of soon
resuming operations. For manufactured
iron the demand is so limited as to effect

no perceptible reduction of stocks in store,
and there is no sign of improvement. La-
bor is discontented with reduced wages,
and is assuming a menacing attitude, al-
though we think the men are not so blind
as not to see that the threatened "gen-
eral strike" would be the last straw
needed to break the camel's back, and
that after such a demonstration as they
now propose, the chances of obtaining
any employment through the summer
would be exceedingly small. There has
also been a very general suspension or cur-
tailment of mining operations, owing to
the small demand for ores. The trade is
now feeling most seriously the effects of
the late panic, as the orders which kept
the works running for a time have been
filled, and no new orders are coming in.
Many prominent iron merchants and
manufacturers express the belief that no
marked improvement can now be looked
for until fall, and in such an emergency as
this we can only advise our friends in
the trade not to take counsel of their
fears, but to move cautiously and re-
duce expenses wherever such reduction
is possible. A glance at the
statistics of our national development will
show that the present depression cannot
long continue, unless recovery is retarded
by a mistaken policy of financial legisla-
tion; but with trade in a worse condition
than it has been within the memory of a
majority of our iron masters, we do not
consider it safe to venture any very hope-
ful prediction for the immediate future.

It is, perhaps, some poor satisfaction to
know that the depression in the iron trade
is not limited to the United States, but
that it is felt in a greater or less degree in
all the iron producing countries of the world.
In England the situation is described by a
leading iron trade journal as "desperate."
British makers are undersold in their own
market by Belgian agents, who, for lack of
profitable orders from Continental con-
sumers, are selling very cheap in
England, where the unreasonable demands
of the workmen for wages, altogether dis-
proportionate to the profits of iron manu-
facture, render it impossible for the mas-
ters to take contracts as cheaply as they
can be filled in Belgium at the present
time. From other parts of the Continent
we hear no very cheerful reports, and it is
evident that iron masters in all parts of
the world will have to content themselves
with small profits for some time to come.
This condition is probably the natural ef-
fect of sudden and sharp reaction from un-
due stimulation and high prices. The
pendulum swung beyond its limit in one
direction, and now seems likely to swing
as much too far in the other. This
may the sooner restore the true
equilibrium; but the first effect is
to paralyze industry and disorganize com-
merce. Another year will probably see
us entering upon a long and comparatively
uneventful period of steady development
and moderate prosperity; but it is quite cer-
tain that for many years to come skillful
management and close economy will be the
conditions of success in all branches of iron
manufacture, and that the future of this
industry depends in a great measure upon
our ability to make iron at a price which
will enable us to export our surplus pro-
duction.

Now Give Us Free Banking.

The President has vetoed the currency
bill, the long anxiety for a settlement of
the currency question has ended in disap-
pointment, and the promise of relief to
commerce and manufactures still remains
unfulfilled. It is not probable that the
bill will be passed over the veto, and the
country now looks to Congress for
some measure of relief which will be im-
mediate in its benefits and permanent in its
operations. What shall this be? We an-
swer unhesitatingly—*Give us free banking.*

As the term "free banking" is used
among business men, it does not mean
absolute freedom, but freedom to es-
tablish as many banks, and to issue
as many notes, as the country requires,
under the national banking law which
requires the deposit of government bonds
with the treasurer at Washington to
secure circulation, and with some provision
for redemption which does not now exist.
The wants of the merchants and manu-
facturers of the country are better expressed
in Mr. Merriam's bill, reported to the House
by the Committee on Banking and Currency
on the 29th of January, and then committed
to the Committee of the Whole, than in
any measure yet proposed. This bill,
1st, removes all existing restrictions
upon the volume of national bank notes,
and allows their unrestricted issue, based
upon deposits of United States bonds;
2d, it requires each bank to keep a
deposit of five per cent. of its circulation
in legal tenders at the Sub-Treasury at
New York for redemptions, in lieu of
the present reserve of fifteen and twenty-
five per cent.; 3d, it requires the Assistant

Treasurer here to redeem in legal tenders
all bank notes presented for payment, and
return them to the banks from which they
emanated; 4th, it does away with the pres-
ent system of keeping reserves with redemp-
tion agents, and requires every bank to
keep what reserve it requires in its own
vaults. This bill should be promptly
passed. It mitigates or reforms all the
evils of our present national bank system;
it permits the establishment of national
banks wherever they are needed; it insures
all the currency we need, and carefully
guards against an overissue of currency—
which, however, would not depreciate so
long as the government bonds are worth
ninety per cent. of their face value—by re-
quiring the banks to provide for the re-
demption of their notes in legal tenders; it
would meet the wants of the country with-
out adding a dollar to the national debt; it
would give us an abundance of currency
without the much dreaded "inflation,"
and would encounter no serious opposition
in any quarter. We call upon the friends
of commerce and industry in Congress to
push this bill, or one embodying essentially
the same provisions, to a prompt consid-
eration and passage. The country needs
it, public opinion demands it, and there is
no danger involved in the experiment. If
new banks are not needed, capitalists will
not go into the business; if more currency
is not needed, the banks cannot issue it, for
no one will borrow it. Three years ago,
Hon. Daniel J. Morrell, then representing
the State of Pennsylvania in the House of
Representatives, urged the claims of free-
dom of banking upon his colleagues in
terms so clear and forcible, and which so
well express the views of a large and influ-
ential class of merchants and manufactur-
ers, that we quote from his speech to give
additional force to what, in the brief inter-
val between the reception of the news of
the President's veto and the hour of closing
our forms, we have been able to say:

The only safe means of distributing and regu-
lating the volume of the currency is through
local banks which receive deposits and make
discounts in accordance with the business re-
quirements of the communities which they
serve. Any other way of swelling or reducing
the volume of currency cannot be healthful,
and its effects must resemble the temporary
stimulation of intoxicating drinks and the de-
pression which follows a debauch. The national
banks are in successful operation; men of all
parties, professions and occupations are stock-
holders, and their management is free from
political or sectional influence. Their officers
necessarily have an accurate knowledge of the
resources and necessities of the people and
possess their confidence. Being independent
of the national administration, yet subject to
inspection, and liable to forfeiture of privileges
which are abused, they are a check upon the
treasury, and the treasury a check upon them.
That the banks have made large profits is
chiefly owing to causes which have made all
money capital productive, and is no evidence of
the faults, but rather of the virtues, of the sys-
tem. Make banking free, and it will cease to
be unduly profitable. They will have only such
profits upon their business and circulation as
can be realized under free competition, money
at the same time being plentiful.

This is a common sense, business view of
the subject, which commends itself at once
to the judgment. We may add, that free
banking places no obstacle in the way of a
resumption of specie payments, whenever
such resumption is possible, and we hope
Congress will not delay the earnest and in-
telligent consideration of the measure an
hour longer than is necessary.

Thoughts Suggested by the Recent Disasters at Sea.

Of what advantage are the so called
"water tight bulkheads" of our iron
steamships? The agents of the various
lines lay great stress upon the fact that
their vessels are all "compartment ships,"
and nervous voyagers are assured that it is
next to impossible to sink them, no matter
what may happen, for if one compartment
fills with water the others will float the
ships for an indefinite period. It costs
considerable to put these bulkheads in,
they are very much in the way after they
are in, and they render no service in
strengthening the ships which could not
be performed at once better and cheaper
with less iron; their only function is to
give the ships buoyancy in case of accident,
and if they do not do this to an extent suf-
ficient to keep a ship, which happens to
spring a leak in one compartment, from
sinking at sea, of what possible benefit are
they to any one? A few years ago, when
the bulkheads were removable, it was not
an unusual thing for captains to lay them
down in the ships' bottoms and pile cargo
on them, or to leave them on shore in some
convenient storehouse. Now that they are
built in with the ship, they seem to be of
scarcely greater utility than when they were
left on shore, or utilized as flooring in the
hold. The French line has lost two com-
partment steamers, and nearly lost a third;
the Allen line lost seven; the Anchor line
lost one a year for several years; the
White Star line one; and the Inman line
several—we do not now recall just how
many. We believe these were all com-
partment ships, and the question whether
these compartments are really useful for
anything beyond advertising purposes is,
certainly, a very natural one.

Another question of equal importance
suggests itself in this connection. If
transverse bulkheads do impart additional
security to a ship, is not an undue depen-
dence placed upon them, and do not the
owners neglect, in consequence, precau-
tions which are indispensable to safety?
It would certainly appear so in the case of
the *Europe*, which was so insufficiently
provided with pumps that the salvage crew
from the *Greece* could not keep her afloat,
although the water in the hold had only
gained one foot in eleven hours, during
which time she was left without a soul on
board. Of the truth of this assertion there
can be no doubt. Salvage crews will take
any reasonable risk to save the vessels com-
mitted to their care, and they will not leave
them while a chance remains of getting
them into port. In the case of the *Europe*,
Mr. Buck, the officer in command, testifies
that he could probably have taken her into
port had her pumps been equal to even a
moderate service, far below what should
have been their minimum capacity. This
is a matter which calls for intelligent in-
vestigation.

It is useless to call for the enactment of
laws for the better protection of life at sea,
or to call upon the owners of steamships
for reforms of any kind. The only reme-
dy lies with the marine underwriters, and
until they are prompted by self-interest to
decline taking risks upon vessels which are
not as safe and strong as it is possible to
make them, more attention will be paid to
upholstery and the comfort of passengers
than to the means of guarding against disas-
ters at sea. Cheap marine insurance
gives us unseaworthy ships, as cheap fire
insurance upon land gives us cities which
can be swept away in an hour by conflagra-
tion. Mr. Plimsol has shown us what ap-
alling abuses have grown up in the British
merchant service, as the legitimate re-
sult of the willingness of underwriters
to insure unsafe ships, and equally
courageous investigators would find
but little difficulty in showing that the
evil effects of this system have
spread to all branches of ocean carriage,
though the effects are less marked in the
cases of the "floating hotels" which ply
across the Atlantic, than in those of old and
rotten merchantmen sent on distant and
dangerous voyages for the purpose of being
lost or, as the phrase goes, of "selling them
to the underwriters." Mr. Mackenzie,
agent of the French line, states that the
company will not be pecuniarily affected
by the loss of the *Europe* and *Amerique*—
supposing at the time that the latter had
gone down—although they might be put
to temporary inconvenience in finding
ships with which to maintain their regular
weekly service. As it is, the losses fall
upon the insurance companies, and if they
are as ready now to write upon steamers
insufficiently provided with pumps, upon
old side-wheelers lengthened into modern
propellers, and upon unseaworthy hulls
generally, as they have been in the past,
the loss of half the steamers afloat would
teach the owners of the other half nothing
which would diminish the dangers of ocean
travel. Like all evils, that of cheap in-
surance upon doubtful and hazardous
risks will ultimately cure itself through the
abuses to which it gives rise; in the mean-
time we look for but few reforms, so long
as the saving of life is the only object to be
gained thereby.

The Centennial.

In another column we publish an address
to the people of the State of New York,
signed by Mr. John Welsh, President of
the Centennial Board of Finance, which
merits the careful and thoughtful attention
of business men. It sets forth that, as
nearly one-half of the money needed to
carry out the great undertaking has been
subscribed, its success is assured; but that
it is important to complete the preliminary
arrangements at an early day, in order that
each State in the Union may be properly
represented in the exhibition. The total
capital stock of the Centennial, as fixed by
Congress in June, 1872, is ten millions. Of
this, about four millions have already been
raised by public and private subscriptions
in Pennsylvania, New Jersey, New York,
Delaware, Rhode Island, Arkansas, Vir-
ginia, Iowa, Illinois, Indiana, Ohio, Ala-
bama, Wisconsin, Michigan, Missouri, Ne-
braska, Oregon, Montana, Nevada, Louisi-
ana, Florida, Maryland and California.
For reasons set forth at length, the people
of New York are asked to assist the work
by more liberal subscriptions than they
have hitherto made. We hope the appeal
will meet with a generous response.

In Congress, the cause of the Centennial
is looking up, and the chances are better
than ever before for an appropriation of
\$3,000,000 to nationalize and stimulate the
enterprise. On Monday Mr. Kelly suc-
ceeded in having the bill appropriating
\$3,000,000 taken from its place on the cal-
endar and made the special order for May
5th, by a vote which clearly indicates that

it will pass when it comes up for consider-
ation. The friends of the Centennial may,
therefore, consider that they have won the
fight, and that, unless some unforeseen ob-
stacle should interpose, the work will go
on rapidly to a successful consummation.
We hope Congress will not impose upon
the commissioners any absurd conditions,
or place any obstacle in the way of making
the Centennial an international exhibition;
but that it will authorize the President to
direct our diplomatic agents abroad to use
all reasonable means to secure the fullest
co-operation of foreign powers. We
should, at best, only gratify a petty na-
tional vanity by limiting the exhibition to
goods of American manufacture or produc-
tion, while we should lose the benefit which
would come from the comparison of our
products with those of other nations.
Narrow selfishness would prompt us to ex-
clude foreign exhibits: enlightened self-
interest would lead us to invite them.
Very much of the commercial advantage
which may reasonably be expected to re-
sult from the Centennial, depends upon the
coming of foreign visitors, and if we make
it strictly and exclusively national in char-
acter, the people of other countries will not
trouble themselves to come and see it.

The Smoke Nuisance in Manufacturing Cities.

In many of our Western cities, especially
those which consume large quantities of
coal for manufacturing purposes, the pol-
lution of the atmosphere by the clouds of
smoke continually pouring from the chim-
neys, is not only an extravagance which
must be paid for by the consumers of
manufactured products, but an intolerable
nuisance as well. Can this waste of fuel
—for smoke is only the product of imper-
fect combustion—be prevented, and the
nuisance abated? The question has often
been asked and often answered, but in few
instances have attempts been made to ap-
ply the remedies which have been found
successful by experiment. The reason for
this is probably found in the popular belief
that coal is plenty, and that it is cheaper to
waste a little of it than to adopt the appli-
ances needed to insure its perfect combus-
tion in the furnace. Were coal worth only
half its present value, the idea that it could
be economically wasted—if a term so seem-
ingly contradictory is admissible—would
be a mistaken one. Improvements in fur-
naces are paid for only once—a waste of
fuel is a constant tax, which must be added
to the cost of production as long as it con-
tinues. It is not our intention to discuss
the subject at much length, but as it in-
volves the consideration of principles
which should receive the careful study of
all who make or use stoves and furnaces of
every kind, it cannot be without interest to
our readers.

It is important, at the outset, to divest
the inquiry of an element which needlessly
obscures the subject, and leads to erroneous
ideas. Smoke and soot arising from the
imperfect combustion of fuel never are,
and probably never will be, consumed
after they are formed. All useful inven-
tions designed to abate the smoke nuisance
are simply contrivances for preventing its
formation. The first product of a freshly
lighted coal fire is not smoke, properly
speaking, but a volume of crude, impure
coal gas, or fuel in a minutely divided, or
diffused, and partly volatilized condition.
What is needed, and all that is needed, is
to introduce sufficient air among the solid
portions and gaseous products of the fuel
to effect and sustain perfect combustion,
and when this is done the only product will
be gases which have no affinity for oxygen
and which cannot be consumed. When
this is attained the combustion of the fuel
will be perfect, and there will be no waste.

It need not be supposed, however, that
the introduction of air at the right place
and in the right quantity needed to prevent
the formation of smoke, is as simple a
matter as it would appear at first glance.
If it were, the evil of smoky towns and
begrimed populations would long since
have ceased to exist, both in Europe and
in America. It is not sufficient to supply
the furnace with an adequate quantity of
air. This much could easily be effected
by simply opening the furnace door, and
the result of it, so far from suppressing the
smoke, would only be to cool the furnace.
Hence the introduction of air can not be
effected *en masse*, but must be so propor-
tioned and diffused as to become intimately
and rapidly mingled with the products
of combustion, and this mingling
must take place without any re-
duction of the temperature within the
furnace, otherwise the desired result will
not be attained. A perfect furnace would
be one where the due proportion of air
could constantly be admitted at the precise
points where the incessant formation and
evolution of foul gases was going on. If
at every stage of the fire, from the moment
of coaling to the time when it becomes
bright and clear, only the requisite quantity

of air were admitted, smoke would not be evolved at all.

Experience, however, has shown that by no invention yet applied can the formation and diffusion of smoke be wholly prevented, although in some places a near approximation to this desirable result has been reached. The most successful of the manifold inventions for suppressing smoke, appear to be those which introduce the atmospheric air by numerous small apertures at the bridge of the furnace, so as to diffuse it in streams and jets among the gases before they ascend the chimney flue. With such devices, however, quite as much depends upon the skillful management of the fire as upon the machinery employed. To obviate the evils resulting from inattentive firemen or stokers, some patents supply the fuel to the furnace by machinery; the grate being also made to revolve, is thus kept constantly supplied with an even layer of fuel. Being self-feeding, it requires no skill on the part of the fireman, who has merely to fill a large hopper with coals two or three times a day. This invention has been measurably successful, but the very regularity of its mechanical action is sometimes a serious disadvantage, because it prevents the fireman, in case of an emergency, from urging his fire, or creating "high pressure." It also requires that the furnace should be very large, and that there should be a surplus of boiler room. It can be adapted to few furnaces already built, and its expense is, therefore, a serious drawback.

This subject offers an inviting field for investigation and experiment, and whoever shall succeed in doing what the many inventors who have obtained patents have failed to accomplish, or accomplished only in part, will reap a profit that will more than compensate for the time and labor expended. The gas generated by a ton of bituminous coal measures about ten thousand cubic feet, and it requires about ten times its volume of atmospheric air (or one hundred thousand cubic feet), while the coke portion of the same ton of coal will require a further amount of two hundred thousand cubic feet of pure air, in order to effect its complete consumption. How to supply this air, as, and when, it is needed, is the question for which our furnace builders have hitherto failed to find a satisfactory answer. We incline to the belief, however, that were smoky chimneys declared public nuisances, and coal consumers required by local ordinances to abate that nuisance, a means would soon be found for so doing, to the permanent advantage of all classes of the communities now required to breathe smoke impregnated air.

New Publications.

THE APPRENTICE, OR FIRST BOOK FOR MECHANICS, MACHINISTS AND ENGINEERS. BY OLIVER BYRNE, NEW YORK. A. J. FISHER, pp. 207.

This little volume, which is printed in excellent type, on good substantial paper and neatly bound in boards, supplies the want so long felt of a thorough elementary treatise on practical mechanics.

To understand the so called elementary treatises on the theory and application of mechanics, used in our schools and colleges, requires a greater amount of mathematical knowledge than is usually possessed by artisans, and even when the information contained in them is acquired, it is seldom of much value to the practical man. Mr. Byrne's book, unlike those more elaborate and abstruse works, embodies all the information necessary in an elementary work of this nature in a practical, concise and comprehensible form. The system pursued is inductive and simple, the illustrations perfectly clear, and the explanations which accompany them unusually lucid. It is too frequently the practice to encumber works of this nature with unnecessary verbiage and roundabout explanations which only serve to confuse the student. This common defect is most adroitly avoided in the present volume, the instruction contained in it being always conveyed in intelligible and brief terms. We regard it as a most serviceable contribution to the literature of mechanics.

Our Foreign Trade in Iron, Metals and Manufactures thereof.

The forthcoming report of the Bureau of Statistics for December, 1873, and the calendar years ended therewith, makes the following showing of imports of metals into the United States for the two years:

	1872.	1873.
Brass, and manufactures of.	343,409	191,237
Copper, and manufactures of.	2,411,759	3,116,490
Iron, pig.	5,181,847	7,869,850
Iron castings.	19,169	38,564
Iron, bar, boiler, band, hoop, scroll and sheet.	6,153,564	6,901,146
Iron rails.	4,708,189	14,498,012
Machinery and other manufactures of iron.	3,681,722	2,908,701
Steel, jagots, bars, sheets and wire.	3,865,316	4,106,087
Steel railroad bars.	8,984,103	8,307,013
Steel, manufactures of.	10,109,901	10,169,391
Lead, pigs and bars.	3,561,035	3,172,094
Metals and metal compositions.	1,190,547	919,652
Tin, in bars, blocks and pigs.	3,048,396	1,317,357
Tin, in plates.	14,340,868	13,869,450
Zinc, spelter, and manufactures of.	794,412	1,308,938

The exports of iron, steel, metals and their manufactures for the years 1873 and 1874 were published in our issue of April 2 from advance sheets furnished us by Dr. Young.

The following are the total values for the

year ended December 31, 1873, as compared with 1872:

	Imports.	Domestic exports, (s. p. c. values.)	Foreign exports.
1873.	\$624,997,362	\$306,396,531	\$24,968,304
1872.	677,144,579	544,438,789	23,086,083

Classified as follows:

	Imports.	Domestic exports, (s. p. c. values.)	Foreign exports.
1873.	\$29,749,439	\$56,263,496	\$7,308,892
Specie & bullion.	595,247,923	5,010,039	17,659,312
1872.	21,182,004	92,205,236	8,371,678
Specie & bullion.	655,962,575	432,143,533	16,691,395

	Imports.	Foreign exports.
1873.	\$121,222,761	\$10,814,120
Dutiable.	459,774,991	11,154,084
1872.	115,915,436	10,478,186
Dutiable.	561,869,143	14,677,397

Allowing for the difference in the warehouse accounts, the exports for the calendar year 1873 are in excess of the imports by \$259,331, while for 1872 the imports exceeded the exports by \$108,473,713.

The New Canadian Tariff.

The following is an abstract of the new Canadian tariff which went into effect on the 15th inst.:

Goods paying 10 per cent. ad valorem.—Locomotive engine frames, axles, cranks, hoop iron or steel for tires of wheels, bent and welded crank axles, piston rods, guide and slide bars, crank pins and connecting rods, machinery for mills and factories which is not manufactured in the Dominion.

Goods paying 5 per cent. ad valorem.—Ships' materials, viz.: Binnacle lamps, blocks and patent bushes for blocks, bunting, cables, iron chain of all sorts, compasses, dead eyes, dead lights, deck plugs, knees, iron masts or parts of, iron pumps and pump gear, riders, iron shackles, sheaves, signal lamps, steering apparatus, traveling trucks, wedges, wire rigging, cables, hemp or grass cordage, sail cloth or canvas, varnish, black and bright iron scraps, galvanized or pig, bars, blooms and billets, puddled or not puddled, bolts and spikes, galvanized wire, steel wrought or cast in bars and rods, steel plates cut to any form, but not molded; copper in pigs, bars, bolts, and for sheathing; yellow metal in pigs, bars, and for sheathing.

Goods paying 7½ per cent.—Iron in bar, hoop, rod and sheet, nail and spike, rod, round, square and flat, Canada plates and tinmed plates, rolled plate and boiler plate.

Scientific and Technical Notes.

There has lately been on exhibition in Chicago

A CURIOUS STEAM ENGINE, invented by Mr. E. A. L. Roberts, of Titusville, Pa. It is described as follows: The peculiarity of Mr. Roberts' invention consists in having a double exhaust cylinder, the main escape of the exhaust steam being in the middle. The cylinder is constructed with a circular part, or slot, around the middle, the piston head being one half as long as the cylinder, less the width of the circular part or slot. It will be seen that when the piston head is at one end, and steam is admitted to force it to the other end of the cylinder, that the full pressure of the steam is held until the piston has done its work, when the exhaust steam is allowed to escape all around the cylinder, instantly increasing an almost perfect vacuum. The full force of the steam is employed, or, in other words, the steam does not "let go" until the piston has accomplished its full stroke. For instance, in a locomotive engine, 17x22, with the link in a certain position, in which the valve travels 2 1/2 inches, the live steam is cut off at three inches of the stroke, the steam commences to exhaust, forward and back, at 11 1/2 inches, leaving ten inches of space for the piston to move under a constantly diminishing force of steam. In the case of the central exhaust, which has a capacity about nineteen times larger than the other for disposing of the exhaust steam, the full power of the live steam is exerted the entire length of the stroke upon the piston head. The cylinder may be placed either vertically or horizontally, and if in the latter position, the central part affords an excellent opportunity for the water arising from condensed steam to escape without the use of cocks. Another important feature in Mr. Roberts' invention is the fact that the piston head, being long, has a better bearing upon the cylinder, and, of course, is less liable to wear than any other. By thus using the full power of the steam a less amount can be employed, together with a smaller cylinder, to produce a given power, which results in a saving of at least twenty-five per cent. in the fuel used. The motion being quicker by reason of the instantaneous exhaust, and the application of full power of the steam up to the instant of exhausting, the engine can be reversed, when running at a high rate of speed, with little danger, even with one cylinder, of striking the dead center; and in the trial recently, when the balance wheel was making 1000 revolutions a minute, the cut off was thrown back and forth, apparently hardly checking its velocity in changing its direction.

In a recently published essay on "The Use of Coke in Blast Furnaces," Ringel undertakes to show that

SMALL CHARGES IN BLAST FURNACES

are better than large ones. In a given case, other circumstances being the same, and the production the same, a small charge remains in the furnace three hours longer than a large

one, and hence is longer exposed to the action of the gases, while the alternation of charges is twice as rapid, and thus the temperature of the carburizing and reducing gases lying above the zone of fusion is reduced, which causes a more perfect preparation. Beside, small charges possess the following advantages: a. The action of the ascending current of reducing gases is more intense because the height of the column of ore is actually less. b. The rapid succession of charges, and consequent lower temperature, prevents their fusing together so as to form bridges and thus suspend the charge. c. The fuel is more completely used, for, by its broader distribution, a larger surface is offered to the air blast. d. Owing to the more intimate mixture of fuel and burden, the injurious constituents of the burden soon come into contact with such materials as will prevent their exerting an injurious influence on the product. e. Since this rapid alternation of charges prevents a high temperature in the portion of the furnace above the zone of fusion, it also decreases the injurious action of the sulphur given off from the fuel. The sulphur passing upward over the layer of ore meets with iron which is already sufficiently carbonized, so that it can only decarbonize it to a certain extent, without replacing the carbon entirely, as would be possible with iron but slightly carbonized. f. The low temperature of the upper part prevents the reduction of silicon.

In choosing large charges, especially of fuel, there has been a cardinal error, which, in spite of the alleged valuable increase in the heat of the furnace with large charges of fuel, has exerted the greatest influence on producing unsatisfactory results. In general, if 17 to 20 cwt. of coke be taken for a charge, as is customary in well managed furnaces, it is easy to prove that the results are far more satisfactory than when twice as much coke is used.

Frequently the broadest section of the furnace (at the boshes) is taken as the basis for calculating the volume of the charge of fuel, which is required to be such that when spread out in this section it shall still be thick enough (some metallurgists say 4 inches) to prevent the ore above from rolling through, whereby all would get too much mixed up in the lower part. This determination of the size of the charge, according to the section of the boshes, gives an unsafe result, since the different density of the coke never permits charging by weight, but always by volume. Charging fuel by volume, although admissible now and then, is absolutely useless.

As already remarked, small charges produce a stronger carburization of the iron, and hence it takes up sulphur from the fuel ash with more difficulty. Lime has a similar effect; it renders the charge less fusible, delays the descent of the charge, the carburization is greater, and the iron takes up less sulphur. When the fuel contains much sulphur, high carburization must be aimed at, for the more sulphur the iron takes up before fusion the less carbon it will contain.

M. Mayer, an electrician of Paris, has perfected the system of

CHIROGRAPHIC TELEGRAPHY

by the invention of an instrument which transmits a message in the handwriting of the sender. The message is written on metallized paper—i. e., paper which has a sufficient metallic surface to conduct electricity, and that the writing fluid used must be a non-conductor. The metallized paper is wound round a cylinder, termed the transmitting cylinder, which moves with great regularity, and is insulated. Close to it is a micrometer screw, carrying a nut or slide, which, by the revolution of the screw, moves in a direction parallel to the axis of the cylinder. The slide carries a metallic brush and a style, which are insulated from each other and constantly rub against the surface of the paper. The parts are so geared and proportioned, that at each revolution of the cylinder the style moves one-fourth of a millimetre. Every portion of the surface of the paper, therefore, comes successively into contact with it, and into electric communication with the earth with which it is connected. At the transmitting station the positive pole of the line battery is connected not only with the line, but also with the metallic brush. The battery circuit is constantly closed, and the distribution of the current depends upon the position of the style. When its tracing point touches the metallized surface of the paper, the battery current takes the course of least resistance, passing through the brush, over the paper, to the style, and thence to the earth. In this case only a derived current passes through the line. But when the style is on any letter of the message, then as this letter is written with a non-conducting ink, the short circuit is open, and the battery current is sent in its entirety through the line wire. So much for the transmitting part; but each apparatus is also provided with a receiving instrument, so that a *fac simile* of the telegram is produced at each station. Around the cylinder of this instrument a triangular metallic thread is so wound that the helical figure it forms shall describe one convolution round the cylinder. This thread constantly rubs against an ink roller, and makes on the receiving paper a series of short lines which gradually become complete, and thus form the letters of the message. If we suppose the strip of paper upon which the despatch is to be autographed to be supported against and thus remain in contact with the helix of the cylinder, we shall at once perceive that this inked metallic thread will trace a straight line across the paper. On the completion of this line a second will be traced parallel with it, and so on. From this series of lines of breaking contact, or, in other words, of withdrawing the paper, will be apparent. The interruption is obtained in the following manner:

On the side of the cylinder, opposite to the ink roller, is a vibrating quadrangular frame, the ends of which extend beyond those of the cylinder and rest on pivots, so as to balance it

on its longitudinal axis. A very slight elevation of that edge of the frame which is toward the cylinder, serves to bring the paper which is supported by the frame, in contact with the inked surface of the helical metallic thread; a depression equally slight withdraws it. The movement, which is almost instantaneous, is produced by an electro-magnet attached to the frame on the underside. Its poles, which are in opposition with those of a fixed permanent magnet, are, by their changing magnetism, alternately attracted and repelled. The current which produces this motion in the frame, and consequently the letters of the message on the paper, does not proceed from the sending station, but from a local battery, connected with a relay. This relay consists of a fixed steel magnet and of an electro-magnet, the core of which is in proximity to the poles of the permanent magnet.

The synchronism of the two instruments is established and maintained during transmission by concealed penulums with very heavy lobes, and the transmitted message is reproduced in exact *fac simile*. The instruments are already in use between Paris and Lyons, and although comparatively slow, there working in other respects is entirely satisfactory.

Dr. J. P. Joule has lately conducted a series of interesting experiments to determine the

EFFECT OF COLD ON IRON AND STEEL.

The following is a translation of his account of the result reached:

1. A mixture of snow and sea salt having been placed upon a table, iron and steel wires were stretched in such a manner that a portion of their length was engaged in the freezing mixture, while the rest was free from it; in each case the wires experimented upon broke outside the cold mixture, the temperature of which was 12° C.

2. Twelve needles of good quality, about three inches long and 1-24 inch in diameter, were fixed firmly by their two ends at two inches distance from each other; a wire was then fastened by one of its ends to the middle of each needle, and attached at the other end to a machine for measuring the power of springs. The machine was then set in action until each needle broke. Six of the needles taken at hazard were tried at the temperature of + 13° C, and the six others in a freezing mixture, which reduced their temperature to - 11° 11' C; in the former case, five of the needles broke with forces varying from 1-134 to 1-842 kilogrammes, the sixth bearing 1-701 without breaking; in the latter case, five broke under forces varying from 1-134 to 2-041 kilogrammes, while the sixth bore a strain 1-701 without breaking. The result is curious, the lowest breaking point being identical in the two cases, while the highest occurred when cold was applied. Comparing the totals the averages are as follows: At ordinary temperature, 1-637; at - 11° 11', 1-801 kilogrammes. M. Joule had previously tried the elasticity of all the needles, and could find no difference between them.

3. It having been stated that the violent action to which a railway wheel tire is exposed resembled an active power rather than mere pressure, and, further, that cast iron was supposed to be more affected by cold than wrought iron or steel, M. Joule made an experiment of a different kind. He procured a number of cast iron nails, 1½ inch long, and about ½ inch diameter in the middle, and having selected those of which the weights were as nearly as possible the same, he arranged each nail in such a way that a cutting hammer, weighing 5½ lb., fell from a fixed height on the middle of the nail, which was supported at each end. In order that the test should be as sure as possible, the nails were taken at hazard, and the trials with the cold nails alternated with those at the ordinary temperature. The nails were chilled by being plunged in a freezing mixture, and were struck with the hammer within five seconds of being taken out. Twelve series of these nails were experimented on, each series comprising sixteen nails, those which were not broken being added to the following lot. The results were as follows: Three series were tried at the ordinary temperature, being + 22° C, the cold being increased from - 12° 23' to - 16° 6', and the fall of the cutting bit from twenty to thirty inches, and only one of the cold nails broke. In the fourth case the temperatures being the same, but the fall increased to thirty-five inches, two cold and one of the other nails were broken. In the fifth experiment, the fall being increased to 39½ inches, one of each of the eight nails was broken. In the sixth experiment the cold was increased to 17° 78', with the same ordinary temperature, and the same fall of the cutter, and one of each eight again broken. In the seventh, the fall was raised to nearly forty inches, when only one of the cold nails was broken. In the next two experiments, the ordinary temperature was + 4° 40', and artificial cold, 16° 67'; when, with a fall of fifty-nine inches, two cold and one other nails were broken; and, with a fall of seventy-five inches, three of each. Ten of the same nails were then tried at the same temperatures, with a fall of eighty-five inches, when two cold and one other nails were broken. The six remaining nails were then tried, three at the temperature of + 4° 44', and three at 16° 11', with a fall of ninety-three inches, two only of the cold nails and three of the others being broken. Finally, an experiment was tried with fresh nails, twelve of which had been kept for four hours, at a temperature of - 16° 11', the ordinary temperature being + 5°, and the fall seventy inches, the result being the breakage of seven of the frozen and eight of the other nails broken. Total broken—twenty-two of the frozen nails and nineteen of the others.

Taking the whole of the above experiments into consideration, M. Joule arrives at the conclusion that frost or lowering of temperature does not render cast iron, wrought iron, or steel more liable to break, and that the accidents which happen on railways arise from the

negligence of the companies in not submitting their wheels, axles, and all the other parts of their rolling stock, to practical and sufficient test before using them in the service of the line.

A communication lately read before the *Académie des Sciences*, on the subject of

SILICON IN PIG IRON.

claims that, instead of being an impurity, it is one of the indispensable elements in cast iron intended for conversion into steel by the Bessemer process. By combustion in the converter, silicon, we are told, develops three times as much heat as the same weight of carbon. Ores rich in silicon thus effect a great saving in fuel, and by maintaining a high temperature, produce a more excellent conversion into steel. A. M. H. St. Claire-Deville employs a special method of making pig iron containing a large percentage of silicon, which insures excellent results. The silicious pig is brought to a condition of fusion in a crucible of quick-lime, upon a hollow spindle fed by a stream of ordinary coal and oxygen gas. This forms a bath, which oxidizes quietly in the presence of a considerable excess of oxygen. The metal, maintained constantly in motion by the current of gas, forms continually a colored skin, which gathers round the edges of the bath, and is constantly renewed, as in the cupellation of silver. Without altering the speed of conversion, the heat may be raised much beyond fusion point. These phenomena distinguish completely the conversion of ores rich in silicon from ordinary ores, which, reduced under the same conditions, do not produce the bright and colored streaks. The production of the streaks is due to the dissolution of the hydrogen and of the oxide of carbon in the bath. Again, whilst ordinary ores dissolve a great quantity of these gases, the silicious ores dissolve but traces. MM. Troost and P. Hautefeuille have made some interesting experiments upon the production of artificial silicious pig iron where required. These experiments show that, at a temperature above that of fusion of cast iron, the carbon of the iron freely reduces silica, the carbon exchanging places with the silicon. And, on the other hand, it results that where it is wished to avoid the introduction of silicon into cast iron or steel it should be reduced in vessels of lime or of magnesite. These conclusions appear to be confirmed by the observations of Mr. S. Jordon, who says that to obtain pigs very rich in silicon, it is necessary that the operation in the furnace should be very hot and very slow; the reduction of the silica in the presence of the carbon and of the iron has, under these conditions, the time to take place effectually. It is necessary that the fettling should be very silicious and very aluminous.

In spite of this, it must not be forgotten that other causes may intervene to prevent the production of silicious pigs. The reaction of the carbon of the iron upon the silica is slow, and, again, the basic nature of the slags is very little favorable to it. It has, moreover, been established that a silicious pig, melted in lime or in a silicate of lime, loses its silicon. One of the causes of the production of silicious pigs is to be found in the action of the silicates of the alkaline metals, which exist always to a sensible degree in the hearths and fluxes. The influence of the alkaline metals is easy to prove: heat in a wind furnace a mixture of carbonate of potash, charcoal, iron filings and silica; this mixture brought to a high temperature gives a metal containing fifteen or sixteen per cent. of silicon and 2.9 of carbon. This reaction, much more rapid than the former, produces a silicious metal during its rapid descent through the hottest zone of the blast furnace.

A New Furnace at Lebanon, Pa.

Messrs. Kaufman & Co., of Lebanon, are pushing the work upon their new furnace with much vigor. The two hot blast foundations are finished, and brick-laying will be commenced this week. Each oven will contain 40 double pipes, be fitted with combustion chambers and P. L. Weimer's patent gas burners, and, when finished, they will be the most complete structures in the country. The main attack foundation is being rapidly pushed forward, and excavations for the engine, boiler and casting houses have been commenced. The stack will be 16 feet high, 55 feet high, made of brick and banded with wrought iron.

Mr. F. J. Obert, of the Union Boiler Works, of Reading, has received the contract for the manufacture of two boilers, to be placed in the new furnace, No. 2. The boilers are "two nests," each nest containing three upper boilers, 48 feet long, 42 inches in diameter; three to four boilers, 32 inches in diameter by 35 feet long; and two mid drums, 28 inches in diameter by 15 feet long. The upper boilers will be connected with the lower ones by seven pipes, each 12 inches in diameter. A steam dome 30 inches in diameter and 30 inches high is to be secured to each top boiler. The heads of the upper boilers and those for the rear end of the lower boilers will be cast iron. The iron used is to weigh from 11½ to 16 pounds per square foot, and the rivets are to be ¾ inch in diameter. They are to be finished in 30 days, and will cost \$10,000. Very important improvements have been introduced in the design for the boilers, and every advantage taken of the practical experience of the designer, P. L. Weimer. The draft chimneys for the boilers are 26 inches in diameter and 55 feet high, and made of boiler iron.


The engine house is a two-story structure, 27x37 feet, is a very handsome building, and is up to the rear end of the building in design. The casting house is 18½ feet long, 30 feet wide and 30 feet high in the clear, built of brick with iron trussed roof. The designs for the entire furnace have been prepared, expressly for the Messrs. Kaufman by the firm of Weimer & Birkinbine, of Lebanon.

Messrs. Weimer & Birkinbine have the blowing engine well under weigh. This will be a vertical engine, and will measure 55 feet from the bottom of the fly-wheel to the top of the blowing cylinder. The large blowing cylinder is now on the boring mill at their works receiving its last cut. It will measure, when finished, 7 feet in diameter; stroke, 7 feet. The steam cylinder will measure 4 feet in diameter; stroke, 7 feet. The engine will weigh 150 tons.

Lightning Saw Tooth; two Points Dressed to Cut in Line on one side of Kerf and two on the Other.

Our Frame Factory is at Present Running Exclusively on this Frame.

It is made of the best stock, and in the most careful manner. I have purchased all the patents and all right to manufacture this original Brace Frame.



Fifteen thousand just received at warehouse in Beekman street. They are much better finished than heretofore, and guaranteed equal to any Braced Frame in the market. My purchased patents ante-date all other varieties of Cross Braces. Price to the trade, \$10 per dozen, complete with Lightning Blades and Patent Stretchers.



For 3 1/2 feet will be furnished to the trade at \$25, net.



We are making Files to fit and file out the center of the Lightning Tooth, like the above cut which shows how an inch of steel is economized instead of a scraping point, thus giving thrice the durability of V teeth.

Note, two direct cutting edges dressed to cut in line instead of one scraping point. Awards have been made in 1872, American Institute Fair, New York, special medal of award over all other manufacturers. 1873, silver medal, the highest award voted over all.

Since the date of my first patent, Nov. 27, 1866, several of the large saw manufacturers, after opposing, ridiculing and endeavoring to crush out my Lightning Saws, have at length paid me the tribute of imitating my goods and infringing upon my patents. They can sell inferior goods at lower prices, and there is no excuse for their breaking the laws of the country, and seeking to rob inventors of their hard-earned rights and property. The fact that these men have amassed millions from patent machinery and inventions of others, gives them no right to use such gains to rob and oppress inventors. The Government did not protect their patents, nor the people render them their wealth for any such purpose. Believing, as I do, that right will triumph in the end, I am pushing my cause in the United States courts of equity to a speedy, and, I trust, successful conclusion, so that a single suit may settle the question for all persons who make, sell, or use my goods in defiance of patent law. But even if sure retribution does not always follow the criminal, what high-toned merchant wishes to sell infringements knowingly? The public conscience must support the right, or law is valueless, and the rights of the lofty and lowly have alike one foundation. NO MAN CAN AFFORD TO DO WRONG.

Wealthy saw manufacturers may pay legal costs, but cannot shield the consciences of their customers, and the meanness of a wrong is increased by chances of escaping detection and punishment.

For the information of the public, I submit the following letter of my Attorney, which explains itself:

E. M. BOYNTON, Esq., 80 Beekman street, N. Y.

DEAR SIR: We have received your letter asking our opinion as to the validity of the claims in your Re-issue Letters Patent, No. 3566, for the M shaped cutting teeth described therein. Your original Letters Patent, No. 59,951, dated November 27, 1866, contain the said invention and consequently the Re-issue was legally and properly granted.

The invention referred to is secured by the first and second claims, and in our opinion both said claims are valid. The first is, in substance, for the M shaped tooth provided with cutting faces.

The second claim covers such a tooth having its cutting points dressed to cut in line on the same side of the kerf, and so on with each succeeding tooth, successive teeth cutting on opposite sides of the kerf from each other, but the cutting points of each tooth are dressed to cut on one side only of the kerf.

The said claims are, in our opinion, good and valid, and any persons making, selling or using the devices and constructions specified therein without license from you, are infringers of your Patent and are liable to suit, since the Patent was properly granted, and no anticipation of the improvements above referred to has been found, so far as we are aware, which cast any doubt upon either of said claims, or upon the correctness of the action of the Patent Office in granting them.

Yours, truly,

VAN STANVOORD & HAUFF, Solicitors of Patents, 41 Park Row, N. Y.

B. F. BUTLER, Washington, D. C.

ANSWER TO HENRY DISSTON.

The reason no one can take my \$500 TEST Challenge, is manifest when on the 25th page of last week's issue of this paper, we find, that if any one will conceal a V obstruction between points of my Patent M tooth, a "saw will cut four times as fast," as if its points were all of the old V tooth.

Henry Disston stakes his reputation on this recommendation of my goods.

If an adulterated Lightning (dubbed Great American) "will cut four times as fast as the common tooth" used by other Saws, what, then, will my genuine Patent Lightning do?

"If such the sweetness of the stream, What must the fountain be."

I shall be ready, on proper notice, to accept a challenge from any saw manufacturer, and am ready to back my words with appropriate deeds and \$500 expense, if beaten.

E. M. BOYNTON, 80 Beekman st., N. Y.

Special Notices.

Wanted.

Having sold out my interest in the Hardware business, I am now wanting a position as traveling salesman in some first-class Hardware, Iron or Manufacturing establishment. Can give the best of references. Address, FRED. C. SHAYS, Humboldt, Kan.

Situation Wanted.

By a young married man, as salesman in a wholesale or retail hardware store; has had seven years' experience. Speaks English and German. Can give best of references. Address, HARDWARE, Box 709, Elkhart, Ind.

Wanted.

A young or middle aged, active and energetic partner, with \$5000 to \$7000 capital, in an old established and well paying retail Hardware business, situated in one of the most thriving towns in Western New York. Satisfactory reasons given. Best of references given and required. Address, N. Office of THE IRON AGE, 10 Warren St., N. Y.

By R. T. Hazell & Co.,

Store No. 94 Rende Street.

Our REGULAR SALES of HARDWARE, CUT LERY, FANCY GOODS, &c., will be held on TUESDAYS and FRIDAYS throughout the season.

CASH ADVANCES made on CONSIGNMENTS without additional charge.

Special Notices.

Commercial Travelers.

ATTENTION!!

Odd Hours made Profitable.

Those having trade with dealers in Hardware, Tin and Stoves, House Furnishing Goods and Chins, also with Confectioners, Hotels or steamers, in any part of the United States and Canada, can hear of a good selling article (complete outfit, eight ounces, sent by mail. No sample required), by addressing with good references, and stating location of trade.

Philadelphia P. O. Box, 2130.

Next July a well known firm of Engineers and Machinery Agents, with large connections at home and abroad, will open a ground floor warehouse, having windows fronting Queen Victoria Street and Cannon Street, London, E. C. The firm is prepared to accept the agency for special machinery, tools, &c., and to exhibit a choice selection of these, and of working models. Advertisers' travelers canvass Great Britain and the whole of Europe. For terms, apply to W. P. L., Office of The Iron Age, No. 10 Warren Street, N. Y.

Special Notices.

Wanted.

A traveling salesman who is thoroughly familiar with the Hardware business, and can bring satisfactory reference. One acquainted with the New England trade would be preferred. Address, P. O. Box 1997, New Haven, Conn.

A Manufacturing Company,

Employing traveling agents, is desirous of securing the agency of some articles of Heavy Hardware to be sold in connection with their own manufactures. Address, A. B., Office of The Iron Age, 10 Warren St., N. Y.

\$14,500 Cash,

will buy a new brick store, 90 feet deep, iron and plate glass front, finished in hard woods, two stories and basement, with a splendid assortment of hardware, \$4000 less than actual worth. Books show a profit of \$5000 per year. Proprietor has other business. Address, S. J. T., Office of The Iron Age, 10 Warren St., N. Y.

Established 1859.

H. R. IVES & CO.,

Successors to IVES & ALLEN.

Manufacturers of

Builders' and House Furnishing

HARDWARE.

Also Manufacturers' Agents.

Having a most extensive connection throughout the Dominion, and keeping a number of first-class salesmen upon the road all the time, we can offer superior inducements to American manufacturers for placing their goods in this market.

Consignments of American Hardware solicited. N. B.—Sales confined to the jobbing trade. Address, H. R. IVES & CO., Montreal, P. Q.

A man with over 20 years' experience in the manufacture of Iron, a thorough, practical draughtsman, Civil and Mechanical Engineer, at present in charge of the construction of a blast furnace in the South, will be open to engagement shortly. Address, IRON MASTER, Office of The Iron Age, No. 10 Warren Street, N. Y.

Katabdin Charcoal Pig Iron.

O. W. DAVIS, Jr., Manufacturer, Portland, Me.

Furnace in Piscataquis County, Me., for Car Wheels, Steam Cylinders, Boiler Plates, Hydraulic Presses, Plows, Chilled Rills, and any purpose requiring great strength.

South Katabdin Pig Iron.

No. 2, density, 7.2002; tensile strength per square in., 19,894

No. 3, " 7.2432; " " 20,725

No. 4, " 7.2835; " " 20,765

Shipped by rail or water from Bangor or Portland.

Samples and analyses furnished on application.

MANUFACTURERS

desirous of introducing their goods to the British and Continental Markets, are advised to insert advertisements in the newspaper "IRON," published every Saturday, at 99 Cannon Street, London, E. C.

SCALE: First 3 lines, 3/4; every additional line, 10d

Price, 6d. per Copy, or 30/ per annum, inclusive of postage to the United States.

A. PURVES & SON,

Corner South & Penn Streets, Phila.,

Dealers in

Scrap Iron & Metals, Machinery, Tools,

Shafting & Pulleys, Steam Engines,

Pumps & Boilers, Copper, Brass,

Tin, Babbit Metals, Foundry

Facings. Best Quality Ingot Brass.

Cash paid for all kinds of Metals and Tools.

STERLING

IRON & RAILWAY CO.

SHIPPERS OF

STERLING

MAGNETIC IRON ORE

FOR BLAST AND PUDDLING FURNACES.

A. W. HUMPHREYS, Treas.,

42, PINE ST., N. Y.

To the Trade.

HARDWARE TRADE REGISTER.

1874

Owing to the backward state of trade occasioned by the late panic, we have deemed it advisable to defer the issue of our Trade Register until a later period than usual in order to give it benefit to the trade of next season.

It having come to our knowledge that certain parties, evidently having no reputation of their own, are endeavoring to trade upon our already established reputation, by assimilating our title, and even, in some instances, from what we understand, using our last edition for canvassing purposes, we respectfully announce to the trade that we are now canvassing for our next edition, which will contain additional features of interest calculated to make it still more valuable than it already is, and render it indispensable as a work of reference to the trade, and we ask them to withhold their advertising favors until our agent may call upon them.

Please Notice that we always have a printed form, bearing our address 4 & 6 Warren St., for orders for advertisements, and that they are payable only to the order of the Manager.

The Merchants and Manufacturers Agency, (MERCANTILE.) No. 4 & 6 Warren St., N. Y., publisher.

CAUTION

No advance payments required for regular advertisements; but all small matters are payable in advance. And our only authorized agents to collect money are favorably provided with a certificate of authority, bearing our official seal, and signed by the manager, and are instructed always to give our printed receipt stamped with our seal and countersigned by the party receiving the money.

S. W. THOMPSON, Manager.

TO INVENTORS.

Patents secured in the United States and Europe, on the lowest terms and very

PROMPTLY,

by A. V. GRIESEN, Solicitor of Patents and Attorney at Law in Patent Cases.

258 Broadway, N. Y., cor. Warren St.

Consultation gratis.

Special Notices.

Wanted.

A traveling salesman who is thoroughly familiar with the Hardware business, and can bring satisfactory reference. One acquainted with the New England trade would be preferred. Address, P. O. Box 1997, New Haven, Conn.

A Manufacturing Company,

Employing traveling agents, is desirous of securing the agency of some articles of Heavy Hardware to be sold in connection with their own manufactures. Address, A. B., Office of The Iron Age, 10 Warren St., N. Y.

\$14,500 Cash,

will buy a new brick store, 90 feet deep, iron and plate glass front, finished in hard woods, two stories and basement, with a splendid assortment of hardware, \$4000 less than actual worth. Books show a profit of \$5000 per year. Proprietor has other business. Address, S. J. T., Office of The Iron Age, 10 Warren St., N. Y.

Established 1859.

H. R. IVES & CO.,

Successors to IVES & ALLEN.

Manufacturers of

Builders' and House Furnishing HARDWARE.

Also Manufacturers' Agents.

Having a most extensive connection throughout the Dominion, and keeping a number of first-class salesmen upon the road all the time, we can offer superior inducements to American manufacturers for placing their goods in this market.

Consignments of American Hardware solicited. N. B.—Sales confined to the jobbing trade.

Address, H. R. IVES & CO., Montreal, P. Q.

A man with over 20 years' experience in the manufacture of Iron, a thorough, practical draughtsman, Civil and Mechanical Engineer, at present in charge of the construction of a blast furnace in the South, will be open to engagement shortly. Address, IRON MASTER, Office of The Iron Age, No. 10 Warren Street, N. Y.

Katabdin Charcoal Pig Iron.

O. W. DAVIS, Jr., Manufacturer, Portland, Me.

Furnace in Piscataquis County, Me., for Car Wheels, Steam Cylinders, Boiler Plates, Hydraulic Presses, Plows, Chilled Rills, and any purpose requiring great strength.

South Katabdin Pig Iron.

No. 2, density, 7.2002; tensile strength per square in., 19,894

No. 3, " 7.2432; " " 20,725

No. 4, " 7.2835; " " 20,765

Shipped by rail or water from Bangor or Portland.

Samples and analyses furnished on application.

MANUFACTURERS

desirous of introducing their goods to the British and Continental Markets, are advised to insert advertisements in the newspaper "IRON," published every Saturday, at 99 Cannon Street, London, E. C.

SCALE: First 3 lines, 3/4; every additional line, 10d

Price, 6d. per Copy, or 30/ per annum, inclusive of postage to the United States.

A. PURVES & SON,

Corner South & Penn Streets, Phila.,

Dealers in

Scrap Iron & Metals, Machinery, Tools,

Shafting & Pulleys, Steam Engines,

Pumps & Boilers, Copper, Brass,

Tin, Babbit Metals, Foundry

Facings. Best Quality Ingot Brass.

Cash paid for all kinds of Metals and Tools.

STERLING

IRON & RAILWAY CO.

SHIPPERS OF

STERLING

MAGNETIC IRON ORE

FOR BLAST AND PUDDLING FURNACES.

A. W. HUMPHREYS, Treas.,

42, PINE ST., N. Y.

To the Trade.

HARDWARE TRADE REGISTER.

1874

Owing to the backward state of trade occasioned by the late panic, we have deemed it advisable to defer the issue of our Trade Register until a later period than usual in order to give it benefit to the trade of next season.

It having come to our knowledge that certain parties, evidently having no reputation of their own, are endeavoring to trade upon our already established reputation, by assimilating our title, and even, in some instances, from what we understand, using our last edition for canvassing purposes, we respectfully announce to the trade that we are now canvassing for our next edition, which will contain additional features of interest calculated to make it still more valuable than it already is, and render it indispensable as a work of reference to the trade, and we ask them to withhold their advertising favors until our agent may call upon them.

Please Notice that we always have a printed form, bearing our address 4 & 6 Warren St., for orders for advertisements, and that they are payable only to the order of the Manager.

The Merchants and Manufacturers Agency, (MERCANTILE.) No. 4 & 6 Warren St., N. Y., publisher.

CAUTION

No advance payments required for regular advertisements; but all small matters are payable in advance. And our only authorized agents to collect money are favorably provided with a certificate of authority, bearing our official seal, and signed by the manager, and are instructed always to give our printed receipt stamped with our seal and countersigned by the party receiving the money.

S. W. THOMPSON, Manager.

TO INVENTORS.

Patents secured in the United States and Europe, on the lowest terms and very

PROMPTLY,

by A. V. GRIESEN, Solicitor of Patents and Attorney at Law in Patent Cases.

258 Broadway, N. Y., cor. Warren St.

Consultation gratis.

Special Notices.

Wanted.

An equal partner with \$10,000 or \$15,000 to commence the manufacture of a recently patented Car and Wagon Spring, the lightest, best and cheapest Elliptic Spring made, corroborated by Railway Officials, Supply and Spring Dealers. Sale positive. Inventor prefers to take entire charge of manufacture, outside business, also, if desired. Full particulars by addressing, J. E. JEFFREY, 363 Pacific St., Brooklyn, N. Y.

A gentleman who has been traveling in the South for eight years past, for an English cutlery and hardware house, and who is thoroughly acquainted with the hardware, house-furnishing and notion trade from Baltimore to San Antonio, Texas, desires to make a new engagement. Address, with particulars, J. W. S., Office of The Iron Age, 10 Warren Street, N. Y.

WM. E. TANNER & CO., Metropolitan Works.

Manufacturers of

Steam Engines, Boilers and other MACHINERY,

Canal St., from 6th to 7th, Richmond, Va.

In addition to a full line of new engines, boilers, saw mills, and other machinery of our own manufacture, we have now on hand and will sell at very moderate rates, the following lot of second-hand machinery, viz:

One 10 Horse-Power Stationary Engine, with two cylinders, 14 in. diam. by 18 in. stroke; two drums, 14 in. diam. by 14 in. long; gears to engine in proportion of 8 to 1, and are provided with disconnecting gear and friction brakes.

One 10 Horse-Power Stationary Engine, with heavy fly wheel, all complete, and nearly as good as new. Three Return Tubular Boilers, (3) three inch tubes each, 15 feet long, complete with steam drum, front, valves, grates, &c., suitable for the above engine.

One 10 Horse-Power Portable Engine of our own make, complete, with two driving pulleys, "Judson" governor, &c., nearly new, and in excellent order.

One 30 Horse-Power Stationary Engine, with circular saw mill, saw and belt complete, in first rate order.

One 16 Horse-Power Stationary Engine, Cylinder, 4 in. by 10 in.

One 30 Horse-Power Stationary Engine, as good as new, complete, with "Judson" governor, fly wheel, &c.

One 30 Horse-Power Stationary Engine, in good running order, but not as new as the above.

One 16 Horse-Power Stationary Engine, with new vertical boiler.

One 10 Horse-Power Stationary Engine, in good order.

One 16 Horse-Power Stationary Engine, 24 in. diam. each with 14 in. flues, iron front, grates, &c., in good order.

One Fine Boiler, 34 in. long, 48 in. diam. with two 14 in. flues, about as good as new.

One 7 Horse-Power Stationary Engine, of our own make, used only a few months, and in perfect order.

Two No. 2 Struck and Blowers. Two No. 4 McKendzie Blowers. One No. 6 Andrew's Centrifugal Pump. One No. 6 Centrifugal Pump. One No. 2 Cameron Pump. One No. 10 Knowlton's Pump. One Earle Pump.

Thirty Brass Tubes, 1 1/2 in. diam., 12 1/2 ft. long. Send for illustrated catalogue and Price Lists.

J. M. WHITE,

Architect and Constructor of Charcoal

Blast Furnaces. Plans, Specifications and Estimates of construction furnished upon application.

The Centennial Exhibition.

To the People of the State of New York: It is right that the people of the United States should know that the day and year which closed the century of American Independence—July 4, 1876—will be commemorated with ceremonies expressive of the gratitude and pride of a great nation; and in accordance with the act of Congress of June 1, 1873, which created the Board of Finance, the following report is made over the signature of the President of the Board:

The original law of Congress, enacted March 3, 1871, provided for "the celebration of the Centennial of American Independence by an international exhibition of the arts, manufactures and natural resources of this and other countries, under the auspices of the government of the United States."

And the act of June 1, 1872, fixed the capital to complete this great commemoration at \$10,000,000, which was by the commissioners apportioned among the several States and Territories on the basis of population.

Of this sum the State of Pennsylvania alone, aided by a subscription of \$100,000 from the State of New Jersey, has raised in the form of subscriptions to the stock and by appropriations from its legislature and the councils of Philadelphia, about \$4,000,000, or nearly one-half the amount necessary to insure success. This provision having been made, designs for suitable buildings were approved, and other preliminary and incidental arrangements have so far advanced as to justify an immediate commencement of the work of construction.

The commissioners have appealed to the Congress of the United States, on the basis of these subscriptions, appropriations and preparations, to maintain the spirit of the two laws above referred to, and the correspondence of the State department with foreign powers has induced the governments of the Netherlands, Belgium, Switzerland, Germany, Sweden, Liberia, Ecuador, the Argentine Confederation, Chili, Mexico, Hayti, and the Sandwich Islands to express their intention to participate, and they have every reason to believe that this appeal to Congress will be generally responded to.

Subscriptions to the stock have also been made by individuals in the States and Territories of Missouri, Illinois, Nebraska, Montana, Indiana, Nevada, Oregon, California, Louisiana, Florida, Maryland, Ohio, Wisconsin, Michigan, Arizona, New Jersey, Delaware, Rhode Island, Arkansas, Alabama, New York, Virginia, Iowa, and Kansas.

Such in brief is the condition of the organization for the international commemoration of the close of the century of American Independence.

The city of Philadelphia was selected as the most fitting locality at which to celebrate the birth of American Independence for the reasons:

1. That from Philadelphia the Magna Charta of human liberty, the immortal Declaration, was uttered. The buildings in which the convention sat remain substantially as they were on that historic day; and

2. Of all the points of revolutionary interest, Philadelphia is the most central and accessible to the whole country. It is the Republic's celebration of its birthday at the very place of its birth.

The finance board earnestly urge their fellow countrymen to keep in mind the great fact that the event to be commemorated is the grandest and most momentous in history, that the commemoration is to take the form of an exhibition of the stupendous progress made by the American people in the first hundred years of their independence, in everything relating to the natural resources of the country and their development, and especially its progress in those industries, arts, and institutions which benefit mankind.

How diversified are the objects which must enter into that exhibition—how vast the buildings and the space required to present them with full effect, are suggestions that need only to be mentioned to bring home to every American the colossal magnitude of the undertaking.

Consider for a moment the industries, products, and devices necessary to an adequate expression of the progress of your own State, and the space that will be essential to their full presentation, and you can hardly fail to perceive that your State alone will require an area in the exhibition buildings and grounds equal to that occupied at Vienna by England or France. This is true of not less than ten of the older States. The other twenty-seven States and ten Territories will each of them require space in proportion.

That the stock of the Centennial Board of Finance might be within the reach of every citizen, the Congress of the United States fixed every share at \$10, which will be represented by a handsome steel engraved certificate, executed by the Treasury Department of the government, and fittingly designed in commemoration of the event. The Board in soliciting subscriptions to its stock feel assured that there is a patriotic desire to render the exhibition worthy of the occasion.

Notice is hereby given that checks and drafts can be addressed to the Financial Treasurer, Frederick Fraley, No. 904 Walnut street, Philadelphia, for any number of shares, at \$10 each, and certificates of stock will be promptly returned. The International Exhibition will commence on the 19th of April, 1876, and close on the 19th of October, 1876.

The undersigned, President of the Board of Finance, speaking for his colleagues, and, he believes, for the great body of the American people, does not doubt the answer of that people to this earnest appeal. They are not unmindful of the patriotic interest in the Centennial of their own independence, nor of the high duty of honoring it as it deserves. Philadelphia, the scene of the immortal Declaration, not only in the old hall where it was written, and whence

it was proclaimed, but in the extensive park where the exhibition is to be held, sacred as the resort of Washington and the revolutionary worthies, has given many times her share to the memorial. It is not her celebration—it is the nation's. History has simply designated that city as the spot where the national sentiment can be historically expressed. Every other city and State is inspired by the same sentiment. Every man and woman, North and South, is stirred by the same impulse. All the peoples of the earth are earnest spectators and students of our progress. The work, therefore, is at once national and international. It reaches every class and every interest. It will be the most remarkable comparison and interchange of ideas and inventions, of art and science, of the products of the earth, the brain, and the hands—the most friendly and complete intercourse between the races of all countries in modern civilization. It is impossible to believe that any portion of the American people will hesitate to unite in what is a sacred memory and a sacred obligation.

JOHN WELSH,
President of the Centennial Board of Finance.

The Late William Resor.

We take the following from the tribute to the memory of Mr. William Resor, a well known stove manufacturer of Cincinnati, and a member of the Board of Managers of the National Association of Stove Manufacturers. It is signed by Messrs. D. B. Pierson, G. Gano, C. Olhaber and H. H. Tatem, committee of the Cincinnati Board of Trade:

Mr. Resor was the embodiment of honor, and by an unwavering adherence to strict business principles became the leading representative of the prominent branch of industry in which he was engaged, and as such commanded the unlimited confidence and respect of his associates, and won for him a reputation for prompt and honorable dealing as flattering as deserving.

He was public spirited in an eminent degree, and but few possess the faculty in applying themselves for the general good of the unostentatious manner which characterized the public acts of Mr. Resor. He became prominently identified in the work of this Board shortly after its organization. He served it faithfully and efficiently whenever his services were asked for, and at the time of his death was one of its representatives in the National Board of Trade. His liberality to the cause of education is a lasting memorial of his beneficence; and no more appropriate or enduring monument to his memory should be desired than the results of his efforts to beautify the surroundings of the city.

If true wisdom is vouchsafed to man at all, it is to those who, by constant application, discover great opportunities, and with ardent and animated resolution break through all opposition, that these opportunities may be improved. Herein Mr. Resor was one of the wisest of men. He recognized the insurmountability from his standpoint of no impediment, and never suffered the embarrassment of defeat in any project his judgment approved. Such a record as his is as rare as honorable, and furnishes the index to a life whose every detail should become the subject of careful study by those who really desire success.

He possessed the rare faculty of business courage in an eminent degree, and exercised it on all occasions. One of its most important results was realized in the unusual credit he extended to many young men without means, who had sought it elsewhere in vain. It is known that scores of good business men throughout the West owe their prosperity to the start and subsequent encouragement given them by William Resor, and no more eloquent memorial of the man can be written than that which is now inscribed within the grateful hearts of these sometime beneficiaries. Blessed is he who deserves it.

Mr. Resor was also an excellent judge of men, as well as affairs, and peculiarly happy in placing his trust where it was deserved. But a few months since he declared to an intimate friend that "there can be no better basis for business credits than young men who have faithfully learned their trades, bought and paid for the tools necessary in their chosen vocations, and married good wives;" and this sentiment unquestionably resulted from studious observation through a long business experience, for his practice in giving credits was founded upon it in a large degree. The principle it involves is worthy of such a man, and should be remembered not only as indicative of his sagacity, but of his benevolence.

The Origin of Electro-Plating.

The application of electro-metallurgy to the arts was an accidental discovery. In 1830, Mr. J. P. Wagner, of Frankfurt, and Professor Jacobi, of St. Petersburg, were endeavoring to employ electro-magnetism as a motive power, instead of steam. Jacobi employed a Daniell's battery, which is distinguished for its constant and regular action. It consists of an outer cup of copper, and an inner cell of unglazed porcelain which contains the zinc rod. The intermediate space is filled with a saturated solution of sulphate of copper. When the battery is working, this solution of blue vitriol is slowly decomposed, depositing metallic copper, which finally becomes injurious, and must be removed. Once when Jacobi was busy with removing such a deposit from his copper cup, he noticed that there were several layers of copper, each having the form of the sides of the copper vessel, and hence, concluding that the sheet copper of which the vessel was made had split up into layers, he accused the man who made it of employing a poor quality of sheet copper. A closer investigation, however, showed him that these layers, or leaves, did not belong to the walls of the vessel, but to a new deposit of metal, which imitated, in a remarkably perfect manner, the shape of the surface of the walls. It occurred to Jacobi that this troublesome disadvantage could be turned to profit by using it for producing objects. In 1838 he communicated to the St. Petersburg Academy a description of his discovery of the use of galvanic electricity for reproducing objects in the arts.

The Emperor Nicholas requested a German chemist named Klein, who was then employed in the imperial printing office, to test the practicability of the discovery, and to ascertain to what extent it was capable of development. The answer being a favorable one, he gave the discoverer the means of making his new art the common property of the whole world.



MILLERS FALLS CO.,

78 Beekman Street, New York.

ALSO MANUFACTURE

Parallel Vises, Glass Cutters, Iron Cutters, &c.

HOWARD PARALLEL BENCH VISE.


MANUFACTURED BY
Howard Iron Works,
Send for price list. **Buffalo, N. Y.**

RUSSELL & ERWIN MFG. CO., New York and Philadelphia, Agents.

NOTICE.

These Vises are only manufactured at the HOWARD IRON WORKS, at Buffalo, N. Y., and are so stamped. The improvements in these Vises which are patented are valuable, and parties who claim to manufacture, and are offering a Vise representing it to be the same as the HOWARD VISE, are deceiving the Trade.

THE DOUBLE SCREW PARALLEL VISE.



PRICES. (Usual discount made to the Trade.)
No. 1. Width of Jaw 3 inches, and weighing about 12 lbs., \$6.00 | No. 3. Width of Jaw 5 inches, and weighing about 80 lbs., 18.00
No. 2. Width of Jaw 4 1/2 inches, and weighing about 50 lbs., 14.00 | No. 4. Width of Jaw 6 inches, and weighing about 125 lbs., 24.00
No. 5. Width of Jaw 7 inches, and weighing about 160 lbs., \$30.00.

THESE GOODS ARE SOLD BY OUR AGENTS IN

NEW YORK.—Messrs. Clark, Wilson & Co. RUSSELL & ERWIN Manufacturing Company. HORACE DURRIE & CO.
BOSTON.—Messrs. George H. Gray & Danforth. PHILADELPHIA.—Messrs. James C. Hand & Co. BALTIMORE.—Mr. W. H. Cole.

FISHER & NORRIS, Trenton, N. J.,


Sole Manufacturers of these Vises, and of the "Eagle" Anvils.

MALTBY, CURTISS & CO., Waterbury, Conn.,

Manufacturers and Sole Proprietors of

CAPEWELL'S GIANT NAIL PULLER.

Reasons why you should Use the Nail Puller.



1st. The edges of the boxes are never split or injured. 2d. No broken Nails in the box or cover. 3d. The box and cover remain sound for future use. 4th. Nails are drawn without breaking or bending. 5th. The box can be opened in half the time required by the old method with chisel or crane. Send for prices, and other information, to our Salesroom.

No. 62 Reade St., N. Y.

E. C. C. KELLOGG

PATENT.

Feb. 13, 1866.



COMBINATION BELT PUNCH,

Pronounced by those who have used them the handiest and most desirable tool in use of its kind. As will be seen, the combination consists

of BELT PUNCH, KNIFE AND AWL,

Also, Needles for Lacing Rubber Belting, so combined that each tool does its specific work and not interfere with either of the others.

E. C. C. KELLOGG & CO., Hartford, Conn.,

For Sale Wholesale and Retail by ETNA NUT COMPANY, 97 Chambers Street, New York.

Pipe, Fittings, &c.

Thomas T. Tasker, Jr.

Stephen P. M. Tasker

MORRIS, TASKER & CO.,

PASCAL IRON WORKS, Philadelphia,

TASKER IRON WORKS, New Castle, Del.,



Office, Fifth and Tasker Streets, Philadelphia.

Office and Warehouse, No. 15 Gold Street, New York.

Office and Warehouse, No. 36 Oliver Street, Boston.

MANUFACTURERS OF

WROUGHT IRON WELDED TUBES,

Plain, Galvanized and Rubber-Coated, for Gas, Steam and Water.

Lap-Welded Charcoal Iron Boiler Tubes.

Oil Well Tubing and Casing, Gas and Steam Fittings, Brass and Steam Fitters' tools, Cast Iron Gas and Water Pipe, Street Lamp Posts and Lanterns, Improved Coal-Gas Apparatus, Etc.

The Billings & Spencer Co.,

MANUFACTURERS OF

The Billings Patent Solid

SEWING MACHINE SHUTTLE.

ALSO,

The Barwick Pipe Wrench.



And all Descriptions of STEEL and IRON

DROP FORGINGS

For Machine Handles, Lathe Wrenches, Milling Machine Cranks, Thumb Screws, and parts of Guns, Pistols, Sewing Machines and Machinery Generally.

We also manufacture, to order,

Cap, Set, Machine & Gun Screws, of Iron, Steel or Brass.

* Price List and "Cuts" of Goods manufactured by us sent to any order on request.

BILLINGS & SPENCER CO.,

Lawrence Street, Hartford, Conn.

LINFORTH, KELLOGG & CO.,

Wholesale Hardware House

AND

Manufacturers' Agents,

Nos. 3 & 5 FRONT STREET, SAN FRANCISCO, CAL.

Sole Agents for the Pacific Coast, for the following leading Goods.

The Powell Tool Co.'s Axes, Edge Tools, Picks, Mattocks, &c.

The Sandusky Tool Co.'s Planes, Plane Irons, Carpenters', Cabinet Makers' and Coopers' Tools.

The Black Diamond Files, G. & H. Barnett, Manufacturers, Philadelphia.

Rumsey & Co.'s Pumps, Hydraulic Rams, Steel Amalgam Bells, Fire Engines, &c.

The Woolworth Handle Works, Axe, Pick, Sledge and other Handles.

ALSO AGENTS FOR

The Enterprise Mfg. Co.'s Coffee and Spice Mills, Molasses Gates, Bung Boreers, &c.

The U. S. Screw Co.'s Gimlet Pointed Screws.

The Union Steel Screw Co.'s Gimlet Pointed Steel Screws.

New York Office, 96 Chambers St., W. B. FOX, Manager.

Miller's Patent Combined Plow,
Filletster & Matching Plane.

2500 ALREADY IN USE.

Manufactured by the


Stanley Rule & Level Co.,

NEW BRITAIN, CONN.

Warehouses:

35 Chambers Street, NEW YORK.

Send for Descriptive Circulars.

**The Finest Machinery Oils,**

Combined from Sperm, Tallow and Lard Oils, and suitable for all machinery, are now being furnished to consumers at from 40 to 75 cents per gallon, by

WM. F. NEY, New Bedford, Mass.

His famous SPERM SEWING MACHINE OIL received the highest award at the Vienna Exposition.

Pipe, Fittings, &c.

McNab & Harlin Mfg. Co.,

MANUFACTURERS OF

BRASS COCKS

For STEAM, WATER and GAS.

Wrought Iron Pipe & Fittings, Plain and Galvanized
PLUMBERS' MATERIALS.

Illustrated Catalogue sent by express to the Trade on application.

Factory, Paterson, N. J.

56 John Street, N. Y.

PANCOAST & MAULE

227 Pear St.

PHILADELPHIA.

WROUGHT IRON PIPE

FITTINGS, BRASS & IRON VALVES & COCKS

TOOLS & STEAM FITTERS SUPPLIES &c.

PIPE CUT & FITTED TO PLANS FOR MILLS &c.

SUCCEED MORRIS TASKER & Co. AS

CONTRACTORSFOR HIGH & LOW PRESSURE STEAM HEATING
APPARATUS FOR ALL CLASSES OF BUILDINGS.

Send for Illustrated Catalogue.

National Tube Works Co.,

BOSTON, MASS. and McKEESPORT, PA.,

MANUFACTURERS OF

Best Quality Lap Welded Iron Boiler Tubes,

STEAM AND GAS PIPE,

Artesian Oil and Salt Well Tubing and Casing,

With Patent Protecting Coupling;

Mack's Patent Injector for Feeding Boilers.

JAMES C. CONVERSE, President, McKeesport.

WM. S. EATON, Treasurer, Boston.

New York Office and Warehouse 78 William cor. Liberty Street.

**EATON & COLE,**

Manufacturers of

Wrought Iron Pipe

Fittings,

BRASS

VALVES,

COCKS, TOOLS, &c.

58 John Street, NEW YORK.

Sole Agency for the Pacific Coast for

Register's Patent Gauge Cocks,

CONROY, O'CONNOR & CO.,

San Francisco, Cal.

CAST IRON PIPES


FOR WATER AND GAS.

Branches Retorts, &c.

Warren Foundry & Machine Co.,

PHILLIPSBURG NEW JERSEY.

WHEATCROFT'S

SELF-ADJUSTING PIPE WRENCH.

Forged from Best Tool Steel.

The dog is solid over the head of the lever bar, taking the strain off from the pin.

Each Wrench takes four Sizes of Pipe.

J. AUSTIN & CO. 168 Fulton St., N. Y.

Nelson, Finkel & Co.,

439 East 10th St., New York,

Manufacturers of

Jenkins' Patent

Compression

Valves

AND

Gauge Cocks

Also,


Nelson's Patent

LUBRICATOR.

Warranted the most

reliable and durable

in the country.



ESTABLISHED 1835

HARDWARE & TOOL CO.

ALL GOODS STAMPED WITH THIS MARK

NONE OTHERS GENUINE

SPRINGFIELD, MASS.

NEW YORK, N.Y.

BOSTON, MASS.

PHILADELPHIA, PA.

CHICAGO, ILL.

ST. LOUIS, MO.

NEW ORLEANS, LA.

SAN FRANCISCO, CAL.

SAN DIEGO, CAL.

LOS ANGELES, CAL.

PORTLAND, ME.

BANGOR, ME.

MAINE.

VERMONT.

NEW HAMPSHIRE.

RHODE ISLAND.

CONNECTICUT.

MASSACHUSETTS.

NEW JERSEY.

PENNSYLVANIA.

DELAWARE.

MARYLAND.

VIRGINIA.

NORTH CAROLINA.

SOUTH CAROLINA.

MISSISSIPPI.

LOUISIANA.

ARKANSAS.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

OHIO.

KENTUCKY.

TENNESSEE.

ALABAMA.

FLORIDA.

GEORGIA.

LOUISIANA.

MISSISSIPPI.

MISSOURI.

ILLINOIS.

INDIANA.

Fire Brick.

B. KREISCHER & SON,
New York Fire Brick &
STATEN ISLAND
CLAY RETORT WORKS,
Established 1845.
Office, 58 Goerck Street, cor. Delancy Street
East River, New York.

The largest stock of Fire Brick of all shapes and sizes on hand, and made to order at short notice.

Cupola Brick, for McKenzie Patent,
and others. Fire Mortar, Ground Brick, Clay and Sand. Superior Kaolin for Rolling Mills and Foundries. Stone Ware and other Fire Clay and Sand, from my own mines at New Jersey and Staten Island, by the cargo or otherwise.

Watson Fire Brick Manufactory,
ESTABLISHED 1836.
JOHN R. WATSON, Perth Amboy New Jersey
Manufacturer of
FIRE BRICK,
For Rolling Mills, Blast Furnaces, Foundries
Gas Works, Lime Kilns, Tanneries, Boiler
and Grate Setting, Glass Works, &c.
FIRE CLAYS, FIRE SAND, AND KAOLIN FOR SALE

SALAMANDER WORKS
Of Woodbridge, N. J.
Manufacturers of all shapes and sizes of **FIRE BRICK** for Foundries, Rolling Mills, Blast Furnaces, Stove Works, Lime Kilns, &c. A full stock of McKenzie and other Cupolas. Also Fire Clays and Sand constantly on hand. Shipments made at the shortest notice. Send for Circular.

Office & Depot, Foot Bethune St., N. Y.

Salamander & Albany Fire Brick Works,
Lathbone St., bet. Saratoga R. R. and Erie Canal,
Near N. Ferry St., **Albany, New York.**
NEWTON & COMPANY,
(Successors to Palmer, Newton & Co.) Manufacturers
and Wholesale Dealers in **FIRE BRICK** of every variety and shape. Stove, Range and Heater Linings, Portable Clay Furnaces, Fire Clay, Fire Sand, Mica, Kaolin, &c.
HORACE B. NEWTON. **JOHN M. NEWTON.**

BLACK LEAD
CRUCIBLES.
Manufactured by
ADAM NEWKUMET,
1537 & 1539 N. Front St., Phila., Pa.,
For Steel, Brass, Nickel, Copper, Bronze, &c.
Equal to any in the market, and all guaranteed.
For Kaolin, &c. full stock of all sizes on hand, and being confident of giving entire satisfaction we respectfully ask consumers to give us a trial.

A. HALL & SONS, Perth Amboy, N. J.
ESTABLISHED 1848.
HALL & SONS, Buffalo, N. Y.
ESTABLISHED 1866.
FIRE BRICK
of reliable quality for all purposes, manufactured of the best New Jersey Fire Clays. Also, MINERAL KNOBS ROCKINGHAM WARE, Fire Clay, Fire Sand, Kaolin and Ground Fire Brick.

Philadelphia Fire Brick
AND
Clay Retort Works,
AND KENSINGTON FIRE BRICK WORKS
Office, 23d and Vine, Philadelphia.
PHILIP NEWKUMET,
Successors to **JOHN NEWKUMET,** Proprietor
manufactures 9-inch Fire Bricks, Tiles, and Blocks
for Rolling Mills, Blast Furnaces, Foundries, Gas Works, Lime Kilns, Glass Houses, &c., &c.
Articles of every description made to order at short notice, and in a very superior manner.
"CLAY RETORTS FOR SUGAR HOUSES."

Brooklyn Clay Retort and
Fire Brick Works,
Van Dyke Street, Brooklyn, N. Y.
Manufacturers of
Clay Retorts, Fire Brick, Tile, &c.

Brick Presses,

BRICK PRESSES,
For Fire and Red Brick.
PATENT STEAM GEARING
For grinding Clay for Red or Fire Brick, and all kinds of **Brick Machines** in general.
Works, 18-19 Germantown Ave., Phila.
GEO. CARNELL.

Oldest and Largest Establishment of the kind in the U. S.
F. L. & D. R. CARNELL,
1844 Germantown Avenue, Philadelphia.
Manufacturers of Pennsylvania Brick Machine, Little Giant Pipe Machine, Fire and Red Brick Presses, Clay Wheels, Tile Machines, Stampers, Grinding Pans. Brick Yards fitted out for running by steam or horse. Heavy and Light Castings. Send for circular.

L. A. SMITH,
NICKEL PLATER,
LICENSED BY
UNITED NICKEL CO. OF NEW YORK
Premium Awarded by the N. J. State Fair,
42 Mechanic St., NEWARK N. J.
Licensed by United Nickel Company.
NEW YORK
Nickel Plating Co.
Works, 133 & 135 W. 25th Street,
Office, No. 18 Park Place,
ISAAC ADAMS, JR., Prest NEW YORK

PHILADELPHIA CORRESPONDENCE.

PHILADELPHIA, April 19, 1874.

If the iron trade of this city and State is not completely bankrupt, dead and buried beyond resurrection from the combined effects of the panic and inflation, it is not the fault of a local evening paper here, aided by sensational dispatches from Pottsville. During the week we were treated to a two column double headed article, with sensation heads and profuse *scare marks*, upon the subject of this terrible depression in the iron trade, and hinting at some mysterious combination of manufacturers to "get even" with the puddlers. As usual, when the secular press writes about trade matters, facts, names and localities were all hopelessly jumbled and no little mischief done. We notice in this article just enough of fact to show that the information was furnished by some one in the trade, and the cause of the depression being stated at *over production and general demoralization of labor*, we recognize the ear marks at once of a favorite theory. But we were not prepared, considering the source, for such an allusion to Judge Lynch, as that "their rope is nearly now cut, and some fine morning the leaders of the Puddlers' Union will bring up so suddenly that no physician will be able to name their ailment!" The mingling of fact and fancy was miraculous. The late strike at the Crane Iron Co.'s Works, resulting in the blowing out of their furnaces, is attributed as "another evidence of the tyranny of the Puddlers' Union!" The connection between the puddler and the blast furnace being, of course, obvious. In order to make the statements doubly sure, a paragraph is quoted from a late article in your columns, which is credited to "The Age, one of the iron men's organs." The strangest portion of this sensational article is that it quotes from a late circular of the Eastern Iron Masters' Association, generally supposed to be a trade combination, whose circulars are not given to the press, at least to the iron trade press, and are supposed to be private matter. As before stated, just enough fact is given in this sensational communication to make it mischievous and to injure by implication many firms named. Coupled with the sensational telegram from Pottsville, it is clearly evident that this is a feeble imitation of the ways of Wall street on a small scale, and its object to precipitate just the state of things quoted. Those best acquainted in the trade know just where to credit it, and the only pity is that usually well informed journalists should be thus imposed upon.

If this theory of over-production is hammered into furnace men's ears much longer, we will have our mills and car shops idle by September, not because of dull times, but of an absolute famine of pig metal. Less iron has been made in 1874, thus far, than in any similar time since the war, and less is being made now, from this same fear, than the demands for actual consumption require. If any one doubts this, let him try to get 10,000 tons of choice gray forge iron either consumption or speculative purchase. It is not to be had among the furnaces of Eastern Pennsylvania, and it would be a good speculation at present quotations, as most capitalists know. The fact that our consuming industries have not been at work, as a rule, since September, and hence, that the demand for pig iron has been light, does not prove that there is any too great productive capacity in the country, as is clearly shown by the prices of iron when these works were running—say, at this time last year. It is such false theories that mislead the manufacturer to his great injury.

The usual monthly meeting of the Franklin Institute, held last Thursday, was especially notable for several things. Among the most important of these was the report of the Committee on Exhibition, which has received subscriptions to the amount of \$35,000 guaranteed for the Exhibition in October. The following circular explains the plan, and such success always attended the former industrial exhibitions of the Institute that this will doubtless be largely contributed to from all sections.

"The Franklin Institute will celebrate the fiftieth year of its foundation by an exhibition of arts and manufactures, to be held in the city of Philadelphia, from the 6th to the 31st of October, 1874.

"The exhibition will embrace all materials used in the arts, in every stage of manufacture, from their natural condition to the finished product, and all tools, implements and machines by which the gifts of nature are changed and adapted to the use, the comfort or the enjoyment of mankind.

"The committee desire to make this exhibition represent as fully as possible the mechanical improvements of the last half century—to which the Institute has so largely contributed—and all artisans, mechanics, manufacturers and inventors throughout the United States are cordially invited to contribute their best productions, and compete for the prizes, which will be awarded to the most contrived.

"Every facility will be afforded for exhibiting machines in motion. All persons desiring to exhibit are requested to make early application for floor space or steam-power, or for room to exhibit boilers or engines in operation to drive the machinery of the exhibition. Foreign materials for manufactures, not entered for competition, will be welcomed and fairly exhibited. Communications are to be addressed to the Committee on Exhibitions, Franklin Institute, Philadelphia, Pa."

The transactions of the meeting were also highly interesting. A valuable paper on phosphor bronze was read by Mr. Electro Orr, and several novelties exhibited by inventors. The secretary stated, as an evidence of the importance of the proposed geological survey of the State, that recent discoveries have proved that in the southern part of Pennsylvania a coal field with an area of 3000 square miles exists, containing superior veins of splint or block coal. The cycle of marine disasters, which has included so many ocean steamships, has extended to this locality. The *Soterland*, of the Red Star line, bound hither from Antwerp, came near being wrecked on Brigantine Shoals, but has gotten off with loss of cargo and rudder. The *Illinois*, while leaving her dock for Liverpool, collided with a tow of canal boats, sinking several, but sustained no damage and proceeded on her voyage.

To show that we are not all dead here in the way of trade, I quote the fact that during last month the Pennsylvania Railroad shipped 24,000 cars of freight from this city to yours, and that the amount of through freight is increasing week by week. The coal and coke tonnage of last week was 65,780 tons, and for the year to date 6,622,538 tons. These facts show the truth better than sensational articles. In a late number of your paper a correspondent from Tennessee found fault with an article in your columns stating the action of the Council of Foreign Bondholders, in London, which action aimed very strongly upon defaulting American creditors among the Southern States. To show the good effect of such articles, rather than as your correspondent claimed, their injury to these States, I clip the following from the cablegrams of Saturday last:

At a meeting in London yesterday, of Virginia bondholders, resolutions complimenting Governor Kemper on his recent financial message to the Legislature were adopted.

Now the facts are as follows: When that article appeared I sent it to a gentleman in Virginia interested in the sale of certain iron lands on the London market. Surprised and grieved, he in turn sent it, with a strong letter, to a member of the Virginia House of Delegates, who, seeing the urgency of the case, laid it before the Governor as an additional argument for action. The Governor issued the message referred to, and the result abroad you have in the telegram above quoted, which shows, as Sam Patch said, that "some things may be done as well as others!"

The steamship *Ohio*, of the American line, arrived during the week with an unusually large cargo, in which the importation of metals is heavy, no less than 5105 boxes and 150 pigs tin being included. We also note, agreeably, the growing shipments of iron manufactures from this port, and the demand for American machinery abroad.

Pressed and Stamped Metal Goods.

Messrs. Sidney Shepard & Co. have been widely known throughout the country for over 30 years as wholesale hardware dealers, and during the past 20 years as proprietors of the Buffalo Stamping Works, and manufacturers of Japanned and ornamented ware. A writer on the *Buffalo Express*, describing a visit to this establishment, says: Within 10 years the range of goods manufactured by this firm has been largely extended, necessitating of course a corresponding extension of manufacturing space and mechanical facilities. The following is an enumeration of a few of the more prominent articles at present manufactured by Messrs. Shepard & Co.:

Dish pans, stew and sauce pans, preserving kettles, frying and baking pans, wash basins, water dippers, scolloped plates and dishes. The pans are produced of various sizes, and each article formed from one piece of heavy tinued iron. In Japanned ware the catalogue enumerates cash boxes and trunks in nests, cake and bread boxes, dust pans, spittoons, chamber pails; also, toilet ware, Japanned in colors, with ornamentation, stamped milk can bottoms, coal hods, coal vases and tea caddies, highly ornamented.

They also make a large variety of stamped goods, used by timmen in making up tin wares, such as breasts and covers to teapots and tea kettles, pall and boiler covers, etc., a long list of which we find in their catalogue. The firm also manufacture the celebrated Brook's patent zinc and iron stove board, of which they sold 33,000 in 1873. Another large item of their manufacture is the patent Champion ice cream freezer, which they first introduced in 1873, have recently improved, and are making in thirteen different sizes, from a two quart to a forty quart. One of the most interesting branches of their manufacture is that of cans and caddies used by spice dealers, which they make in great variety of shapes and sizes. Upon entering the apartments where these are made we found them filled with power-presses, dies, shaping machines, formers, crimping machines, cutting shears, soldering fixtures, etc., operated by about fifty girls and boys, under the superintendence of a foreman who has charge of this department. They are able to produce six millions of cans per annum, and the demand for them comes from all parts of the country. They are the patentees and sole manufacturers of a dredge can, of which they sell two millions per annum. These are packed in cases containing 1000 each, and are used by all the principal spice manufacturers in the country.

The perforation of sheet iron and other metals, however, we deem of too much importance to pass unnoticed. Sheets of various sizes are perforated in tin or galvanized plate, also in black sheet iron.

THE MANUFACTORIES.

Mr. Shepard established in business in Buffalo in 1836, and commenced the manufacture of stamped tin ware a few years prior to 1850, in which year a wood structure was erected on the north side of Clinton street, near Union, since which the building has been enlarged from time to time to accommodate the growing business, until in 1870 its present dimensions had been reached, which are 83 by 125 feet and three stories in height, and yet this building was found entirely too contracted. During the years 1871 and 1873 the large brick factory building, situated on the south side of Clinton street, and not far from the first works mentioned, was erected. The buildings here are four stories high, and cover ground about 100 by 150 feet. In the latter factory, beside a large amount of tin work, the Japanning, painting and ornamentation is done. The work is dried or baked in large

BRICK OVENS,

or rooms, of which there are three. The painting and ornamentation is nearly all the work of girls. It is in this building that the ice cream freezers are put together ready for market. Goods are also packed and stored here. Notwithstanding the modest front of the old factory, the mass and heaviest part of the work is done there. Machinery of the most improved patterns for cutting, stamping, pressing and spinning metal plate is here employed, both by hand and steam. One monster pressing machine requires fifteen horse-power to work it. In this the large dish pans, 7 inches in depth, are molded. All the dishes required to be made of heavy tin or iron are worked in the press in question. Another just like it, only smaller and of less caliber, stands beside it. The pieces molded in these presses are smoothed and completed in lathes, except so far as riveting on the ear pieces and handles, and the extra turning process which they undergo at the last. Prior to our late war this kind of ware was imported from France, and was generally called

FRENCH PRESSED WARE.

During the war, owing to the heavy cost of importing the goods, machinery was brought to this country, and the manufacture of French ware was thus inaugurated. The only establishments, we believe, that manufacture these goods at present, west of New York and Boston, are located at Buffalo, Chicago and St. Louis. They have introduced many improvements in the manufacture of tin ware, which utilize the waste tin, and produce the goods at a cost so low that no hand work, or even other establishments, are able to compete with them. Incidentally we learn that the value of machinery alone in one building was worth \$50,000.

The machinery is driven by a forty-five horse-power engine. Beside, in these manufactures altogether employment is given to 250 persons during a busy season, of which about 75 are girls. Of course, the goods are only sold by the manufacturers at wholesale, and the usual recourse is had in selling by traveling salesmen, though the establishment, being of such long standing and well known, has a large list of old and permanent customers. Their trade extends all over the country, from Boston and New York to California.

Recently an agency has been established in New York city with Geo. B. Walbridge, Esq. A fair estimate of their manufacturing business may be stated at \$500,000 per annum, and the capital employed in their manufacturing alone at \$150,000 to \$200,000. We would add that the firm also deal largely in house-keeping and timmen's hardware. Their new illustrated catalogue embraces all the goods manufactured and sold by them. It is bound in cloth and contains 264 pages, and is a fair index of the variety and volume of the business.

White Coal.—The London Iron says: Notwithstanding the antiquity of many proverbs dating back to pre-historic times, and their reception as figurative axioms day by day, they become exploded through deeper investigation or fuller knowledge. "As black as a coal," is not so venerable as some of this current coin of the intellect, but that, too, must go the way of many others. Our antipodes, that fragment of the most ancient of existent continents, that land of paradoxes, which would not allow the poor school boy his phrase of *Rara avis in terra, nigroque similis cygno*, but must turn out a black swan, make animals with bird's beaks (*Ornithorhynchus paradoxus*), and put the stones outside of the fruit, has just revealed a new mineral—a white coal—which is fibrous, easily combustible and burns with a light flame and no smoke. Nor is the material rare; large districts are covered with it, and it lies on, or very near, the surface. The coal is a species of lignite, and the color is most likely due to the absence of bitumen. What a boon this coal would be near London, not only on the score of making our fogs less dense, but for the sake of our public buildings.

CHARLES GOOCH,

Manufacturer of the BEST

Ice Cream Freezer

IN THE UNITED STATES.

Every one warranted to give satisfaction, or no sale.

See Advertisement in this Paper, April 9th, May 7th, May 29th.

Address for further information, Circulars, Engravings, &c.,

432 Market Street, Philadelphia.

Or 109 Sycamore Street, Cincinnati.

A MAZON INS. CO.

Cincinnati, O.

Cash Capital, - - \$500,000.

WITH AMPLE

Re-Insurance Reserve.

GAZZAM GANO,

President.

A. PARDEE, Hazelton, Pa.

B. D. WEST,

Secretary

J. G. FELL, Phila.

A. PARDEE & CO.,

303 Walnut St.,

PHILADELPHIA

MINERS AND SHIPPERS OF

Lehigh Coals.

The following superior and well-known Lehigh Coals are mined by ourselves, and firms connected with us, viz.

A. Pardee & Co.

HAZLETON, CRANBERRY, SUGAR LOAF

G. B. Markle & Co.

JEDDO, HIGHLAND.

Pardee, Bro. & Co.


LATTIMER.

OFFICES:

WM. LILLY Mauch Chunk, Pa.

WM. MERSHON, Agent, 111 Broadway N. Y.

WM. H. DAVIS, Agent, Easton Pa.




Attention is called to the above engraving of my improved FISH GRAPPLING SPEAR, Patented Oct. 28, 1873, No. 144,110.


Would be pleased to receive offers of purchase for a portion or whole interest in patent, or for any part of the U. S. or a portion on royalty. Offers respectfully solicited. For particulars, address the inventor, J. W. Knapp, Cross River, Westchester Co., N. Y.

FAIRBANKS' SCALES,

R. R. Track, Hay, Coal Scales.



SCALES
For Rolling Mills, Furnaces, Foundries, Miners' Use.
SCALES
For Stores, Mills and Wharves.
SCALES
For Elevators and Grain Warehouses.
SCALES
For Farmers, Butchers, Druggists, &c., &c.



Miles' Alarm Cash Drawers, &c.

BUY ONLY THE GENUINE

FAIRBANKS' STANDARD SCALES.

Manufacturers,

E. & T. Fairbanks & Co.,

ST. JOHNSBURY, VT.

PRINCIPAL SCALE WAREHOUSES:

FAIRBANKS & CO., 211 Broadway, New York.
FAIRBANKS & CO., 163 Baltimore St., Baltimore, Md.
FAIRBANKS & CO., 53 Camp Street, New Orleans.
FAIRBANKS & CO., 33 Main Street, Buffalo, N. Y.
FAIRBANKS & CO., 338 Broadway, Albany, N. Y.
FAIRBANKS & CO., 4 St. Paul Street, Montreal.
FAIRBANKS & CO., 11 & 13 Lake St., Chicago, Eng.
FAIRBANKS & CO., 2 Milk St., Boston, Mass.
FAIRBANKS & CO., 141 N. 3rd St., Philadelphia, Pa.
FAIRBANKS & CO., 182 Superior St., Cleveland, O.
FAIRBANKS & CO., 48 Wood St., Pittsburgh.
FAIRBANKS & CO., 5th & Main Streets, Louisville, Ky.
FAIRBANKS & CO., 303 & 304 Wash'n Ave., St. Louis.
FAIRBANKS & HUTCHINSON, San Francisco, Cal.

LIST OF HARDWARE DEALERS.

Having compiled a complete list of the Hardware Dealers in the United States, expressly for addressing circulars, I am prepared to receive orders for addressing ENVELOPES, CIRCULARS, &c. The printed address is cut from the list and stamped upon the envelope or wrapper, thus enabling me to address a great number in a short space of time, and at rates far below the prices usually paid for this work. It answers all purposes, and can be done for one-third the expense of addressing by hand. My list contains names of over 400 dealers, each State, city and town therein, being compiled separately. In making it up great care has been taken to strike out all whose commercial rating is questionable, and to make it as perfect as possible. Changes are continually being made, and it is my intention to keep pace with them as far as possible. Wholesale Dealers and Manufacturers Co.'s whose custom it is to send out circulars, price lists, &c., to the trade throughout the States, cannot fail to find my list, and style of addressing, a great advantage to them, as it is a great saving of both time and expense. It has been tried by a large number in the trade, some of whose names appear at the bottom of this circular, and to any of whom I would most respectfully refer. My rate for addressing 2500 M. Envelopes, &c., sent to the address below, will receive prompt attention, and will be addressed and returned at once, or envelopes, &c., will be furnished at market prices. For further information, address

CHAS. H. SMITH, No. 115 Broad St., N. Y.

REFERENCES:


Union Nut Co., 78 Beekman St., L. Boardman & Son, 52 Chambers St., Millers Fall Co., 78 Beekman St., E. M. Boynton, 80 Beekman St., Yale Lock Mfg. Co., N. Y.

P. S.—Copies of my list will be forwarded to any address throughout the U. S. upon receipt of \$2.50.

New York, February 1874.

JOHN McNEIL & SONS,

BURLINGTON, N. J.



CAST IRON PIPES

For Water and Gas.

Flange Pipes, General Foundry Work.

THE NEW EXCELSIOR LAWN MOWER.

Greatly Improved for 1874.

It has the Largest Sale of any Lawn Mower in the world.

It has been adopted, and can be seen in practical operation on Central Park and all the other City Parks, New York; Government Grounds and City Parks, Washington; Boston Common, Boston; Prospect Park, Brooklyn; and on almost every prominent Park throughout the United States and Canada.

Four sizes for hand-power; four sizes for horse-power. Prices from \$15 to \$200.

Every Machine Warranted.

ADDRESS,

Chadborn & Coldwell Mfg. Co.,
Newburgh, N. Y.

Metallurgical.

The Iron-Masters' Laboratory.

Exclusively for the Analysis of Ores of Iron, Pig and Manufactured Iron, Steels, Limestone, Clays, Slags & Coal for Practical Metallurgical Purposes.

No. 339 Walnut Street, Philadelphia.
J. BLODGETT BRITTON,

This Laboratory was established in 1866, at the instance of a number of practical iron-masters, expressly to afford prompt and reliable information upon the chemical composition of the substances above mentioned, for smelting and refining purposes. The object being to make it as convenient, practically useful, and comparatively inexpensive adjunct to the Furnace, Forge and Rolling Mill.

CHARGES TO IRON WORKS.

For determining the per cent. of pure Iron in an ordinary Ore..... \$1 00
For the per cent. of Pure Iron, Sulphur and Phosphorus in do..... 12 50
For each additional constituent of usual occurrence..... 1 50
For those of unusual occurrence or difficult to determine, the charge must necessarily depend upon circumstances.
For determining the per cent. of Sulphur and Phosphorus in Iron or Steel..... 12
For each additional constituent of usual occurrence..... 4 00
For the per cent. of Carbonate of Lime, and insoluble Silicious Matter in a Limestone..... 2 00
For each additional constituent..... 2 00
For the per cent. of Water, Volatile Combustible Matter, fixed Carbon, and Ash in Coal..... 12 50
For determining the constituents of a Clay, Slag, Coke, or of an Ash of Coal the charges will correspond with those for the constituents of an ore.
For a written opinion or letter of instruction the charge must necessarily depend upon circumstances.
Printed instructions for obtaining proper average samples for analysis furnished upon application.

SCHOOL OF MINES,

COLUMBIA COLLEGE,

East 49th Street, NEW YORK.

FACULTY:

F. A. P. BARNARD, S. T. D., LL. D., President.
T. EGGLESTON, JR., E. M., Mineralogy and Metallurgy.
FRANCIS L. VINTON, E. M., Mining Engineer.
C. F. CHANDLER, Ph. D., Analytical and Applied Chemistry.
JOHN TORREY, M. D., LL. D., Botany.
CHARLES A. JOY, Ph. D., General Chemistry.
WILLIAM G. PECK, LL. D., Mechanics and Mining Surveying.
JOHN G. VAS AMRINGE, A. M., Mathematics.
JOSEPH N. BROAD, Ph. D., Analytical and Applied Chemistry.
JOHN S. NEWBERY, M. D., Geology and Palaeontology.

The plan of this school embraces a three years' course for the degree of ENGINEER OF MINES, or BACHELOR OF PHILOSOPHY.

For admission, candidates for a degree must pass an examination in Arithmetic, Algebra, Geometry and Plain Trigonometry. Persons not candidates for degrees are admitted without examination, and may pursue any or all of the subjects taught. The next session begins October 2nd. The examination for admission will be held on June 20th and September 20th, 1874. For further information and catalogues, apply to

ZDR. C. F. CHANDLER,

Dean of the Faculty.

MAYNARD & VAN RENSSLAER,

CONSULTING

Mining and Metallurgical

ENGINEERS,

Experts in Iron and Analytical Chemistry

24 Cliff Street, NEW YORK,

George W. Maynard. Schuyler Van Rensselaer.


THOMAS M. DROWN,

Analytical Chemist

And Consulting Metallurgist,

1123 Grand Street, Philadelphia.

Analysis of Irons, Steels, Alloys, Ores, Coals, Smelting Products, etc. Iron and coal lands examined, surveyed and valued.



Hand Saw with Moveable Back—can be used with equal facility for either Hand or Back Saw.




Pork Packers' Saw.



Improved Pruning Saw and Knife, Patented August 29, 1873.



Table Saw.




Improved Iron Frame Try Square, warranted perfect and true in every particular.



Mitre Box Saw.

ONE MAN CROSS-CUT. Length of Saw Four feet.



The above engraving represents a Cross-Cut Saw, specially adapted to the use of one man. With this Saw four times as much work can be performed as with the ordinary Saw.

The Most Perfect Saw File ever offered to the Public.
"THE LITTLE WONDER."
Corrugated Saw File. Patented Sept. 2d and 16th, 1873.



The gum tip for protecting the thumb and forefinger of the operator from abrasion, is much superior to the old style thumb stall or pad, and the peculiar shape of the handle gives the operator greater command over the file in its various manipulations.



Compass Saw, Keystone Tooth, it cuts with or across the grain with equal facility.


The Great American.

The outer teeth of each section are as sharp and effective cutting teeth as the teeth of a Rip Saw, while the middle or regulating tooth determines the extent of the cut in proportion to the bevel of said tooth. The more you bevel the center tooth the faster the Saw cuts, whereas, if the center tooth be filed square the Saw takes less hold on your log, and requires less muscle to drive it. Thus you can regulate your Saw to suit the strength of the parties working it.



The construction of the Climax is similar to the Lumberman, the only difference being the introduction of a cleaner tooth between every two sections of the Lumberman tooth, which in some parts of the country is deemed to be an advantage.

The Climax.




HENRY DISSTON & SONS.





The Lumberman.

Is greatly preferred in some sections of the country, and can be easily kept in order if filed according to directions, when so many of the fast cutting saws of the present day must lose their shape and cannot be kept in order.




The Nonpareil.


The Nonpareil, of which the accompanying cut is a representation, is composed of sections of four cutting teeth, each section intersected by a cleaner tooth. It will be observed that the cavities on each side of the cleaner teeth are much larger and deeper than those of the cutting teeth, serving as a receptacle or chamber for dust, and effectually freeing the Saw during the operation of cutting.



A cheap Saw, fully guaranteed. Six tools in one. Adapted to farmers' or plantation use. A Rip and Cross-Cut Saw, Square, Rule, Straight Edge and Scratch Awl combined.




Patent Adjustable Gauge Saw for sawing tenons, kerling, or any work where the cut is required to be of definite depth. Will pay for itself in one day. Try it and be convinced. Remove the gauge and use as an ordinary saw.




Game Cock Hand Saw—a perfect beauty.



Hack Saw. The blade in this saw is reversible, an advantage which will be readily appreciated by mechanics.



Hand Saw with adjustable handle. The thumb screws in the handle operate on the butt of the saw blade, and can be so adjusted as to give the blade any desired pitch.



No. 1 Butcher Saw.




California Butcher Saw, with clock spring blade and steel back.

Bronze—P. S. & W.	
No. 12, Bronze and Tin-Tipped, per gross, \$13.50	
Saucer and Handles, Of Best Malleable Iron.	
P. S. & W.	dis 20%
No. 1, 5 1/2 inches long, per gross, \$13.50	
No. 2, 6 " "	8.75
No. 3, 7 " "	10.00
No. 4, 7 1/2 " "	11.25
No. 5, 8 " "	12.50
No. 6, 9 " "	13.75
No. 7, 10 " "	15.00
No. 8, 11 " "	16.25
No. 9, 12 " "	17.50
No. 10, 13 " "	18.75
No. 11, 14 " "	20.00
No. 12, 15 " "	21.25
No. 13, 16 " "	22.50
No. 14, 17 " "	23.75
No. 15, 18 " "	25.00
No. 16, 19 " "	26.25
No. 17, 20 " "	27.50
No. 18, 21 " "	28.75
No. 19, 22 " "	30.00
No. 20, 23 " "	31.25
No. 21, 24 " "	32.50
No. 22, 25 " "	33.75
No. 23, 26 " "	35.00
No. 24, 27 " "	36.25
No. 25, 28 " "	37.50
No. 26, 29 " "	38.75
No. 27, 30 " "	40.00
No. 28, 31 " "	41.25
No. 29, 32 " "	42.50
No. 30, 33 " "	43.75
No. 31, 34 " "	45.00
No. 32, 35 " "	46.25
No. 33, 36 " "	47.50
No. 34, 37 " "	48.75
No. 35, 38 " "	50.00
No. 36, 39 " "	51.25
No. 37, 40 " "	52.50
No. 38, 41 " "	53.75
No. 39, 42 " "	55.00
No. 40, 43 " "	56.25
No. 41, 44 " "	57.50
No. 42, 45 " "	58.75
No. 43, 46 " "	60.00
No. 44, 47 " "	61.25
No. 45, 48 " "	62.50
No. 46, 49 " "	63.75
No. 47, 50 " "	65.00
No. 48, 51 " "	66.25
No. 49, 52 " "	67.50
No. 50, 53 " "	68.75
No. 51, 54 " "	70.00
No. 52, 55 " "	71.25
No. 53, 56 " "	72.50
No. 54, 57 " "	73.75
No. 55, 58 " "	75.00
No. 56, 59 " "	76.25
No. 57, 60 " "	77.50
No. 58, 61 " "	78.75
No. 59, 62 " "	80.00
No. 60, 63 " "	81.25
No. 61, 64 " "	82.50
No. 62, 65 " "	83.75
No. 63, 66 " "	85.00
No. 64, 67 " "	86.25
No. 65, 68 " "	87.50
No. 66, 69 " "	88.75
No. 67, 70 " "	90.00
No. 68, 71 " "	91.25
No. 69, 72 " "	92.50
No. 70, 73 " "	93.75
No. 71, 74 " "	95.00
No. 72, 75 " "	96.25
No. 73, 76 " "	97.50
No. 74, 77 " "	98.75
No. 75, 78 " "	100.00
No. 76, 79 " "	101.25
No. 77, 80 " "	102.50
No. 78, 81 " "	103.75
No. 79, 82 " "	105.00
No. 80, 83 " "	106.25
No. 81, 84 " "	107.50
No. 82, 85 " "	108.75
No. 83, 86 " "	110.00
No. 84, 87 " "	111.25
No. 85, 88 " "	112.50
No. 86, 89 " "	113.75
No. 87, 90 " "	115.00
No. 88, 91 " "	116.25
No. 89, 92 " "	117.50
No. 90, 93 " "	118.75
No. 91, 94 " "	120.00
No. 92, 95 " "	121.25
No. 93, 96 " "	122.50
No. 94, 97 " "	123.75
No. 95, 98 " "	125.00
No. 96, 99 " "	126.25
No. 97, 100 " "	127.50
No. 98, 101 " "	128.75
No. 99, 102 " "	130.00
No. 100, 103 " "	131.25
No. 101, 104 " "	132.50
No. 102, 105 " "	133.75
No. 103, 106 " "	135.00
No. 104, 107 " "	136.25
No. 105, 108 " "	137.50
No. 106, 109 " "	138.75
No. 107, 110 " "	140.00
No. 108, 111 " "	141.25
No. 109, 112 " "	142.50
No. 110, 113 " "	143.75
No. 111, 114 " "	145.00
No. 112, 115 " "	146.25
No. 113, 116 " "	147.50
No. 114, 117 " "	148.75
No. 115, 118 " "	150.00
No. 116, 119 " "	151.25
No. 117, 120 " "	152.50
No. 118, 121 " "	153.75
No. 119, 122 " "	155.00
No. 120, 123 " "	156.25
No. 121, 124 " "	157.50
No. 122, 125 " "	158.75
No. 123, 126 " "	160.00
No. 124, 127 " "	161.25
No. 125, 128 " "	162.50
No. 126, 129 " "	163.75
No. 127, 130 " "	165.00
No. 128, 131 " "	166.25
No. 129, 132 " "	167.50
No. 130, 133 " "	168.75
No. 131, 134 " "	170.00
No. 132, 135 " "	171.25
No. 133, 136 " "	172.50
No. 134, 137 " "	173.75
No. 135, 138 " "	175.00
No. 136, 139 " "	176.25
No. 137, 140 " "	177.50
No. 138, 141 " "	178.75
No. 139, 142 " "	180.00
No. 140, 143 " "	181.25
No. 141, 144 " "	182.50
No. 142, 145 " "	183.75
No. 143, 146 " "	185.00
No. 144, 147 " "	186.25
No. 145, 148 " "	187.50
No. 146, 149 " "	188.75
No. 147, 150 " "	190.00
No. 148, 151 " "	191.25
No. 149, 152 " "	192.50
No. 150, 153 " "	193.75
No. 151, 154 " "	195.00
No. 152, 155 " "	196.25
No. 153, 156 " "	197.50
No. 154, 157 " "	198.75
No. 155, 158 " "	200.00
No. 156, 159 " "	201.25
No. 157, 160 " "	202.50
No. 158, 161 " "	203.75
No. 159, 162 " "	205.00
No. 160, 163 " "	206.25
No. 161, 164 " "	207.50
No. 162, 165 " "	208.75
No. 163, 166 " "	210.00
No. 164, 167 " "	211.25
No. 165, 168 " "	212.50
No. 166, 169 " "	213.75
No. 167, 170 " "	215.00
No. 168, 171 " "	216.25
No. 169, 172 " "	217.50
No. 170, 173 " "	218.75
No. 171, 174 " "	220.00
No. 172, 175 " "	221.25
No. 173, 176 " "	222.50
No. 174, 177 " "	223.75
No. 175, 178 " "	225.00
No. 176, 179 " "	226.25
No. 177, 180 " "	227.50
No. 178, 181 " "	228.75
No. 179, 182 " "	230.00
No. 180, 183 " "	231.25
No. 181, 184 " "	232.50
No. 182, 185 " "	233.75
No. 183, 186 " "	235.00
No. 184, 187 " "	236.25
No. 185, 188 " "	237.50
No. 186, 189 " "	238.75
No. 187, 190 " "	240.00
No. 188, 191 " "	241.25
No. 189, 192 " "	242.50
No. 190, 193 " "	243.75
No. 191, 194 " "	245.00
No. 192, 195 " "	246.25
No. 193, 196 " "	247.50
No. 194, 197 " "	248.75
No. 195, 198 " "	250.00
No. 196, 199 " "	251.25
No. 197, 200 " "	252.50
No. 198, 201 " "	253.75
No. 199, 202 " "	255.00
No. 200, 203 " "	256.25
No. 201, 204 " "	257.50
No. 202, 205 " "	258.75
No. 203, 206 " "	260.00
No. 204, 207 " "	261.25
No. 205, 208 " "	262.50
No. 206, 209 " "	263.75
No. 207, 210 " "	265.00
No. 208, 211 " "	266.25
No. 209, 212 " "	267.50
No. 210, 213 " "	268.75
No. 211, 214 " "	270.00
No. 212, 215 " "	271.25
No. 213, 216 " "	272.50
No. 214, 217 " "	273.75
No. 215, 218 " "	275.00
No. 216, 219 " "	276.25
No. 217, 220 " "	277.50
No. 218, 221 " "	278.75
No. 219, 222 " "	280.00
No. 220, 223 " "	281.25
No. 221, 224 " "	282.50
No. 222, 225 " "	283.75
No. 223, 226 " "	285.00
No. 224, 227 " "	286.25
No. 225, 228 " "	287.50
No. 226, 229 " "	288.75
No. 227, 230 " "	290.00
No. 228, 231 " "	291.25
No. 229, 232 " "	292.50
No. 230, 233 " "	293.75
No. 231, 234 " "	295.00
No. 232, 235 " "	296.25
No. 233, 236 " "	297.50
No. 234, 237 " "	298.75
No. 235, 238 " "	300.00
No. 236, 239 " "	301.25
No. 237, 240 " "	302.50
No. 238, 241 " "	303.75
No. 239, 242 " "	305.00
No. 240, 243 " "	306.25
No. 241, 244 " "	307.50
No. 242, 245 " "	308.75
No. 243, 246 " "	310.00
No. 244, 247 " "	311.25
No. 245, 248 " "	312.50
No. 246, 249 " "	313.75
No. 247, 250 " "	315.00
No. 248, 251 " "	316.25
No. 249, 252 " "	317.50
No. 250, 253 " "	318.75
No. 251, 254 " "	320.00
No. 252, 255 " "	321.25
No. 253, 256 " "	322.50
No. 254, 257 " "	323.75
No. 255, 258 " "	325.00
No. 256, 259 " "	326.25
No. 257, 260 " "	327.50
No. 258, 261 " "	328.75
No. 259, 262 " "	330.00
No. 260, 263 " "	331.25
No. 261, 264 " "	332.50
No. 262, 265 " "	333.75
No. 263, 266 " "	335.00
No. 264, 267 " "	336.25
No. 265, 268 " "	337.50
No. 266, 269 " "	338.75
No. 267, 270 " "	340.00
No. 268, 271 " "	341.25
No. 269, 272 " "	342.50
No. 270, 273 " "	343.75
No. 271, 274 " "	345.00
No. 272, 275 " "	346.25
No. 273, 276 " "	347.50
No. 274, 277 " "	348.75
No. 275, 278 " "	350.00
No. 276, 279 " "	351.25
No. 277, 280 " "	352.50
No. 278, 281 " "	353.75
No. 279, 282 " "	355.00
No. 280, 283 " "	356.25
No. 281, 284 " "	357.50
No. 282, 285 " "	358.75
No. 283, 286 " "	360.00
No. 284, 287 " "	361.25
No. 285, 288 " "	362.50
No. 286, 289 " "	363.75
No. 287, 290 " "	365.00
No. 288, 291 " "	366.25
No. 289, 292 " "	367.50
No. 290, 293 " "	368.75
No. 291, 294 " "	370.00
No. 292, 295 " "	371.25
No. 293, 296 " "	372.50
No. 294, 297 " "	373.75
No. 295, 298 " "	375.00
No. 296, 299 " "	376.25
No. 297, 300 " "	377.50
No. 298, 301 " "	378.75
No. 299, 302 " "	380.00
No. 300, 303 " "	381.25
No. 301, 304 " "	382.50
No. 302, 305 " "	383.75
No. 303, 306 " "	385.00
No. 304, 307 " "	386.25
No. 305, 308 " "	387.50
No. 306, 309 " "	388.75
No. 307, 310 " "	390.00
No. 308, 311 " "	391.25
No. 309, 312 " "	392.50
No. 310, 313 " "	393.75
No. 311, 314 " "	395.00
No. 312, 315 " "	396.25
No. 313, 316 " "	397.50
No. 314, 317 " "	398.75
No. 315, 318 " "	400.00
No. 316, 319 " "	401.25
No. 317, 320 " "	402.50
No. 318, 321 " "	403.75
No. 319, 322 " "	405.00
No. 320, 323 " "	406.25
No. 321, 324 " "	407.50
No. 322, 325 " "	408.75
No. 323, 326 " "	410.00
No. 324, 327 " "	411.25
No. 325, 328 " "	412.50
No. 326, 329 " "	413.75
No. 327, 330 " "	415.00
No. 328, 331 " "	416.25
No. 329, 332 " "	417.50
No. 330, 333 " "	418.75
No. 331, 334 " "	420.00
No. 332, 335 " "	421.25
No. 333, 336 " "	422.50
No. 334, 337 " "	423.75
No. 335, 338 " "	425.00
No. 336, 339 " "	426.25
No. 337, 340 " "	427.50
No. 338, 341 " "	428.75
No. 339, 342 " "	430.00
No. 340, 343 " "	431.25
No. 341, 344 " "	432.50
No. 342, 345 " "	433.75
No. 343, 346 " "	435.00
No. 344, 347 " "	436.25
No. 345, 348 " "	437.50
No. 346, 349 " "	438.75
No. 347, 350 " "	440.00
No. 348, 351 " "	441.25
No. 349, 352 " "	442.50
No. 350, 353 " "	443.75
No. 351, 354 " "	445.00
No. 352, 355 " "	446.25
No. 353, 356 " "	447.50
No. 354, 357 " "	448.75
No. 355, 358 " "	450.00
No. 356, 359 " "	451.25
No. 357, 360 " "	452.50
No. 358, 361 " "	453.75
No. 359, 362 " "	455.00
No. 360, 363 " "	456.25
No. 361, 364 " "	457.50
No. 362, 365 " "	458.75
No. 363, 366 " "	460.00
No. 364, 367 " "	461.25
No. 365, 368 " "	462.50
No. 366, 369 " "	463.75
No. 367, 370 " "	465.00
No. 368, 371 " "	466.25
No. 369, 372 " "	467.50
No. 370, 373 " "	468.75
No. 371, 374 " "	470.00
No. 372, 375 " "	471.25
No. 373, 376 " "	472.50
No. 374, 377 " "	473.75
No. 375, 378 " "	47

JEWETT'S BUFFALO REFRIGERATORS.

END FOR CATALOGUE TO
JOHN C. JEWETT & SONS,
Manufacturers,



BUFFALO, N. Y.

Letters of recommendation have been received from the following firms, being but few of the many received from our customers throughout the country.

ISAAC S. WILLIAMS & CO.	Philadelphia, Pa.
C. A. BUTTLES	Milwaukee, Wis.
MAGILL BROS.	Louisville, Ky.
KETCHAM & VIOT	Toledo, Ohio.
F. WETMORE & CO.	Detroit, Mich.
S. P. PIERCE & CO.	Syracuse, N. Y.
F. F. FISCHER	Cincinnati, O.
KENNEDY, DEFOREST & RANDALL	Cleveland, O.
W. W. PIERCE & CO.	Elie, Pa.
P. L. MCQUAT	Indianapolis, Ind.
E. A. BURROWS & CO.	Troy, N. Y.
STOWELL, FLOWMAN & CO.	Elmira, N. Y.
MILLS & DAVIS	Pittsfield, Mass.
BENSON & GILLESPIE	Hinghamton, N. Y.
JOHN MACLAY	Dubuque, Iowa.
DEMMLER BROS.	Pittsburg, Pa.
G. & C. W. BILLINGS	North Adams, Mass.
HOPSON & SHEPARD	Utica, N. Y.



ZERO
Refrigerator,
WITH
Water, Wine &
Milk Cooler

MEAT, FRUIT & ICE PRESERVER
In the World.
Highest Award, American Institute 1867, 1869, 1871.
New York, New England, New Hampshire, N. Carolina,
Texas, Louisiana, Illinois, State Fairs. Refer to
Hart, Bliven & Mead Mfg. Co., Russell &
Erwin Mfg. Co. Send for Catalogue.
ALEX. M. LESLEY, Manufacturer,
224 & 226 W. 23d St., New York City.

Grindstones, Emery, &c.



J. McDERMOTT & CO
MINERS AND MANUFACTURERS OF
GRINDSTONES.
Black River, Independence and Berea Grits.
BUILDING STONES
of every description, from the above quarries.
OFFICE, National Bank Buildings,
Cor. Superior and Water Sts. CLEVELAND.

Walter R. Wood, GRINDSTONES


283 FRONT STREET,
NEW YORK.

EMERY WHEELS AND MACHINERY

Upon which to run the same, of all kinds.
EMERY **DIAMOND**
Emery Cloth, Tools,
Mill Stone Oil Stones,
CEMENT. Soapstone Register Borders.
For particulars, address,
UNION STONE CO.,
6 Exchange and 26 Devonshire Streets, Boston, Mass.

THE TANTITE COMPANY
Emery Wheels Emery Grinders
STROUDSBURG MONROE CO. PA.

GRINDSTONES
2000 TONS ON HAND. FOUNDED 1810
J. E. MITCHELL, PHILA.



Bemis & Call Hardware & Tool Co.'s

PATENT COMBINATION WRENCH.


These Wrenches are made from the best of Wrought Iron, with Steel Head and Jaw, Case-Hardened throughout. And not only combine all of the superior qualities of our Cylinder or Gas Pipe Wrenches, but also all requisite Combinations of a regular Nut Wrench. Thus making a Combination which has no equal.
* For Circulars and Price List, Address,

BEMIS & CALL HARDWARE & TOOL CO. Springfield Mass.



HARDWARE SPECIALTIES.

DOOR KNOBS (Lava, Porcelain and Mineral.)
Shutter, Picture and Drawer Knobs.
Plate and Drop Escutcheons.
Picture Nails and Curtain Pins.
Bright Wire Goods.



Wire Cloth for Screens.
Furniture Nails.
Bright Hammer and Coll Chains.
French Wire Nails.
Wrought Iron & Brass Butts.



L. COES & CO.,

Manufacturers of
L. COES' Genuine Improved PATENT

SCREW WRENCHES,

Worcester, Mass.

Our Mr. L. Coes, formerly senior member of the firm of L. & A. G. Coes, established in 1839, is the Original Inventor of the Screw Wrench, and has, by making the bar wider, where the strain comes most severe, and screwing a nut up firmly against four square shoulders inside the ferrule, thereby effectually preventing the ferrule from being thrust back into the handle or getting loose, and making a larger screw than in the old wrench, fully succeeded in making a 12 inch wrench stronger than a 15 inch made in the usual manner. All sizes are made in this way, and are undoubtedly the strongest and best finished Screw Wrenches in the market.

There are *imitations* of our goods offered for sale, that, without question, infringe on our Patents.

We hold Patents bearing date Nov. 16th, 1863 (re-issued June 1st, 1869), June 26th 1866, March 25d. 1869 (re-issued April 12th, 1870, and May 14th, 1872), which fully cover all our improvements. One of the above cuts represents a sectional view, showing the nut under the ferrule, and the strengthened bar, that part being covered by the jaw, as seen in the cut of wrench complete. None genuine unless stamped

"L. COES & CO"
Warehouse, 97 Chambers and 81 Reade Streets, New York.
HORACE DURRIE & CO., Agent,

NEW ENGLAND AGENTS.
HOGAN, CLARKE & SLEEPER.
105 Broad St., Boston.

SMITH, BURNS & CO.,

Manufacturers of

Galvanized and Japanned Sheet Iron Goods, and all kinds of Stamped, Pieced, Japanned and Galvanized

TIN WARE.

Oval, Square and Round Wash Boilers, Tea Kettle, Coffee Pots, Fluted, Octagon, Oval and Round Tea and Coffee Pots.
Japanned and Galvanized Chamber Pails, Water Pails, Well Buckets, Ash Cans, EXCELSIOR Fry Pans, Broilers, &c.
Toilet Ware, Water Coolers, Watering Pots, Plunge, Infant, Hip, Sponge and Foot Baths.

Patent Corrugated Riveted Bottom COAL HODS

Warehouse, 46 Cliff Street, between Beekman and Houston Streets, NEW YORK.
New Catalogue now ready.

JOHN WILSON'S CELEBRATED

BUTCHERS' KNIVES,
BUTCHERS' STEELS,
AND
SHOE KNIVES.

THE TRADE MARK, IN ADDITION TO THE NAME, IS STAMPED UPON EVERY ARTICLE MANUFACTURED BY **JOHN WILSON.**



GRANTED A.D. 1766, BY THE CORPORATION OF CUTLERS OF SHEFFIELD, AND PROTECTED BY ACT OF PARLIAMENT.

Works:—SYCAMORE STREET, SHEFFIELD. ESTABLISHED in the Year 1750.

BEAM & MURRAY,

IMPORTERS OF

Anvils, Chains, Pocket Cutlery Guns, Files,

BIRMINGHAM, SHEFFIELD & GERMAN HARDWARE,
Wostenholm's IXL Pocket Knives & Razors, Butcher's Files, Tools, &c
No. 54 Cliff Street. NEW YORK.

White Lead, &c.

John T. Lewis & Bros.,

No. 231 South Front St., PHILADELPHIA.



TRADE MARK.
MANUFACTURERS OF
PURE WHITE LEAD, RED LEAD, Litharge, Orange Mineral, Linseed Oil AND PAINTERS' COLORS.



TRADE MARK.
The Atlantic White Lead and Linseed Oil Company,
MANUFACTURERS OF

White Lead (Atlantic), Red Lead Litharge & Linseed Oil.
ROBERT COLGATE & CO.,
257 Pearl Street, New York.

Established 1782.
WE THERILL & BRO.,
Manufacturers of
White Lead, Red Lead, Litharge & Orange Mineral.
OFFICES, 31st ST. BELOW CHESTNUT, NO. 41 NORTH FRONT STREET, PHILADELPHIA.

Brooklyn White Lead Co.




TRADE MARK.
White Lead, Red Lead and Litharge.
89 Maiden Lane, NEW YORK.
FISHER HOWE, Trans.

HASKINS' Machine Company,

THE HASKINS ENGINE
Fitchburg, Mass.,
Manufacturers of
VERTICAL STEAM
Engines & Boilers.

The Safest and Best in the Market.

SEMI-PORTABLE SEND FOR CIRCULAR.
JOHNSON'S PATENT UNIVERSAL LATHE CHUCK.



ter of the chuck. For Price List, address, amberville Iron Works, Lamberville, N. J.

JOHN JEWETT & SONS



TRADE MARK.
Also Manufacturers of
LINSEED OIL AND FLOOR OIL CLOTHS,
182 Front Street NEW YORK



PATENT IMPROVED STEAM TRAP.
The only self-regulating Steam Trap in the world. For full description send for circular to
A. L. JONES,
Steam Heating Establishment, 150 S. 4th Street Phila.

WILLIAMS WHITE & CHURCHILL,
Successors to
MACKRELL & RICHARDSON MFG. COMPANY,
Manufacturers of

Builders' Hardware,
Locks, Hinges, Hooks and Staples,
Awning Hooks, Meat Hooks, Pincers,
Champion Noiseless Pulleys,
CHAIN PULLEYS, &c.
Factory, cor. Flushing and Nostrand Avenues
BROOKLYN.
Warehouse, 73 Warren St., N. Y.

Hardware.

ESTABLISHED 1836.

ALFRED FIELD & CO.,
Foreign Hardware Commission Merchants

IMPORTERS AND EXPORTERS.

Offices and Warehouses:

Birmingham, Sheffield and Liverpool, England; New York, Philadelphia, Cincinnati and New Orleans, U. S.; Montreal, Canada.

In addition to our Commission business, and to meet the wants of the Wholesale Trade only, we are carrying in stock at 47 John and 5 Dutch Sts., N. Y., and 75 Gravier St., New Orleans, leading goods in our line, such as:

Anvils, Chains, Vises, John Wilson's Goods, Chesterman's and other Tapes, Brades London Trowels, Grass Hooks, Guns, Padlocks, Curry Combs, Pocket and Table Cutlery, Screws, Galvanized Twisted Clothes Lines, Eley's Caps, Wads and Cartridge Cases and a large line of Miscellaneous Goods.

We are Sole Agents for Lawrence's new Patent Curry Combs, to which we call attention of the trade.

HERMANN BOKER & CO.,

OFFICES AND WAREHOUSES:

NEW YORK, 101 and 103 Duane and 91 and 93 Thomas Streets.

REIMSCHNEIDER and SOLINGEN (Prussia.) H. BOKER & CO.

SHEFFIELD (England), No. 3 Arundel Lane, Represented by Mr. ARTHUR LEE.

LIEGE (Belgium), Represented by Mr. LOUIS MULLER.

Manufacturers and Importers of Cutlery, Guns, Hardware and Railroad Material.

Proprietors of TRENTON VISE AND TOOL WORKS, Trenton, N. J.—Vises, Picks,

Mattlocks, Grub Hoes, Sledges, Hammers, Bridge Work, Turn Tables, etc.

Proprietors of the MANHATTAN CUTLERY CO., "O. K." Razors.

Sole Agents for LAMSON & GOODNOW MFG. CO., Shelburne Falls, Mass.—Table Cut-

lery and Butcher Knives.

W. & S. Butcher's Files, Edge Tools and Razors, the largest stock in the United States.

Geo. Wostenholm & Son's Knives, Scissors and Razors, the largest stock in the U. S.

John Wilson's Butcher and Shoe Knives.

Peter Wright's and Armitage Anvils.

We always have on hand a full assortment of

German and English Hardware, Cutlery, Guns, Gun Material,

Chains, Heavy Goods.

SPEAR & JACKSON

Sheffield, England,

MANUFACTURERS OF

Saws, Files, Edge Tools and Steel.

JOHN L. FISHER, Agent

116 Duane Street, NEW YORK.

ROY & COMPANY,

West Troy, N. Y.,

Manufacturers of

Wrought Iron Butts, Strap and T Hinges,

PLATE AND HOOK HINGES,

Cold Pressed Nuts and Washers, Felloe Clips, &c

JOHN L. FISHER, Agent, 116 Duane Street, New York.

STANLEY WORKS,

MANUFACTURERS OF

Wrought Butts, Strap and T Hinges.

Bronzed Butts and Bolts.

Wrought Barrel, Square and Shutter Bolts.

Wrought Chest Handles, Washers, Flush Bolts, &c.

79 CHAMBERS ST., NEW YORK.

Factory at New Britain CONNECTICUT.

CROOKE & CO.,

MANUFACTURERS OF

WROUGHT IRON BUTTS,

All our goods are manufactured from patent faced iron plates; they have a smooth face and bright finish.

163 & 165 Mulberry Street, New York.

QUACKENBUSH, TOWNSEND & CO.,

Successors to

SEARS, LEAVITT & CO.,

IMPORTERS AND WHOLESALE DEALERS IN

Hardware, Cutlery, &c.,

59 and 61 Reade Street, New York.

DEPOT FOR

THOMAS JOWITT & SONS,
(Sheffield, England.)
Celebrated FILES AND HORSE RASPS.
Rough and Ready and
CLIPPER SCYTHES,
Warranted."BEAVER"
(American.)
FILES AND HORSE RASPS.
"WIDE AWAKE"
AXES.

ESTABLISHED IN 1849.

JOHN C. JEWETT & SONS, Buffalo, N. Y.

MANUFACTURERS OF



ALSO JAPANNED AND BRIGHT BRASS

BIRD CAGES.

Water Coolers, Water Filters, Bathing Apparatus, Tea Trays, &c.

Send for Illustrated Catalogue.

Morse Twist Drill and Machine Company,
New Bedford, Mass.,

SOLE MANUFACTURERS OF

MORSE PATENT STRAIGHT-LIP INCREASE TWIST DRILL.

BEACH'S PATENT SELF-CENTERING CHUCK.


ALSO MANUFACTURE

SOLID AND SHELL REAMERS.

All Tools exact to Whitworth's standard Gauge.

DRILLS MADE TO FIT ANY SOCKET DESIRED.

EDWARD S. TAB R. Treasurer.

**Stearns' Patent Saw Vise**
No. 1.

This simple and effective device for holding saws for the operation of filing is too well known to require more than a passing description here. Its well earned popularity during the long period that it has been upon the market, establishes its superiority over all other saw vises. It is the only saw vise in the market that is so constructed as to spring or strain the saw, preventing vibration and effecting a great saving in time. The vise can be readily attached to a bench, and being small and light, can be conveniently carried about from place to place—in fact, filling a want long felt by saw filers and wood workers generally. Send for Illustrated Catalogue to


GEO. N. STEARNS & CO.,
Syracuse, N. Y.Hubbard & Curtiss Mfg. Co.,
New York Agents.

Burr Stone Flouring & Grist Mills.

LEONARD & SILLIMAN, Manufacturers,

BRIDGEPORT, CONN.

Send for Illustrated Catalogue and Price List.

**Many & Marshall,**

48 Warren St., N. Y.

SASH CHAIN.

Agency and Depot of the TRENTON LOCK COMPANY.

BUILDERS' HARDWARE,

Chain and Pulley for Heavy Sash

THE BEST & CHEAPEST MADE.

Manufacturers of every description of

Pure Bronzed Metal and Hand-Plated Knobs, Hinges, &c.,

Agents for Gautier's Black Lead Crayons.



THOMAS MORTON,

Manufacturer of


Brass & Copper Chain,

And patented attachments for same, for suspending windows, from 100 to 1500 lbs. Sashes can be suspended with r y Chain and attachments in a shorter time and with less trouble than by using the ordinary common cord. I am now offering the Chain and fastenings cheaper than any other in the market. Also manufacturer of the MORTON & BRENNER'S Straight and Circular Spring Balances. Established in 1842.

Office, No. 15 Murray St., N. Y.

**TUCKER'S**
Alarm Tills.

Will furnish with first Order above case, gratis, for Sample Room. Send for price list to the Trade.

TUCKER & DORSEY, Manufacturers
Indianapolis, Ind.

For Price List and Description, address,

THE STILES & PARKER PRESS COMPANY,
MIDDLETOWN, CONN.**THE HOTCHKISS, OR FRICTION**
ROLL DROP,With N. C. Stiles' Improvements.
Patented Steam and Hydraulic, April 1, 1868**EAGLE PACKING,**

Of various sizes for ENGINES and PUMPS, manufactured by JAMES GLANDING & CO., No. 115 Queen St., Philadelphia. What the proprietors claim for the Eagle Packing: 1. Its general adaptation to all purposes for which packing is used. 2. Its durability. It will outlast any other article in use. 3. Its cheapness. It can be furnished to the consumer at a lower rate than any other packing.

Schweitzer Mfg. Co.,

57 Reade Street, New York.

**CONTINENTAL LOCKS,**

Made of Wrought Iron or Brass, very superior in quality, and only an anger used in mortising.

SCHWEITZER PAD LOCKS,
EXCELSIOR COMPASSES,
EXCELSIOR DIVIDERS,

WITH

STUBS' STEEL POINTS,

Best and Cheapest Goods in the market. Sole Agents

for the United States for

NEWBOULD'S FILES AND TOOLS

French Coffee Mills.

NOBLE MFG. CO., Tools, Ship Anchors &c.

Emery, Waterhouse & Co., Shovels & Spades

We also make a superior

AXE! "Queen of the Forest,"

"Wood Chopper's Pride," &c.

Disston's Saws. (Largest Stock in the City).

General dealers in

FOREIGN & DOMESTIC HARDWARE.

James S. Patterson,

Designer & Engraver

on Wood.
31 Spruce Street, NEW YORK.

FOR SALE BY THE HARDWARE TRADE.

GROGERS BUY THE AMERICAN COFFEE & SPICES MEASURING FAUCETS BUNGLES BOREERS TOBACCO CUTTERS ETC. ETC. MADE BY THE ENTERPRISE MFG CO. PHILADELPHIA, PA.

SEND TO THE ENTERPRISE MFG CO. OF PA. FOR ILLUS. CATALOGUE

FOR TO GRAHAM & HAINES AGENTS 88 CHAMBERS ST. NEW YORK.

WHEELING HINGE CO.,

Wheeling, West Va.,

Manufacturers of

Wrought Butts, Strap & T Hinges, Wrought Hooks, Hasps & Staples, Wrought Repair Sinks & Washers.

GRAHAM & HAINES, Sole Agents, 88 Chambers Street, N. Y.

AMERICAN BUTT CO.,

PROVIDENCE, R. I., Manufacturers of

Cast Butt Hinges

AND

BUILDERS'

HARDWARE.


New York Warehouse with

Messrs. GRAHAM & HAINES, No. 88 Chambers Street.

Send for Price List.

All kinds of

SMALL CASTINGS Made to order.



Headquarters for

Henry Disston & Sons' Saws,

Hand, Mill, Circular and Cross Cut.

ALSO,

Plumbs and Levels, Try Squares, Gauges, Trowels and Barker's Reversible Butt.

A full assortment constantly on hand. Address orders to

GRAHAM & HAINES, 88 Chambers Street, N. Y.



CENTENNIAL SELF-LUBRICATIVE

Hemp Piston Packing

FOR Locomotives, Steamships, Stationary Engines, Hot or Cold Water Pumps.

Recommended by Master Mechanics and Engineers, as the cheapest and best in market. No more Extortionate Prices. No more Fluted Rods—but a good article at fair price.

JOHN CANFIELD & CO., SOLE MANUFACTURERS,

Office, 1321 Fairmount Ave., Phila. PATENT APPLIED FOR. Send for Circular.

BAEDER, ADAMSON & CO.,

Manufacturers of

Sand and Emery Paper and Emery Cloth

(Also, in Rolls for machine work.)

GROUND EMERY, CORUNDUM AND FLINT, Glue & Curled Hair, Cow Hide Whips.

STORES:

PHILADELPHIA, 730 Market St., NEW YORK, 67 Beekman St.,

BOSTON, 143 Milk St., CINCINNATI, 92 Main St., CHICAGO, 182 Lake St.

COBB & DREW,

Plymouth, Mass.

Manufacturers of Copper, Brass, and Iron Rivets; Common and Swedes Iron, Leathered, Carpet, Lace and Gimp Tacks; Finishing, Hungarian, Trunk Clout and Cigar Box Nails, &c. Rivets made to Order.

NEW YORK AGENCY

Grundy & Kenworthy HARDWARE.

165 Greenwich Street.

Agent for the Philadelphia Star Carriage and Tire Bolts

SAMUEL LORING'S

PLYMOUTH TACK AND RIVET WORKS PLYMOUTH, MASS., manufacturer of TACKS, BRADS, NAILS AND RIVETS.

Swedes and Common Iron Tacks; Leathered, Carpet Brush, Lace and Gimp Tacks; Finishing, Hungarian, 2d and 3d Fine, Trunk, Clout, and Cigar Box Nails; Black and Tinned Trunk Nails; Zinc, Iron, Copper and Steel Shoe Nails; Brads and Patent Brads; Glaziers' Points, &c., &c. COPPER, BRASS AND IRON RIVETS, of all kinds. Coopers' Rivets, from 1/16 to 1/2, in cases of 100 lbs. each. Hose, Belt and Shoe Rivets and Bars. Oval and Countersunk Heads of extra lengths, made to order. SHIP AND BOILER RIVETS OF ALL SIZES AND LENGTHS

Established in 1810.

HOBART'S TACKS.

Manufactured by

Dunbar, Hobart & Whidden,

Office and Salesroom,

116 Chambers Street, N. Y.

Factory, SOUTH ABINGTON, MASS.

Manufacturers of American, Swedes and Copper Tacks, Tinned Leathered and Large Head Tacks, Finishing Nails, Black and Tinned Trunk Nails, Miners' Gimp, Lace and Brush Tacks, Hungarian, Chair, Cigar Box and Barrel Nails, Glaziers' Points, Iron, Steel, Copper, Zinc and Brass Shoe Nails, HEEL and TOE PLATES, STEEL SHANKS, and FANCY HEAD NAILS, SILVER or JAPANNED LINING and SADDLE NAILS.

A full assortment always on hand at salesrooms, for immediate delivery if required. Odd and irregular sizes made to order or cut from sample at short notice. Send for Price List.

AMERICAN TACK CO



MANUFACTURERS OF

Copper, Swedes, and Iron Tacks, BRUSH, LACE AND GIMP TACKS, Leathered, Tinned, and Iron Carpet Tacks; Finishing, Black, and Tinned Trunk Nails; Hungarian and Cigar Box Nails; COPPER AND IRON BOAT NAILS ZINC, COPPER, STEEL, and IRON SHOE NAILS 2d and 3d FINE NAILS; Bright and Tinned Roofing Nails.


BRADS, PATENT BRADS, &c., Factory, Fairhaven, Mass.

Salesroom, 117 Chambers Street, NEW YORK N. B.—Any variation from the regular size or shape of the above named goods cut from sample to order.

GEO. M. EDDY & CO.,

Manufacturers of Measuring Tapes,

233 Nassau Avenue, Brooklyn, N. Y.



Manufacturers of Paine's Patent Steel Standard Measuring Tapes, for Surveyors, Engineers and Mechanics requiring a correct measure of great length according to U. S. Standard. Also of Tape measures for the same trades, Lumbermen, Machinists, Tailors, Shoemakers, Dressmakers, &c. Catalogues on application.

SOUTHERN AGENCY

FOR THE SALE OF

CHESAPEAKE CUT NAILS AND SPIKES, MALLORY, WHEELER & CO.'S LOCKS, KNOBS, &c.

American Screw Co.'s Screws.

AMERICAN BUTT CO.'S Cast Butt Hinges.

PLYMOUTH TACK CO.'S Tacks and Rivets.

ROBERT MANN'S Axes.

WOOLWORTH'S Axe Handles.

BEST NORWAY NAIL RODS, Newton Brands.

M. Rowland & Co.'s Shovels and Spades.

ALSO, HEADQUARTERS FOR

O. AMES & SON'S SHOVELS AND SPADES.

HENRY DISSTON'S SAWS, HAND, CROSS-CUT, MILL, &c.

SHEBLE & FISHER'S Forks.

HARPER'S Hoes and Rakes.

MOSS & GAMBLE'S Files.

The trade can save both time and freight by ordering from our stock containing a large and full assortment of the above goods, which we offer at Manufacturers' Prices. Send for Price List.

KEITH & KELSO,

Hardware Commission Merchants,

Nos. 23 and 25 South Charles St., BALTIMORE, MD.

The Hart, Bliven & Mead Mfg. Co.

18 & 20 Cliff Street, and 243 & 245 Pearl Street, New York.

Factories at KENSINGTON, CONN.


MANUFACTURERS OF

Shovels, Tongs and Pokers,

WITH PATENT RIVETED JOINTS.

Send for our new


Catalogue



and Price List of House Furnishing Hardware.

Patent Spiral Spring Coal Tongs.

Improved Door Knobs.



PAT'D, JAN 10th 1865.



On the 10th January, 1865, we obtained Letters Patent for improved method of securing necks to Mineral and Porcelain Door Knobs, which improvement was used by us long enough to prove its utility, but on account of unsettled claim of joint ownership by former partner, its use was discontinued. Having now made a further improvement, for which we have made application for a Patent, we are now making the BEST SECURED and MOST DURABLE Mineral and Porcelain Door Knobs ever offered in this or other markets.

We solicit orders for these Knobs at our regular prices for old styles, with the understanding that if any can be loosened from or gotten off the necks without breaking the tops, they may be held by the purchaser subject to our order, with expenses added.

See The Iron Age, of August 21st, page 11, for illustrated description of our patent Telescope Locks and Latches, with patent Flat Steel Perforated Keys.

Address

BRANFORD LOCK WORKS,

Branford, Conn.

Or, THE HART, BLIVEN & MEAD MANUFACTURING CO., Agents,

18 & 20 Cliff and 243 & 245 Pearl Streets, New York

"Easily Applied and not liable to get out of Order."—From Report of Judges at American Institute Fair, 1872.



PATENTED

JULY 11th 1871.



PATENTED

JULY 11th 1871.

The Challenge Door Spring Co.,

Patented.

Exclusive Manufacturers of the

(March, 1873)



PATENTED

JULY 11th 1871.




PATENTED

JULY 11th 1871.

In Appearance the Most Beautiful. In Action the Most Graceful. In Use the Most Reliable. The Challenge Springs are manufactured from Steel Wire, tempered by an improved Process, the result of repeated experiments, and must not be classed by dealers with the numerous worthless "Coil Springs" made from common Bed Spring Wire.

No. 49 Ann Street, NEW YORK.



PATENT DOOR-KNOB ROSETTE.

No. 1. Rosette.

No. 2. Screw entering No. 3.

No. 3. Stationary bushing remaining firmly in door.

Particular attention given to Light Manufacturing for outside parties; also,

BRASS & IRON FOUNDRING, SILVER & NICKEL PLATING. Orders Solicited. We would call the particular attention of the trade to our PATENT IMPROVED ROSETTE for Door Knobs. This Rosette does away with the small screws and cannot work loose. It can be applied four to one faster than any others. Can be applied to old doors.

Factory on the Valley R. R. at Wethersfield, Conn.

Communication from Hartford (2 miles) by horse or steam car.

The Wethersfield Novelty Co.

MANUFACTURERS OF

Builders' Hardware and Plated Goods.

BRASS AND IRON FOUNDERS.

Terms, 30 days. For 60 or 90 days, interest added at 10 per cent. per annum.

French	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
Coquand (pollinated face)	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
Stone-Arkansas Oil, No. 1	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
Turkey Oil, No. 1	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
Walla Extra	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
No. 1	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
Hindustan & Ind	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
A.C.	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
Mexico-iron	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2
Brazil	44 1/2	45 1/2	46 1/2	47 1/2	48 1/2	49 1/2	50 1/2	51 1/2	52 1/2	53 1/2	54 1/2	55 1/2	56 1/2	57 1/2	58 1/2	59 1/2	60 1/2	61 1/2	62 1/2	63 1/2	64 1/2	65 1/2	66 1/2	67 1/2	68 1/2	69 1/2	70 1/2	71 1/2	72 1/2	73 1/2	74 1/2	75 1/2	76 1/2	77 1/2	78 1/2	79 1/2	80 1/2	81 1/2	82 1/2	83 1/2	84 1/2	85 1/2	86 1/2	87 1/2	88 1/2	89 1/2	90 1/2	91 1/2	92 1/2	93 1/2	94 1/2	95 1/2	96 1/2	97 1/2	98 1/2	99 1/2	100 1/2

Tin Plate.—C. 10x14 Charcoal.....	\$19 00	17
" 10x14 Charcoal.....	15 50	21
" C. Terne 14x20.....	11 00	22
" C. 20x26.....	12 00	23
" C. Continuous.....	24 00	24
Black Tin. —		
Plg.	27 75 c @ 38 c	
Solder. —		
Lead.—Plg.	25 c @ 28 c	
Lead.—Plg.	7 75 c @ 8 c	
Copper. —		
Ingot.....	25 c @ 28 c	
Planished.....	40 c	
Sheathing.....	35 c	
Copper Drops.....	8 c @ 9 c	
Sheets.....	10 to 12 c	
Braziers 13 lb.....		
Copper Bottoms.....		

April 11, 1874.

Lead.—Fig. 50. # 28c	Aluminum..... # 28c
Lead.—Fig. 50. # 74c @ 8c	Bar..... # 8c @
Copper..... # 11	
Ingot..... # 11	
Platished..... @ 40c	
Sheathing..... @ 35c	
Copper Drops..... 37c @	
Zinc..... # 50 to 1000 lb.	
Slab..... 100 lbs.	85c @
Brass..... # 11	
Roll, No. 6 to 30. # 65c	
30 to 38..... # 45c	
Babbit Metal..... # 25c	
Sew & Cast..... # 25c	
Antimony..... # 11	
	Roll, No. 38 to 40..... # 28c
	Wire, No. 0 to 30..... # 28c
	20 to 35..... # 28c
	Black Lead..... # 11
	Market..... # 11

Case, 100 lbs.	11
Slab.....	8 1/2 c @
Brass.....	45 c @
Roll, No. 6 to 30, p. 45c	Wire, No. 8 to 40.....
30 to 38, " 66c	20 to 45.....
Babbitt Metal.....	Black Lead.....
Seller & Co. p. 55c	Market.....
Antimony.....	
Bismuth.....	
Nickel.....	

IX, 10x14,	15.75	Copper Bottoms.....	39c
XX, 10x14,	18.50	Planchised Copper.....	
IX, 12x12,	15.50	Sheeting, 14x8.....	41c
IX, 12x12,	15.50	Boards, 14x8.....	41c
IX, 14x20,	14.00	No. 8.....	49c
IX, 14x20,	16.25	No. 9.....	49c
IX, 14x20,	16.25	No. 10.....	49c
XXX, 14x20,	22.50	Big Ties.....Large Pins.....	
XXX X, 14x20,	25.00	Small Pins.....	74c
IX, 160 Plate,	12.50	Bars.....	57c
IX, 160 Plate,	12.50	Solder.....No. 1.....	
IX, 160 Plate,	12.50	No. 2.....	57c
IX, 160 Plate,	12.50	Brill Wire.....dia 55.....	
IX, 160 Plate,	12.50	Sheet Iron.....	
IX, 160 Plate,	12.50	No. 1.....	5.50
IX, 160 Plate,	12.50	No. 2.....	5.50
IX, 160 Plate,	12.50	Pat. Am. Russia "A,"	

IX, 10x14,	15.75	Copper Bottoms.....	39c
XX, 10x14,	18.50	Planchised Copper.....	
IX, 12x12,	15.50	Sheeting, 14x8.....	41c
IX, 12x12,	15.50	Boards, 14x8.....	41c
IX, 14x20,	14.00	No. 8.....	49c
IX, 14x20,	16.25	No. 9.....	49c
IX, 14x20,	16.25	No. 10.....	49c
XXX, 14x20,	22.50	Big Ties.....Large Pigs.....	
XXX, 14x20,	22.50	Small Pigs.....	74c
XXX X, 14x20,	25.00	Bars.....	57c
IX, 160 Plate,	12.50	Solder.....No. 1.....	
IX, 160 Plate,	12.50	No. 2.....	57c
IX, 180,	18.00	Bright Wire.....dia #5.....	
IX, 180,	20.75	Sheet Iron.....	
IX, 180,	20.75	No. 20.....	5.50
IX, 180 X 100 Piles.....	25.00	No. 22Am. Com.....	5.50
IX, 180 X 14,	25.00	Pat. Am. Russia "A,"	
IX, 180 X 14,	25.00	"K,".....	

IX, 10x14 W.	12.50	Pat. Am. Russia	0
IX, 10x14 W.	15.25	No. 25 & 26	c
Roofing Tin.—Best Char.		Pat. Plashed Russia	c
IX, Terne, 14x20	\$12.25	Russia No. 5, 10, 11 & 12	c
IX, " 14x20	15.00	W. D. WOOD'S & CO.'S SHEET	
IX, Terne, 20x26	26.00	IRON—	
IX, " 20x26	30.50	No. 18 to 30 Smooth	# 10
Coke Tin.		" 21 to 24	6 5
IX, 10x14 Coke	\$11.00	" 25 to 26	7.50
IX, 10x14 Coke	13.75	" 27 to 31 Char'l.	8.80
IX, " 20x26	26.00	" 32 to 34	8 0
Sheet Zinc.—Any width			10 c



Steel.

THREE
1st CLASS PRIZE MEDALS.
CLASSES 1, 21, 22,
Great Exhibition of Industry,
LONDON, 1861.

MEDAL OF HONOUR,
SOCIETY OF ARTS & INDUSTRY,
LONDON, 1866.

1st CLASS
PRIZE MEDAL, CLASS 1st
UNIVERSAL
EXHIBITION OF INDUSTRY
PARIS, 1865.

COCKER BROTHERS,
SUCCESSORS TO
SAM'L COCKER & SON,
(Established 1752.)
SHEFFIELD, ENGLAND

MANUFACTURERS OF
CAST, SHEET, AND BLISTER STEEL, OF EVERY DESCRIPTION.
BEST CAST STEEL WIRE, ADAPTED SPECIALLY FOR MECHANICAL PURPOSES;
Also for ROPES, NEEDLES, FISH HOOKS, PINS, ORINOLINE, &c.

BEST CAST STEEL FILES, SAWS, EDGE TOOLS,
HACKLES, GILLS, CARD CLOTHING, CARD TEETH, HACKLE AND GILL PINS,
FISH HOOKS, NEEDLES, &c.

ALSO

GENERAL MERCHANTS.

Agent, JONATHAN HATTERSLEY, Cincinnati, O.

WM. JESSOP & SONS,

MANUFACTURERS OF

STEEL,

AND IMPORTERS OF IRON
SHEFFIELD, ENGLAND.

PRINCIPAL DEPOTS:

NEW YORK, Nos. 91 & 93 John Street. BOSTON, No. 141 Federal.
ST. LOUIS, No. 714 North Second Street.

AGENCIES:

PHILADELPHIA, Jas. C. Hand & Co. PROVIDENCE, Nightingale & Kilton.
CHICAGO, Cramer, Adams & Co. NEW ORLEANS, Folger & Co.
CINCINNATI, Augustus Wesel. SAN FRANCISCO, Huntington, Hopkins & Co.

F. W. MOSS,

Successor to JOSHUA MOSS & GAMBLE BROS.

FRANKLIN WORKS, WADSWORTH BRIDGE WORKS, SHEFFIELD, ENGLAND.
WALKLEY WORKS, MANUFACTURER AND IMPORTER OF

STEEL AND FILES.

Principal Depots: 80 John St., N. Y., and 512 Commerce St., Phila.

MOSS & GAMBLE SUPERIOR C. S. "FULL WEIGHT" FILES,

Cast Steel Hammers and Sledges. Also, "M. & G." Anvils and Vises.

WARRANTED CAST STEEL, especially adapted for DIES and TURNING TOOLS, DRILLS, GOLD CHISELS,

PUNCHES and all kinds of MACHINISTS' TOOLS.

Celebrated Improved Mild Centre Cast Steel, for Taps, Reamers, and Milling Tools,

warranted not to crack in hardening Taps of any size.

Swede Spring Steel, especially adapted to Locomotive and Railway Car Springs.

English Spring and Flow Plate Steel. Also, manufacturer of

Sheet Cast Steel, Shear, Gorman, Round Machinery, Hammer, Fork and Shovel Steel

And GENERAL MERCHANT.

A. M. F. WATSON, General Agent.

WILSON HAWKSWORTH, ELLISON & CO.,

MANUFACTURERS OF

STEEL, STEEL WIRE, &C.,

AND GENERAL MERCHANTS,

CARLISLE WORKS, SHEFFIELD, ENGLAND.

AGENCIES:

New York, 72 John Street.

Philadelphia, 505 Commerce Street.

Boston, 21 Oliver Street.

New Orleans, La., 111 Gravier St.

BARROW HÆMATITE STEEL COMPANY,
LIMITED.



BARROW IN FURNESS,
LANCASHIRE, ENGLAND.

MANUFACTURERS OF

Steel Rails, Tyres, Wheels,
Axles, Shafting, Boiler & Ship Plates, Bessemer Pig Iron, etc., etc.

CHAS. CONGREVE & SON,

Sole Agents for the United States,

104 & 106 John Street, opposite Cliff Street, NEW YORK.

J. & RILEY CARR,

MANUFACTURERS OF SUPERIOR

STEEL

For Tools, Cutlery, Saws, Files, Augers, Gimblets, &c.; Sheet Cast Steel for
SPRINGS AND STAMPING COLD;

ALSO THE CELEBRATED

DOG BRAND FILES,

Unsurpassed, if equaled in quality.

Bailey Lane Works, Sheffield, England.

Warehouse, 82 John St., New York.

Established 1810.



HENRY MOORE, Attorney.

Steel.

SANDERSON BROTHERS & COMPANY,

(LIMITED)

MANUFACTURERS OF THE

CELEBRATED CAST STEEL,

Warranted Most Superior for Tools and Granite Rock Drills.

DARNALL WORKS,
ATTERCLIFFE FORGE,
WEST STREET WORKS,

SHEFFIELD, ENGLAND.

IMPORTERS OF FILES,

AND

AGENTS FOR ARMITAGE'S GENUINE MOUSEHOLE ANVILS.

NEW YORK, Edward Frith, 16 Cliff.

BOSTON, H. L. Richards, 18 Batterymarch.

PHILADELPHIA, Wm. H. Sowers.

CLEVELAND, O., Cleveland, Brown & Co.

NEW ORLEANS, Rich'd Rhodes, 71 Camp.

BALTIMORE, Md., Wm. H. Cole.

MONTREAL, Saint Paul St.

NEW HAVEN, Ct., Atwater, Wheeler & Co.

FRANCIS HOBSON & SON,

97 John Street, NEW YORK,

Sole Manufact'rs of "CHOICE" Extra Cast Steel.

Manufacturers of all Descriptions of Steel.

Manufacturers of Every Kind of Steel Wire.

Don Works, Sheffield, England.

JOHN HOGAN, Agent.

S. & C. WARDLOW,

MANUFACTURERS OF THE CELEBRATED

**Cast and Double Shear
STEEL,**

In Bars, Sheets and Coils, for fine Pen and Pocket Cutlery, Table, Carving,
Butcher and Shoe Knives, Turning Tools, Dies, Files, Clock or other Springs,
Saws and Tools of every variety.

SHEFFIELD, ENGLAND.

Office of S. & C. WARDLOW, 13 Gold Street, New York.

*In calling the attention of consumers of Steel in
any of the various above enumerated, we would respectfully assure
them of our ability to supply an article, that cannot be equalled in
quality, temper, and adaptation in all respects to the various purposes
for which it may be required. Having a century of practical expe-
rience in all departments of Steel manufacture, a long established
reputation in England, and the Continent of Europe, and in the Eastern
States principally of this Country, encourage us to solicit a universal
trial of our Steel for the above or other purposes for which a first
class material in quality, temper, and durability is needed.*

G. SANDERSON & CO.,

Manufacturers of all descriptions of

STEEL.

Bailey Street and Broad Lane Steel Works, SHEFFIELD, ENGLAND.

Particular attention is paid to quality and temper for

Files, Saws, Table and Pocket Cutlery, Augers, Shovels, &c.

ALSO STEEL of superior quality for Turning Tools, Taps, Dies, Drills, &c.

Hot and Cold Rolled Sheets for Clock Springs, Corset Clasps, Pens, &c.

Makers of the Celebrated ROCK BORING DRILL STEEL.

Warehouse, 57 John Street, New York.

JOHN A. GRISWOLD & CO.,

Troy, N. Y.,

Office in New York City, 56 BROADWAY.

MANUFACTURERS OF

Bessemer Railway Steel,

MERCHANT BARS, TIRE AND SHAFTING,

Railroad Iron, Pig Iron, Merchant and Ship Iron,

AGENCIES IN BOSTON AND PHILADELPHIA.

D. G. GAUTIER & CO.,

MANUFACTURERS OF

Hammered and Rolled STEEL of every description
JERSEY CITY, NEW JERSEY.

DUDLEY G. GAUTIER.

JOSIAH H. GAUTIER.

CHROME STEEL COMPANY,

MANUFACTURERS OF

CHROME CAST STEEL,

WARRANTED SUPERIOR TO ANY STEEL IN THE MARKET—EITHER ENGLISH OR AMERICAN—
FOR EVERY PURPOSE.

Works and Offices—Kent Avenue and Keap Street, Brooklyn, E. D., N. Y.

Principal Agencies:

Hall, Kimbark & Co., Chicago, Ill. Harris, Rice & Co., St. Louis, Mo. Horace P. Taber, Boston, Mass.
Cleveland, Brown & Co., Cleveland, Ohio. Wood & Leggat, Hamilton, Ont.

Steel.

Sheffield Steel Works,

(Established in 1848.)

SINGER, NIMICK & CO.

Pittsburgh, Pa.,

Manufacturers of Extra Quality Tool

CAST STEEL,

Patent Rolled

SAW PLATES,

All descriptions of Cast and German

Spring and Plow Steel,

Elliptic and Side Springs, Seat Springs,

AXLES, STEEL TIRE,

Plow Wings, Shares, Cultivators,

Reaper Bars, Saw Bars, &c., &c.

Warehouse, 89 Water and 100 First Streets.

ISAAC JENKS & SONS,

Minerva & Beaver Iron & Steel Works

Wolverhampton, England,

MANUFACTURERS OF

"Jenks" Spring Steel, Cast and

Swedes Spring Steel,

TIRE, TOE CORK, SLEIGH SHOE,

BLISTER & PLOW STEEL.

Also, Plow and other Iron.

VAN WART & MCCOY, Agents,

43 Chambers St., New York.

A full assortment of "Jenks" Spring Steel in stock.

MILLER, BARR & PARKIN,

Crescent Steel Works,

PITTSBURGH, PA.,

Manufacturers of all descriptions of

STEEL

EQUAL TO ANY IN THE MARKET.

Office.....339 Liberty St.,

PITTSBURGH, PA.

Gunpowder.

GUNPOWDER

DUPONT'S

Sporting, Shipping, and Mining

POWDER.

DUPONT'S GUNPOWDER MILLS

ESTABLISHED IN 1801,

Have maintained their great reputation for
years. Manufacture the

Celebrated Eagle Ducking, Eagle Rifle
and Diamond Grain Powder.

Also, SPORTING, MINING, SHIPPING, AND BLAST-
ING POWDER

of all kinds and descriptions.

For sale in all parts of the country.

ed by

F. L. KNEELAND,

70 Wall Street, NEW YORK.

GUN-POWDER

LAFLIN & RAND POWDER CO.,

21 Park Row, New York,

invite the attention of the Hardware Trade to
their facilities for delivering

BLASTING, MINING and RIFLE

POWDER

IN EVERY PART OF THE UNITED STATES,
from having agencies and magazines at all promise
points, beside our works at

Newburg, Saugerties, Kingston, and
Catskill, N. Y.; Scranton, Carbon-
dale and Portville, Pa.; Balti-
more, Md., and Plattville, Wis.

The superiority is well known of our brands
Rifle Powder

Orange Rifle, Orange Ducking,
Lightning, Audubon.

SAFETY-FUSE at wholesale.

ST. LOUIS.	
<i>Corrected weekly by Sample, Birge & Co.</i>	
Anvils.—Arncliffe.....	\$ 8, gold, 15c
Peter Wright's.....	" 11c
Wilkinson's.....	" 12½c
Apple Parers.—Conqueror.....	\$ doz, \$9 00
Lightning.....	" 9 00
Turn Table.....	" 5 00
Axes.—Hunt.....	\$ doz \$13 00 @ 18 50
Lippincott's.....	" 12 00 @ 15 00
Lippincott's Pioneer.....	" 13 00 @ 18 50
Simmons'.....	" 12 00 @ 15 00
Axles.—Kritch & Crane Mfg. Co.'s—	
Patent Taper Axles.....	new list net
Swelled Taper Axles.....	new list net
Concord Axles.....	new list net
Red Jacket Axles.....	new list net
Common Axles, 1½ inch and upward.....	\$ D, 8½c
" less than 1½ inch.....	" 8½c
Bellows.—"Best St. Louis make" 60c per in. dis 20 ½	
Bells.—Troy, Church.....	\$ 8, 50c
Light House, Hand.....	dis 50 c
Moore's Cow.....	dis 50 c
Bells.—Arms, Bell & Co.'s Machine.....	dis 40 ½
Arms, Bell & Co.'s Carriage and Tire.....	dis 75 c
Cast Butt Hinges.—Western Butt Co.'s—	
Narrow Fast Joint.....	dis 35 ½
Broad Fast Joint.....	dis 50 ½
" Loose	dis 60
Reversible.....	dis 45 ½
" Japanned and Silt or Tipped.....	dis 45 ½
Loose Joint "Acorn"	dis 55 ½
Excelsior Reversible Blind.....	dis 30 & 10 ½
Lull & Porter's Blind.....	dis 45 ½
Wrought Butts.—Narrow.....	dis 30 ½
Reversible.....	dis 25 ½
Broad.....	dis 25 ½
Tabie Hinges.....	net list
Back Flaps.....	net list
Inside Blind Hinges.....	net list
Chain.—Eng. Coll. \$-16 ¼ 5-16 ¾ 7-16 ¾ in.	
Trace.....	gold
German Coll and Halter.....	7-10-2 75c
Chisels.—Socket, Firmer or Framing.....	revised list add 10 g
Clothes Wringers.—Crown.....	\$ doz \$60 00
Novalty.....	" 72 00
Universal.....	" 72 00
Monitor.....	" 72 00
Corn Knives.—Dunn Edge Tool Co.'s Clip.....	\$ doz \$5 75
Diston's.....	" 6 00
Crow Bars.—Steel Pointed.....	\$ D 7 @ 9c
Solid Cast Steel.....	40c
Cutlery.—J. Russell & Co.'s.....	new list, dis 16 ½
Lamson, Goodnow & Co.'s.....	
Landers, Frary & Clark's.....	
Filles and Knapes.—	
Nicholson's Files.....	\$ 50 less 5 g
Butcher's Mill.....	\$ 75 to the £ currency
Heller's & Lros Horse Knaps.....	dis 40 ½
Forks and Hoos.—	
Auburn Mfg. Co.'s Hay and Manure Forks.....	dis 30 ½
" Handled Hoos.....	dis 30 ½
Winsted's Planter Eye Hoos.....	add 5
Hammers.—Yerkes & Plumb.....	dis 5 ½
Masons' Hammers.....	\$ 25c
Smith Hand Hammers.....	" 22c
Handles.—Axe.....	No. 1 No. 2 No. 3
Pick.....	\$ 7 75 \$ 7 75 \$ 11 00
" Extra.....	No. 1 No. 1½ No. 2
" \$2 50 \$2 00 \$1 75 \$1 25	
Smith & Montrose Fork, Hoe and Rake.....	dis 25 ½
Broom and Mop.....	\$12 @ \$13 ½ M
Narrow Teeth.—1 Inch ron.....	\$ D 4½c
& ¾ inch ron.....	" 4½c
& ¾ inch iron.....	" 6 c
Barbed or Headed.....	½ extra
Natchets.—Hunt's.....	dis 10 ½
Blowguns.....	dis 15 ½
Hay Knives.—Lightning.....	\$ doz \$22 00
Dunn Edge Tool Co.'s.....	\$ doz \$14 50—dis 15 ½
Fisher's.....	16 50—dis 10 ½
Hinges.—Straig and T.—St. Louis make.....	dis 25 ½
Horse Nails.—Eureka.....	22c rate
Available.....	22c "
Northwestern.....	22c "
Eagle.....	19c "
National Patent Pointed.....	21c "
" Extra Finished.....	25c "
Horse Shoes.—R. I. (Perkin s pat.).....	\$ seg \$6 50
Burden's.....	" 6 50
Mule Shoes.....	" 7 00
Rhode Island Trotting Shoes.....	" 9 50
Locks and Latches.—	
Jones & Nimick's.....	revised list dis 40 ½
Monmouth Adams & Co.....	revised list dis 40 ½
Norwalk Lock Co.'s.....	revised list dis 40 ½
Mattocks and Grab Hoos.—	
Klein, Logan & Co.'s Mattocks.....	\$ doz \$15 00 @ 16 00
" Grab Hoos, Oval Eye.....	\$ doz. 12 00 @ 15 00
Nails.—Wheeling.....	\$ 10 00 rates
Orders for 100 kegs 10c ½ keg less.	
Picks.—Klein, Logan & Co.'s R. R. and Clay \$ doz \$12 00	
Klein, Logan & Co.'s Coal.....	" 9 75
" Foli.....	" 12 00
" Stone.....	" 15 50
" Tamplage.....	" 19 00
Planes.—Ohio Tool Co.'s.....	dis 25 ½
Schieffelin.....	dis 30 ½
Post Hole Augers.—Clark's Patent.....	
No. 1, \$ doz \$27; No. 2, \$30; No. 3, \$32.....	dis 30 ½
Barton's Patent.....	\$ doz \$25—dis 30 ½
Vanglin's.....	25—dis 30 ½
Sad Irons.—Monitor Brand, Silver Polished.....	\$ D 45c
Sash Weights.—Standard Solid Eyes.....	\$ D 35c
Saws.—Diston's.....	dis 10 ½
Hubbard, Lippincott, B. & Co.'s.....	dis 10 ½
Branch, Crooks & Co.'s.....	dis 10 ½
Livingston's Patent Buck.....	new list
Screws.—American Screw Co.'s revised list.....	dis 50 ½
Scythes.—	
Dunn Edge Tool Co.'s.....	new list dis 25 ½
Fairlie Furmace Co.'s.....	dis 30 ½
Scythes & ones.—No. 1 Ind'n Pond \$ gr's \$1 00	
Extra Indian Pond.....	75c
Premium.....	95c
Diamond Grind.....	13 50
Shovels, Spades and Scoops.—	
Ames'.....	dis 75 ½
Lippincott's.....	new list dis 15 ½
Howard's, Maxwell.....	revised list dis 15 ½
Sledges.—Smith a Stone or Coal Sledge.....	
Steel Face Polished.....	\$ D, 17c
Solid Cast Steel.....	" 25c
Striking Sledges.....	\$ 2 extra, 14
Spahs and Cradles.....	dis 22 ½
Springs.—Cleveland Spring Co.'s—	
Carriage and Express.....	dis 10 ½
Blue seat springs.....	new list dis 15 ½
Tacks.—Norway Tack Co.'s 1 g weight.....	dis 70 ½
Bradt ½ weight.....	dis 50 ½
Thimble Sheins.—Pump & Klein	

Woodruff Iron Works, HARTFORD, CONN.,

Office, - - - - - No. 223 State Street.

Manufacturers of the Celebrated


WOODRUFF & BEACH STEAM ENGINE,

With Recent Improvements.

STEAM BOILERS

Constantly on hand, and made to order—of any size or style. Special attention given to all kinds of

MILL MACHINERY & CASTINGS.

Water-Power Oran Blowing Apparatus, Special Machinery, &c., made by
THE PRATT & WHITNEY COMPANY Hartford, Conn.

RICHARD DUDGEON,

No. 24 Columbia Street, New York,

MAKER AND PATENTEE OF

Hydraulic Jacks and Punches,

ROLLER TUBE EXPANDERS

And Direct-Acting Steam Hammers.

Communications by letter will receive prompt attention.

JACKS for Pressing on Car Wheels or CRANK PINS made to order.

The "EMPIRE," a Fan Blowing PORTABLE FORGE,

(Patent Applied for.)

Without BELTS or BELLOWS.

It is more Easily Worked, gives a Better
Blast, and is the Cheapest forge made, and

It has no Back Draught.

W. P. KELLOGG & Co., Troy, N. Y.

And 84 Chambers St., N. Y.

Also Curry Combs, Boring Machines,
and Cooler's White Racks, etc., etc.

BLAKE'S PATENT STONE & ORE BREAKER.

New Pattern with Important Improvements & Abundant Strength



For reducing to fragments all kinds of hard and brittle substances, such as
STONE for making the most perfect MACADAM ROADS, and for making the best
CONCRETE. It breaks stone at trifling cost for BALLASTING RAILROADS.
It is extensively in use in MINING operations, for crushing

IRON, COPPER, ZINC, SILVER, GOLD, and other ORES.

Also for crushing Quartz, Flint, Emery, Corundum, Feldspar, Coal,
Barytes, Manganese, Phosphate Rock, Plaster, Soapstone, &c.
For Illustrated Circulars, and particulars, address,

BLAKE CRUSHER CO., New Haven, Conn.

Persons visiting New York, can be shown a crusher in operation at 137 Elm St

E. HARRINGTON & SON,
Manufacturers of ENGINE LATHES, from twelve (12) to forty-
four (44) inches diameter. Also, Wood Turning
Machines, Vertical Drills, Planes, and
Centering Machines; Screw Presses for Mandrels, Grinding
Stone Boxes.
Cor. N. 15 St. & Pennsylvania Ave., Philadelphia.

STAVE SAW.


Gauge Lathes, Screw Machines,
Stave Saws, Woodworth Planers,
Tub, Pail and Chair Machinery, a specialty, by
GOODSPEED & WYMAN, Winchendon, Mass.

GUILD & GARRISON'S STEAM PUMP WORKS,

Nos. 30 to 34 First Street, Williamsburgh, N. Y


MANUFACTURERS OF

STEAM PUMPING MACHINERY

Of all descriptions and for all purposes, of any
proportion or size, for pumping Hot, Cold, Fresh,
Salt, Mudd' or Gritty Water, Grain-mash, Syrups
all kinds of Beer, Acids, Molasses, and all heavy
and thick fluids. Also for Feeding Steam Boil-
ers, Supplying Tanks, and for Sugar Refineries,
Tanneries, Oil Refineries, Gas Works, Hotels,
Breweries, and for all classes of manufactories;
for Draining Mines and Excavations, and for
Blasting Mills, Blast Furnaces and Water Works
supplying Cities, Towns and Villages with
Water; also, for Wrecking purposes and Steam
Fire Engines for Land and Sea.
Also, Manufacturers of Vacuum Pumps, Du-
plex and Single, and Copper or Iron Vacuum
Pans of all sizes and for all purposes, with com-
plete fixtures for Refining Sugar, Corn Syrup,
Glue, &c., or for condensing Milk, Extracts,
Chemicals, &c., &c.All Work from this Establish-
ment fully Warranted.


Catalogues mailed on application.

Send for Illustrated Descriptive Circulars.




The "Danbury" Universal Drill Chuck.
F. A. HULL & CO., Manufacturers, Danbury, Conn.
Not equalled in any essential. Only Chuck holding drills from $\frac{1}{8}$ down to 0. Runs true on all sizes, and will never slip or "set."

C. H. Reid's Patent, Aug. 12th, 1873




SELDEN PATENT

DIRECT ACTION STEAM PUMP,

Patented August 2nd and
December 20th, 1870.Tank Pump, with Boiler
Feed Attachment.For Boiler Feeders,
For Water Works,
For Fire Pumps,
For Mines, etc., etc.And for all purposes for which Steam
Pumps can be used. Sold under full
guarantee. Money will be returned if,
from any cause, they should prove unsat-
isfactory. Send for Circular and Price
List, fully describing them, toA. CARR,
43 Cortlandt Street,
New York City.

BRADLEY'S CUSHIONED HAMMER.

This Hammer has many valuable improvements made useful in the device for cushioning the blow,
thereby relieving all the working parts from that jar and concussion which is the destroying element of
other Helve Hammers. It is made Adjustable in Line of Action, Length of Stroke, Rapidity of Motion,
and Weight of Blow, all of which are controlled at the will of the operator. They have Larger Ca-
pacity, Cost Less, are more Durable, take up Less Room, do More and Better Work at Less
Expense for Power, than any other Hammer in use. We guarantee them fully as recommended. For
particulars, addressBradley Manufacturing Co.,
SYRACUSE NEW YORK.

CHARLES CHURCHILL & CO., American Merchants & Importers of Machinery & Tools,

28 Wilson Street, Finsbury, London, Eng.

New York House, W. CHURCHILL & CO., 493 Greenwich St., N. Y.


To AMERICAN MANUFACTURERS we offer our services for the introduction, in Great Britain and the Continent, of MACHINERY and TOOLS of improved con-
struction. It is now seven years since we established ourselves in London, and during that time we have succeeded in establishing a demand which is now rapidly increasing,
thus proving the value of these goods throughout Great Britain and the Continent. We are now the European Agents for several leading American Tool Makers, to
whom we will give reference on application to either our London or New York house.
We invite all makers of improved Machinery and Tools to communicate with us, sending us catalogues and price lists. We shall be pleased to take up and introduce
all such goods suitable to this market. Having successfully introduced American Vices, Chucks, Drills, Drilling Machines, Pumps, and a variety of other tools and household
utensils, we are confident all good and useful articles will meet with success.
We are European Agents for The Iron Age, to whom reference may be made.
AMERICAN MANUFACTURERS receiving orders from abroad can communicate with our New York house and execute the orders through us, thus avoiding all risks
C. CHURCHILL & Co. also offer their services to all purchasers of Machinery and Tools in Great Britain and Europe who may require special goods, for which quo-
tations will be given on application. A Stock of Tools and Machinery are kept in our London Warehouse for immediate delivery.
Catalogues and Price Lists sent post free on application.

DRILLING MACHINES.

Portable, Radial, Multiple, Vertical, Hori-
zontal, Special.

THORNE, DeHAVEN & CO.,

21st. St. above Market St., Philadelphia.



TACKLE BLOCKS.

BURR & CO

Manufacturers of Waterman and Russell


PATENT IRON STRAPPED BLOCKS,

ALSO, MANUFACTURERS OF
ROPE STRAPPED BLOCKS,
91 PECK SLIP, NEW YORK.

Machinery, &c.

**ANDREW WATSON,
MACHINIST and ENGINEER,**Nos. 537 & 539 Dickinson Street,
Near Trenton Avenue, 19th Ward, PHILADELPHIA.

Builder of Vertical Steam Engines and Boilers, peculiar for their economy of space and fuel, safety and quickness in raising Steam. Also, sole manufacturer of Improved Balance Governor with automatic stop, Balance Slide Valve, Safety Valves, Stop Valves, Improved Pistons for Engines, which require no setting by the Engineer. Engine Builders and Dealers supplied with Governors, Stop Valves, Safety Valves, &c., &c. These governors are fitted up in the very best manner, with brass Valves and Seats, which will not corrode or stick fast. Guaranteed to regulate under any irregular load which an Engine is subject to. Millwright work executed, and Machinery in general satisfactorily repaired. Engines Indicated Promptly and with the Greatest Accuracy.


**BAND SAW MACHINERY**For Ship & Car Builders, Agricultural, Wagon,
Pattern and Cabinet Shops.

"Perin" French Band Saw Blade




KEPT IN STOCK.

RICHARDS, LONDON & KELLEY,
22nd above Arch, PHILADELPHIA.**THE
Shapley Engine**COMPACT,
PRACTICAL,
DURABLE,
ECONOMICAL.
\$200.00.Cheaper than any Engine offered of
the same capacity.

MANUFACTURED BY

SHAPLEY & WELLS,
Binghamton Iron Works,
Binghamton, N. Y.Manufacturers of Steam Engines, Boilers, Water Wheels, Circular Saw Mills and
Mill Work generally.**Fairmount Machine Works,**

Office, 2106 Wood St., Philadelphia, Pa.

POWER
Hoisting Machines,
WITH OR WITHOUT
Cage, as required.**THOMAS WOOD,**Adjustable Self-Oiling Post Hanger
6 in. from post to center of shaft.MANUFACTURES AS SPECIALTIES,
SIZING MACHINES, SPOOLING, BEAMING, DYEING and
ROBBIN WINDING MACHINES—wind direct from bank or skein to shuttle bobbin.
SHAFTING, with Patent Adjustable Self-Oiling Bearings.
PLANS taken, and FACTORIES fitted out complete with Shafting and Gearing.
PULLEYS, from 4 inch to 10 feet diameter, of most Approved Pattern.
SELF-ACTING WOOL SCOURING MACHINES, (Jewell's Patent.)
Machine and Foundry Work in all their branches. Send for Price List of Pulleys & Shafting.We have the best and most complete assortment of
MACHINISTS' TOOLS,
in the country, comprising all those used in Machine, Loco-
motive and**R. R. REPAIR SHOPS.**We make a specialty of manufacturing
Gear Wheels of all Descriptions,
which are made absolutely perfect, with Patent Gear
Molding Machine.
For Photographs, Prices and Description, etc., address
N. Y. STEAM ENGINE CO.,
98 Chambers Street, New York.**STURTEVANT**Pressure Blowers, Fan Blowers
and Exhaust Fans.**10,000 SOLD IN SIX YEARS.**

SEND FOR ILLUSTRATED CATALOGUE.

B. F. STURTEVANT, 72 Sudbury Street,

BOSTON, MASS.

Machinery, &c.

IMPROVED BOLT MACHINERY.

BOLT HEADER,


That will head 10,000 per day.

Single & Double Head
BOLT CUTTERS,

That will cut from 5000 to 10,000 per day.

Bolt Pointers, Tapping Lathes,
Tire Blank and Rivet Headers,
Engine Lathes, &c.

Manufactured by

**THE
Chapin Machine Co.,**
New Hartford Conn.

Established 1848.

WM. SELLERS & CO.,

1600 Hamilton Street, PHILADELPHIA.,

Engineers, Iron Founders and Machinists.

RAILWAY SHOP EQUIPMENTS.

Our Steam Hammers, Lathes, Planers, Drills and Bolt Cutters
Are of Improved and Patented Construction.Railway Turning and Transfer Tables,
SHAFTING & MILL GEARING, a specialty.**Pivot Bridges.**

GIFFARD'S INJECTOR--IMPROVED, SELF-ADJUSTING.


BUSH HILL IRON WORKS,Corner 16th & Buttonwood Streets,
PHILADELPHIA.**JAMES MOORE,**

(Successor to MATTHEWS & MOORE.)


Engineer, Machinist, Founder and Boilermaker.

CASTINGS of every description.


ROLLING MILL AND FURNACE EQUIPMENTS COMPLETE.

Rolls Turned for Rails, Beams, Angles, and all shapes for Iron, Steel, or
Composition Metals.Sugar Mill, Saw Mill and Crist Mill Machinery,
AND MILLWRIGHTING IN GENERAL.BOILERS--FLUE, TUBULAR AND CYLINDER, and all kinds of
TANK AND PLATE IRON WORK.**THE AMERICAN DREDGING CO.**

PATENT IMPROVED GRAPPLE-DREDGE



SHAW'S PATENT GUN POWDER PILE-DRIVER.



IMPROVED GRAPPLE-DREDGE

**BUILDERS OF STEAM DREDGING MACHINES,
GUNPOWDER PILE-DRIVERS, &c.**

CONTRACTORS FOR

IMPROVING RIVERS AND HARBORS,
EXCAVATING CANALS,
RECLAIMING AND FILLING LOW LANDS,
PILING FOR FOUNDATIONS, PIERS, Etc.

Offices, No. 10 South Delaware Ave., Philad'a.

WM. B. BEMENT & SON,
INDUSTRIAL WORKS, Philadelphia, Pa.

MANUFACTURERS OF

MACHINISTS' TOOLS

Of all descriptions.

STEAM HAMMERS a specialty.

Machinery, &c.

**WESTON'S
PATENT DIFFERENTIAL****Pulley Blocks,**

Warranted superior to any made.


RATCHET DRILLS,
Machine Finished, Case Hardened and
Interchangeable.**Self-Sustaining Rope Pulley
Blocks**Being worked with a rope the motion is quick and
steady, and in many cases is more suitable than the
chain block. It is self-sustaining, the eccentric
brake being put in or out of action by moving the
hand-rope to the right or left, or by pulling the rope
outward. The weight can be lowered or sustained
at any desired point.**VAN WART & MCCOY,**

Sole Agents,


43 Chambers Street, NEW YORK.

JAMES HENSHALL,Engineer, Machinist & Blacksmith
1856 Bench St., PHILADELPHIA.Drawings made to order. Repairing of all kinds
promptly attended to. Blacksmithing executed
all its branches.**IMPROVED GAGE COCKS**

Simple, Durable and Efficient.

**Automatic Damper Regulator**

FOR STEAM BOILERS.

SAFETY, ECONOMY & DURABILITY.
MURRILL & KEIZER, Baltimore.
Agents Wanted. Send for Circulars.**P BLAISDELL & CO.,**
WORCESTER, MASS.,
Manufacturers of the'BLAISDELL' UPRIGHT DRILLS,
And other First-Class Machinists' Tools.**HENRY BLUNDELL & CO.,
MACHINISTS,**



And Manufacturers of

JEWELERS' TOOLS

of every description.

BRASS FOUNDERS & FINISHERS.
Barry's Steam Cylinder Packing

PATENTED JUNE, 1872.

LITTLE'S PATENT CART HOIST.
For State Rights, and Rights to manufacture, or further
information, address
Nos. 98 to 106 Orange, & 63 to 69 Peck St.,
PROVIDENCE, R.
Price List sent free on application.**PHILADELPHIA HYDRAULIC WORKS**
Evelina Street, east of 3d Street, below Walnut,
Philadelphia, Manufacturers of
Steam Pumping Machinery
of every description. Send for Illustrated Price List**MACHINISTS' TOOLS.**

12, 15, 16 and 18 inch

Swing Screw-Cutting Engine Lathes and
PATENT FRICTION PULLEYS,
Star Tool Co., Providence, R. I.

